


PRODUCT CATALOG

ABOUT LITE TECHNOLOGY


OUR Factory

Our factory boasts the latest in computerized technology, from lasers, robots and 3D printers to large programmable brakes and presses to provide exceptional quality and fast turnaround all to your exacting specification. Our factory flexibility allows us to design to your exact specification application. Our in house powder coat finishing provides cost effective options for every product.



OUR Products

The right LED fixture today requires the right wattage and lumen package, the right reflectors and diffusers to maximize efficiency, the right size and finish for the perfect look for your application, and the right warranty to maximize maintenance. We can achieve all of this for you with fast turnaround, value pricing, and continuing customer care.



*Consult for Products Made in USA.

OUR YesWeCanCulture

Our founder's philosophy is to say "yes" and then work hard to make it happen!

This is a stark contrast from the slow moving, bureaucratic approach of our larger competitors. We ensure that every lighting challenge is met with determination and a smile; and we are committed to being your solution!

Table of Contents

Recessed Section A



Strips Section B



Highbays Section C



Surface Section D



Specialty Section E



Vanity Section F



Retrofits Section G



Residential Section H



Outdoor Section I



Exits Section J



Savegreen Section K




NOTE to our Valued Customers:

As the current climate of tariff policies continues to impact pricing, LITE can be a great resource to help minimize the impact on your purchases. Manufacturing domestically, we have the fixture advantage.

We can also recommend or source alternative products that might be more cost effective. Please check with your sales consultant for options and current pricing.



Skybox



131 Recessed Troffer



Flat Panels



Surface Shroud



Center Basket



Square Lens

LED Decorative
Center Basket

Concave Lensed

Curve Lit Sides
Center Basket

Dual Lens



Deep Cell Parabolic



Parabolic



PerimeterLighting




Recessed OpenLinear

Note to our Valued Customers:

As the current climate of tariff policies continues to impact pricing, LITE can be a great resource to help minimize the impact on your purchases. Manufacturing domestically, we have the fixture advantage. We can also recommend or source alternative products that might be more cost effective. Please check with your sales consultant for options and current pricing.

Sky Box



Our SBX is an architectural and aesthetically pleasing addition to any environment. Not only do we offer our SBX as a whole fixture; we also sell the recessed shroud to transform existing flat panels in your space! This specification grade luminaire is available in 1x4, 2x2, and 2x4 sizes with 3500, 4000, or 5000K Color Temperatures. Our 2x4 boasts an offering of two different Lumen packages. The shroud can be customized to add a pop of color.



Transform your flat panel into a specification grade luminaire with our Sky Box accessory. Custom interior color makes a statement and reinforces your brand.



SKY BOX (Innovative recessed shroud and flat panels combined)

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HLSBX22LED40DMVWH40	2x2 / 40W, 5000L, 4000K, 0-10V Dim, Color Temp - 35,40, 50	CALL
HLSBX14LED40DMVWH40	1x4 / 40W, 5000L, 4000K, 0-10V Dim, Color Temp - 35,40, 50	CALL
HLSBX24LED50DMVWH40	2x4 / 50W, 6250L, 4000K, 0-10V Dim, Color Temp - 35,40, 50	CALL

For Emergency, add EM for \$115.



Create your own Skybox with your existing flat panel – See page A4

LED RECESSED TROFFER



ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSL131A22LJ28W3200LDMV40K*	2x2 / 28W, 3200L / Color Temp - 30, 35, 40, 50	CALL
HSL131A22LJ35W3900LDMV40K*	2x2 / 35W, 3900L / Color Temp - 30, 35, 40, 50	CALL
HSL131A22LJ40W4500LDMV40K*	2x2 / 40W, 4500L / Color Temp - 30, 35, 40, 50	CALL
HSL131A14LJ35W4300LDMV40K*	1x4 / 35W, 4300L / Color Temp - 30, 35, 40, 50	CALL
HSL131A14LJ48W5800LDMV40K*	1x4 / 48W, 5800L / Color Temp - 30, 35, 40, 50	CALL
HSL131A24LJ35W4600LDMV40K*	2x4 / 35W, 4600L / Color Temp - 30, 35, 40, 50	CALL
HSL131A24LV37W4750LDMV40K*	2x4 / 37W, 4750L / Color Temp - 30, 35, 40, 50	CALL
HSL131A24LJ48W6300LDMV40K*	2x4 / 48W, 6300L / Color Temp - 30, 35, 40, 50	CALL
HSL131A24LJ57W7100LDMV40K*	2x4 / 57W, 7100L / Color Temp - 30, 35, 40, 50	CALL

Change lens to Frosted (FR) and add \$8.00.

For Surface Mount, add SH to prefix and see shroud pricing A4.

Add "R" after 131A for Air Return and add \$10.

For A125 Lens add \$4.00.

For Dim to 1% up to 57watt, change DMV to D1MV and add \$10.00.

For Emergency, add EM for \$115.

Go to DLC Website for Other Wattages and Lumens. DLC nomenclature might be listed under parent company models.

LED RECESSED TROFFER WITH INTEGRAL OCCUPANCY SENSOR



ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLSM131A22LY28W2825LDMV40K	2x2 / 28W, 2825L / Color Temp - 30, 35, 40, 50 w/ Integral Occupancy Sensor	CALL
HSLSM131A14LY56W5650LDMV40K	1x4 / 56W, 5650L / Color Temp - 30, 35, 40, 50 w/ Integral Occupancy Sensor	CALL
HSLSM131A24LY56W5650LDMV40K	2x4 / 56W, 5650L / Color Temp - 30, 35, 40, 50 w/ Integral Occupancy Sensor	CALL

SM - Microwave Sensor, Leviton OSM3DV1W, Hidden Behind Lens

VL LED TROFFER - SPECIAL PURCHASE (WHILE QUANTITY LAST)



ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSL131A24LY56W5650LVDMV40K**	2x4 / 56W, 5650L / Color Temp - 30, 35, 40, 50	CALL

** Consult for different wattage and color temperature with programmable drivers.

Philips Drivers and LED Arrays

PHILIPS
INSIDE

Make Your Fixtures "Smarter" and More Efficient with Sensors

FOR SENSOR OPTIONS:

ADD

PREFIX DESCRIPTION

SS On / Off

SD On / Off, Daylight Harvesting

SV On / Variable Setting (DMVXX - XX is % of intensity when dim)

SM Microwave Sensor, On / Off - Consult for specific adder for your fixture

FLAT PANEL LED EDGE LIT (EXTERNAL DRIVER)



ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLFPELP22LED40DMVWH40*	2x2 / 40W, 5000L, 4000K, 0-10V Dim, Color Temp - 35,40, 50	CALL
HSLFPELP14LED40DMVWH40*	1x4 / 40W, 5000L, 4000K, 0-10V Dim, Color Temp - 35,40, 50	CALL
HSLFPELP24LED50DMVWH40*	2x4 / 50W, 6250L, 4000K, 0-10V Dim, Color Temp - 35,40, 50	CALL
HSLFPELP24LED75DMVWH40	2x4 / 75W, 9375L, 4000K, 0-10V Dim, Color Temp - 40, 50	CALL

For Surface Mount with Shroud -


Add SH in front of item number and add:

2X4: \$42.80; 1X4: \$37.50; 2X2: \$32.10

Frame-in-kits available to mount in hard ceilings:

FIK2X2: \$18.00; FIK1X4: \$18.00; FIK2X4: \$23.00

DLC nomenclature might be listed under parent company models.



SKYBOX ACCESSORY (TO USE WITH FLAT PANEL BY OTHERS)



ITEM NO.	DESCRIPTION	SPECIAL PRICE
HLSB22	2x2 / 23.95"L x 23.95"W x 3.68"H	CALL
HLSB14	1x4 / 47.65"L x 12"W x 3.68"H	CALL
HLSB24	2x4 / 47.86"L x 23.95"W x 3.68"H	CALL

See complete fixture on page A2.

SURFACE SHROUD

(SPECIALLY DESIGNED SHALLOW, CLEAN SHROUD FOR FLAT PANELS)



Shown Surface Mount Kit with Flat Panel.

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HLSHFPELP2X2WH	2x2 / 24"L x 24"W x 3"D	CALL
HLSHFPELP1X4WH	1x4 / 48"L x 12"W x 3"D	CALL
HLSHFPELP2X4WH	2x4 / 48"L x 24"W x 3"D	CALL

Specify Flat Panel separately.



Available with a variety of sensors. Consult for Leviton Intellect Sensor and Control System.



For additional Sensor Options see pag A3.



Surface mount any recessed by adding "SH" to prefix and consult sales specialist for pricing.

For Emergency, add EM for \$115.
Consult for 1x1 and 1x2. For perforated basket change LL to PF.
For Dim to 1% up to 57watt, change DMV to D1MV and add \$10.00.



SMART LED CENTER LENS W/ SENSOR

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLSSUCLL22LJ28W3150LDMV40K	2x2 / 28W, 3150L / Color Temp - 30, 35, 40,50	CALL
HSLSSUCLL22LJ42W4300LDMV30K	2x2 / 42W, 4300L / Color Temp - 30, 35, 40,50	CALL
HSLSSUCLL14LJ32W4300LDMV40K	1x4 / 32W, 4300L / Color Temp - 30, 35, 40,50	CALL
HSLSSUCLL14LJ48W6000LDMV40K	1x4 / 48W, 6000L / Color Temp - 30, 35, 40,50	CALL
HSLSSUCLL24LJ48W6100LDMV40K	2x4 / 48W, 6100L / Color Temp - 30, 35, 40,50	CALL
HSLSSUCLL24LJ57W6800LDMV40K	2x4 / 57W, 6800L / Color Temp - 30, 35, 40,50	CALL

AIR RETURN Options Available. Check with Factory.

LED CENTER LENS TROFFER

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLUCLL22LJ24W2700LDMV40*	2x2 / 24W, 2700L / Color Temp - 30, 35, 40,50	CALL
HSLUCLL22LJ28W3150LDMV40K*	2x2 / 28W, 3150L / Color Temp - 30, 35, 40,50	CALL
HSLUCLL22LJ30W3600LDMV40K*	2x2 / 30W, 3600L / Color Temp - 30, 35, 40,50	CALL
HSLUCLL14LJ32W4300LDMV40K*	1x4 / 32W, 4300L / Color Temp - 30, 35, 40,50	CALL
HSLUCLL14LJ40W5250LDMV40K*	1x4 / 40W, 5250L / Color Temp - 30, 35, 40,50	CALL
HSLUCLL14LJ48W6000LDMV40K*	1x4 / 48W, 6000L / Color Temp - 30, 35, 40,50	CALL
HSLUCLL24LJ32W4350LDMV40K*	2x4 / 32W, 4350L / Color Temp - 30, 35, 40,50	CALL
HSLUCLL24LJ40W5300LDMV40K*	2x4 / 40W, 5350L / Color Temp - 30, 35, 40,50	CALL
HSLUCLL24LJ48W6100LDMV40K*	2x4 / 48W, 6100L / Color Temp - 30, 35, 40,50	CALL
HSLUCLL24LJ57W7680LDMV40K*	2x4 / 57W, 6800L / Color Temp - 30, 35, 40,50	CALL

LED CENTER LENS TROFFER - AIR RETURN

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLUCRLL22LF28W3200LDMV40K	2x2 / 28W, 3200L / Color Temp - 30, 35, 40,50	CALL
HSLUCRLL22LH35W4200LDMV40K	2x2 / 35W, 4200L / Color Temp - 30, 35, 40,50	CALL
HSLUCRLL24LF48W6750LDMV40K	2x4 / 48W, 6750L / Color Temp - 30, 35, 40,50	CALL
HSLUCRLL24LF57W7800LDMV40K	2x4 / 57W, 7800L / Color Temp - 30, 35, 40,50	CALL

VL LED CENTER LENS

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLCBF22LF28W3200LDMV40K*	2x2 / 28W, 3200L / 0-10V Dim / 4000K	CALL
HSLCBF22LF35W4200LDMV40K*	2x2 / 35W, 4200L / 0-10V Dim / 4000K	CALL
HSLCBF14LF35W4600DMV40K*	1x4 / 35W, 4600L / 0-10V Dim / 4000K	CALL
HSLCBF14LF48W6000DMV40K*	1x4 / 48W, 6000L / 0-10V Dim / 4000K	CALL
HSLCBF24LF35W4500LDMV40K*	2x4 / 35W, 4500L / 0-10V Dim / 4000K	CALL
HSLCBF24LF48W6200LDMV40K*	2x4 / 48W, 6200L / 0-10V Dim / 4000K	CALL
HSLCBF24LF57W7200LDMV40K*	2x4 / 57W, 7200L / 0-10V Dim / 4000K	CALL



LED CENTER SQUARE LENS

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLSCB22LV22W2200LDMV40K	2x2 / 22W, 2200L, 4000K, 0-10V Dim	CALL
HSLSCB22LV30W3000LDMV40K	2x2 / 30W, 3000L, 4000K, 0-10V Dim	CALL
HSLSCB14LV37W3300LDMV40K	1x4 / 37W, 3300L, 4000K, 0-10V Dim	CALL
HSLSCB14LV57W4700LDMV40K	1x4 / 57W, 4700L, 4000K, 0-10V Dim	CALL
HSLSCB24LV46W4000LDMV40K	2x4 / 46W, 4000L, 4000K, 0-10V Dim	CALL
HSLSCB24LV57W4800LDMV40K	2x4 / 57W, 4800L, 4000K, 0-10V Dim	CALL



LED DECORATIVE CENTER BASKET



ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLLXT22LZ24W3000LDMV40K*	2x2 / 24W, 3000L / Color Temp 30, 35, 40, 50	CALL
HSLLXT22LZ36W4200LDMV40K*	2x2 / 36W, 4200L / Color Temp 30, 35, 40, 50	CALL
HSLLXT24LZ45W5800LDMV40K*	2x4 / 45W, 5800L / Color Temp 30, 35, 40, 50	CALL
HSLLXT24LZ60W7350LDMV40K*	2x4 / 60W, 7350L / Color Temp 30, 35, 40, 50	CALL

For Emergency, add EM for \$115. Consult for different wattage and color temperature.

NOTE: See HSL LXT Cut Sheet for additional Wattage and Lumen Options.



LED CONCAVE LENSED



ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLVLT22LJ36W3700LDMV40K	2x2 / 36W, 3700L / Color Temp 30, 35, 40, 50	CALL
HSLVLT24LJ48W5500LDMV40K	2x4 / 48W, 5500L / Color Temp 30, 35, 40, 50	CALL
HSLVLT24LJ52W5100LDMV40K*	2x4 / 52W, 5100L / Color Temp 35, 40 For	CALL

Emergency, add EM for \$115. Consult for different wattage and color temperature.

SMART LED LINEAR RECESSED W/ SENSOR



ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLSSVLT22LJ24W2600LDMV40K	2 x 2 / 24W, 2600L / Color Temp - 30, 35, 40, 50	CALL
HSLSSVLT22LJ36W3700LDMV40K	2 x 2 / 36W, 3700L / Color Temp - 30, 35, 40, 50	CALL
HSLSSVLT14LJ35W4100LDMV40K	1 x 4 / 35W, 4100L / Color Temp - 30, 35, 40, 50	CALL
HSLSSVLT14LJ48W5100LDMV40K	1 x 4 / 48W, 5100L / Color Temp - 30, 35, 40, 50	CALL
HSLSSVLT24LJ35W3700LDMV40K	2x4 / 35W, 3700L / Color Temp - 30, 35, 40, 50	CALL
HSLSSVLT24LJ48W5100LDMV40K	2x4 / 48W, 5100L / Color Temp - 30, 35, 40, 50	CALL
HSLSSVLT24LJ52W6000LDMV40K	2x4 / 52W, 6000L / Color Temp - 30, 35, 40, 50	CALL

For additional Sensor Options see page A3. For Emergency, add EM for \$115.

Smart Fixtures with Sensors are ideal for applications with irregular usage like bathrooms, closets, conference rooms and circulation spaces.



Lit acrylic sides add premium look over standard Center Basket fixtures

LED CURVE LIT SIDES CENTER BASKET

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLCRVRL22LJ28W3500LDMV40K	2x2 / 28W, 3500L / Color Temp 30, 35, 40, 50	CALL
HSLCRVRL22LJ35W4200LDMV40K	2x2 / 35W, 4200L / Color Temp 30, 35, 40, 50	CALL
HSLCRVRL24LJ32W4000LDMV40K	2x4 / 32W, 4000L / Color Temp 30, 35, 40, 50	CALL
HSLCRVRL24LJ48W6100LDMV40K	2x4 / 48W, 6100L / Color Temp 30, 35, 40, 50	CALL
HSLCRVRL24LJ57W7200LDMV40 K	2x4 / 57W, 7200L / Color Temp 30, 35, 40, 50	CALL

For Emergency, add EM for \$115.

LED DUAL LENS



ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLUDLL22LJ28W3200LDMV40K	2x2 / 28W, 3200L / Color Temp 30, 35, 40, 50	CALL
HSLUDLL22LJ35W4200LDMV40K	2x2 / 35W, 4200L / Color Temp 30, 35, 40, 50	CALL
HSLUDLL24LJ48W6000LDMV40K	2x4 / 48W, 6000L / Color Temp 30, 35, 40, 50	CALL
HSLUDLL24LJ57W7100LDMV40K	2x4 / 57W, 7100L / Color Temp 30, 35, 40, 50	CALL

LED RECESSED PARABOLIC



ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLPARA9C22LJ30W2600LDMV40K	2x2/ 9 Cell / 30W, 2600L / 0-10V Dim / 4000K	CALL
HSLPARA9C22LJ42W3300LDMV40K	2x2/ 9 Cell / 42W, 3300L / 0-10V Dim / 4000K	CALL
HSLPARA12C14LJ48W4500LDMV40K	2x4 / 12 Cell / 48W, 4500L / 0-10V Dim / 4000K	CALL
HSLPARA12C14LJ60W5000LDMV40K	2x4 / 12 Cell / 60W, 5000L / 0-10V Dim / 4000K	CALL
HSLPARA18C24LJ48W4500LDMV40K	2x4 / 18 Cell / 48W, 4500L / 0-10V Dim / 4000K	CALL
HSLPARA18C24LJ60W5000LDMV40K	2x4 / 18 Cell / 60W, 5000L / 0-10V Dim / 4000K	CALL
HSLPARA18C24LJ85W7400LDMV40K	2x4 / 18 Cell / 85W, 7400L / 0-10V Dim / 4000K	CALL

Add Frosted Overlay to Hide LED's. Add FR after PARA and add \$5 for 2x2 and \$8 for 2x4.

For Emergency, add EM for \$115.

LED PARABOLIC WHITE LOUVER (HIGH EFFICIENCY)



ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLPEW9C22LJ24W3000LDMV40K	2 x 2 / 9 Cell /24W, 3000L / Color Temp - 30, 35, 40, 50	CALL
HSLPEW9C22LJ30W3600LDMV40K	2 x 2 / 9 Cell /30W, 3600L / Color Temp - 30, 35, 40, 50	CALL
HSLPEW18C24LJ48W6000LDMV40K	2 x 4 / 18 Cell /48W, 6000L / Color Temp - 30, 35, 40, 50	CALL
HSLPEW18C24LJ60W7300LDMV40K	2 x 4 / 18 Cell /60W, 7300L / Color Temp - 30, 35, 40, 50	CALL

Add Frosted Overlay to Hide LED's. Add FR after PEW and add \$5 for 2x2 and \$8 for 2x4. Consult for Louver Options. For semi-specular louver change PEW to PES. For Emergency, add EM for \$115.



PERIMETER LIGHTING

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLEWW24LJ24W1600LDMV40K	Wall Wash 24 In, 24W/ 2400 Lumens; 30K,35K, 40K, 50K	CALL
HSLEWW24LZ35W2500LDMV40K	Wall Wash 24 In, 35W/ 400 Lumens; 30K,35K, 40K, 50K	CALL
HSLEWW48LJ48W3500LDMV40K	Wall Wash 48 In, 24W/ 2400 Lumens; 30K,35K, 40K, 50K	CALL
HSLEWW48LZ57W4000LDMV40K	Wall Wash 48 In, 48W/ 4800 Lumens; 30K,35K, 40K, 50K	CALL

For Emergency, add EM for \$115.

RECESSED OPEN LINEAR (IDEAL FOR GENERAL MERCHANDISING)

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLITB48LT23W3000LDMV40K	4ft. Recessed Linear 23W, 3000L/ Color Temp - 30, 35, 40, 50	CALL
HSLITB48LT48W6300LDMV40K	4ft. Recessed Linear 48W, 6300L/ Color Temp - 30, 35, 40, 50	CALL
HSLITB96LT48W6300LDMV40K	8ft. Recessed Linear 48W, 6300L/ Color Temp - 30, 35, 40, 50	CALL
HSLITB96LT85W11000LDMV40K	8ft. Recessed Linear 85W, 11000L/ Color Temp - 30, 35, 40, 50	CALL







Industrial Strips



Economy Lensed

Linear Strip
Workhorse

Linear Strip

SER Contoured
StripLinear Round
StripSKD Low
ProfileCRSR Premium
Strip

SES



CStrip




SSStrip



KDS



SSSES



SSSKD



SMF

Note to our Valued Customers:

As the current climate of tariff policies continues to impact pricing, LITE can be a great resource to help minimize the impact on your purchases. Manufacturing domestically, we have the fixture advantage. We can also recommend or source alternative products that might be more cost effective. Please check with your sales consultant for options and current pricing.

Industrial Strips

Your Choice for Industrial Lighting with LED.

LED Industrials provide more light on the cartons on each side of the aisle.



BEFORE
(fluorescent)



AFTER
(LED)

INDUSTRIAL STRIP FAMILY (1 STYLE, 3 CONFIGURATIONS)

ITEM NO.	DESCRIPTION	SPECIAL PRICE
Enclosed with Hinged Frosted Lens		
HSLRRSFR48LE28W2700LDMV40K	48" Enclosed w/ FR Hinged Lens 28W/ 2700L	CALL
HSLRRSFR48LE48W4600LDMV40K	48" Enclosed w/ FR Hinged Lens 48W/ 4600L	CALL
HSLRRSFR48LE57W5400LDMV40K	48" Enclosed w/ FR Hinged Lens 57W/ 5400L	CALL
HSLRRSFR96LE57W5400LDMV40K	96" Enclosed w/ FR Hinged Lens 57W/ 5400L	CALL
HSLRRSFR96LE96W9200LDMV40K	96" Enclosed w/ FR Hinged Lens 96W/ 9200L	CALL
HSLRRSFR96LE114W10400LDMV40K	96" Enclosed w/ FR Hinged Lens 114W/ 10400L	CALL
Deep Enhanced White Reflector		
HSLRRS48LE28W4600LW30DMV40K	48" with White Reflector 28W / 4600L	CALL
HSLRRS48LE48W5650LW30DMV40K	48" with White Reflector 48W / 5650L	CALL
HSLRRS48LE57W6400LW30DMV40K	48" with White Reflector 57W / 6400L	CALL
HSLRRS96LE57W6400LW30DMV40K	96" with White Reflector 57W/ 6400L	CALL
HSLRRS96LE96W11300LW30DMV40K	96" with White Reflector 96W/ 11300L	CALL
HSLRRS96LE114W12800LW30DMV40K	96" with White Reflector 114W/ 12800L	CALL
Open Strip		
HSLRRS48LE28W4300LDMV40K	48" Open 28W /4300L	CALL
HSLRRS48LE48W7000LDMV40K	48" Open 48W /7000L	CALL
HSLRRS48LE57W8000LDMV40K	48" Open 57W /8000L	CALL
HSLRRS96LE57W8000LDMV40K	96" Open 57W /8000L	CALL
HSLRRS96LE96W12000LDMV40K	96" Open 96W /12000L	CALL
HSLRRS96LE114W13800LDMV40K	96" Open 114W /13800L	CALL


Available in 3000K, 3500K and 5000K. For Emergency, add EM and \$115. Consult for other sizes.



Lens



Reflector (Narrow Spread)



Open

INDUSTRIAL LED (IDEAL FOR CEILINGS BETWEEN 10 AND 18 FEET)

ITEM NO.	SIZE (W X L)	Watts / Lumens	Color Options (X100 Kelvins)	SPECIAL PRICE
HSLIND48LJ32W5000LW30DMV40K	10" x 48"	32 / 5000	30, 35, 40, 50	CALL
HSLIND48LJ48W6900LW30DMV40K	10" x 48"	48 / 6900	30, 35, 40, 50	CALL
HSLIND48LJ57W7800LW30DMV40K	10" x 48"	57 / 7800	30, 35, 40, 50	CALL
HSLIND96LJ57W7800LW30DMV40K	10" x 96"	57 / 7800	30, 35, 40, 50	CALL
HSLIND96LJ97W12400LW30DMV40K	10" x 96"	97 / 12400	30, 35, 40, 50	CALL
HSLIND96LJ114W14000LW30DMV40K	10" x 96"	114 / 14000	30, 35, 40, 50	CALL

For Emergency, add EM and \$115. Add wire guard IND48WGWH and \$8.00 per 4 ft.

For continuous run applications add wiring harnesses for electrical plug and play, see Page E10.

ECONOMY LENSED STRIP (IDEAL FOR COVE LIGHTING)

ITEM NO.	SIZE (W X L)	Watts / Lumens	Color Options (X100 Kelvins)	SPECIAL PRICE
HSLRKDFR24LJ12W1200LDMV40KWH	2" x 24"	12 / 1200	30, 35, 40, 50	CALL
HSLRKDFR24LJ24W2400LDMV40KWH	2" x 24"	24 / 2400	30, 35, 40, 50	CALL
HSLRKDFR48LJ28W2800LDMV40KWH	2" x 46"	28 / 2800	30, 35, 40, 50	CALL
HSLRKDFR48LJ48W4800LDMV40KWH	2" x 46"	48 / 4800	30, 35, 40, 50	CALL
HSLRKDFR96LJ57W5700LDMV30KWH	2" x 92"	57 / 5700	30, 35, 40, 50	CALL
HSLRKDFR96LJ96W9600LDMV40KWH	2" x 92"	96 / 9600	30, 35, 40, 50	CALL

For Continuous runs add PI1 \$9.95 or PI3D \$11.95 after DMV for Electrical Connector. For Emergency, add EM and \$115.

LINEAR STRIP WORKHORSE (IDEAL FOR CONTINUOUS RUNS)

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLFSFFR48LJ31W3400LDMV40KWH	2.36"W x 47.25"L x 2.83"H / 31W, 3400L, 4000K	CALL
HSLFSFFR48LJ57W6300LDMV40KWH	2.36"W x 47.25"L x 2.83"H / 57W, 6300L, 4000K	CALL
HSLFSFFR96LJ62W6600LDMV40KWH	2.36"W x 94.43"L x 2.83"H / 62W, 6600L, 4000K	CALL
HSLFSFFR96LJ114W12600LDMV40KWH	2.36"W x 94.43"L x 2.83"H / 114W, 12600L, 4000K	CALL

Pendant mount available.
Available in 3000K, 3500K, and 5000K.

For Sensor Option add SM in front and \$35.00 or MDT4 \$36.00. For Emergency, add EM and \$115.

For continuous run applications add wiring harnesses for electrical plug and play, see Page E10.

LINEAR STRIP (IDEAL REPLACEMENT FOR FLUORESCENT STRIPS)

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLJSR48L40W5400LDMV40K*	42.44"L x 3.75"H x 3.25"W / 40W, 5400L, 4000K	CALL
HSLJSR96L60W8400LDMV40K*	90.47"L x 3.75"H x 3.25"W / 60W, 8400L, 4000K	CALL
HSLJSR96L68W9400LDMV40K*	90.47"L x 3.75"H x 3.25"W / 68W, 9400L, 4000K	CALL


One lens for 8 foot for great look.

Change 40K to 35K or 50K. For Emergency, add EM and \$115.

LED Designer Strips

Ideal for All Applications

Dress up your linear strip with a "hot" color that will attract attention in your space. We can powder coat to any finish with an economical adder



Orange (OR)



Red (RD)



Matte White (WH)



Black (BK)

LED CONTOURED STRIP

Wall or Ceiling mount, surface or pendant mounted, vertical or horizontal this fixture available standard in 3 sizes can be used individually or joined together for a continuous run. Standard in white but with a variety of finish options. Eight foot has one piece lens for great look. See page E10 for continuous run wiring harness.



ITEM NO.	DESCRIPTION	SPECIAL PRICE
HLSERFR24LR14W1400LDMV40KWH	3.79"W x 23.60"L x 3.93"H / 14W, 1400L, 4000K	CALL
HLSERFR24LR20W2000LDMV40KWH	3.79"W x 23.60"L x 3.93"H / 20W, 2000L, 4000K	CALL
HLSERFR48LT28W3600LDMV40KWH*	3.79"W x 47.20"L x 3.93"H / 28W, 3600L, 4000K	CALL
HLSERFR48LT36W4500LDMV40KWH*	3.79"W x 47.20"L x 3.93"H / 36W, 4500L, 4000K	CALL
HLSERFR96LT56W7500LDMV40KWH*	3.79"W x 94.40"L x 3.93"H / 56W, 7500L, 4000K	CALL
HLSERFR96LT84W11000LDMV40KWH*	3.79"W x 94.40"L x 3.93"H / 84W, 11000L, 4000K	CALL

with SENSOR

HLSSEFR24LR14W1400LDMV40KWH	3.79"W x 23.60"L x 3.93"H / 14W, 1400L, 4000K	
HLSSEFR24LR20W2000LDMV40KWH	3.79"W x 23.60"L x 3.93"H / 20W, 2000L, 4000K	
HLSSEFR48LT28W3600LDMV40KWH*	3.79"W x 47.20"L x 3.93"H / 28W, 3600L, 4000K	CALL
HLSSEFR48LT36W4500LDMV40KWH*	3.79"W x 47.20"L x 3.93"H / 36W, 4500L, 4000K	
HLSSEFR96LT56W7500LDMV40KWH*	3.79"W x 94.40"L x 3.93"H / 56W, 7500L, 4000K	
HLSSEFR96LT84W11000LDMV40KWH*	3.79"W x 94.40"L x 3.93"H / 84W, 11000L, 4000K	

For Emergency, add EM and \$115.

Check DLC listing for most current/additional Wattage and Lumen Options.

LINEAR ROUND STRIP (IDEAL FOR VANITY LIGHTING)

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLDKSMW24LZ18W1900LDMV40KWH	2 ft x 2" / 18W, 1900L / Color Temp - 30, 35, 40, 50	CALL
HSLDKSMW48LZ35W3800LDMV40KWH	4 ft x 2" / 35W, 3800L / Color Temp - 30, 35, 40, 50	CALL
HSLDKSWBMW48LZ40W4000LDMV40KWH	4 ft x 3" / 40W, 4000L / Color Temp - 30, 35, 40, 50	CALL
HSLDKSWBMW96LZ80W8000LDMV40KWH	8 ft x 3" / 80W, 8000L / Color Temp - 30, 35, 40, 50	CALL

For emergency, add EM and \$115 (only to WB). Available in BN, BK or BZ and consult for adder.

Consult for other wattages & lumens.

LOW PROFILE LINEAR STRIP

ITEM NO.	SIZE (W X L)	Watts / Lumens	Color Options (X100 Kelvins)	SPECIAL PRICE
HLSKDFR24LJ12W1200LDMV40KWH	2" x 22.5"	12 / 1200	30, 35, 40, 50	CALL
HLSKDFR48LJ28W2800LDMV40KWH	2" x 46"	28 / 2800	30, 35, 40, 50	CALL
HLSKDFR48LJ35W3400LDMV40KWH	2" x 46"	35 / 3400	30, 35, 40, 50	CALL
HLSKDFR96LJ57W5400LDMV40KWH	2" x 92"	57 / 5400	30, 35, 40, 50	CALL
HLSKDFR96LJ72W7000LDMV40KWH	2" x 92"	72 / 7000	30, 35, 40, 50	CALL

Only available with remote EM.

WIDE BODY LINEAR STRIP (3 INCH WIDE X 3 INCH HEIGHT)

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HLSKDWBFR24LJ35W3400LDMV40KWH	2 ft / 35W, 3400L / Color Temp 30, 35, 40, 50	CALL
HLSKDWBFR48LJ40W4000LDMV40KWH	4 ft / 40W, 4000L / Color Temp 30, 35, 40, 50	CALL
HLSKDWBFR48LJ72W7000LDMV40KWH	4 ft / 72W, 7000L / Color Temp 30, 35, 40, 50	CALL
HLSKDWBFR96LJ80W8000LDMV40KWH	8 ft / 80W, 8000L / Color Temp 30, 35, 40, 50	CALL
HLSKDWBFR96LJ114W10800LDMV40KWH	8 ft / 114W, 10800L / Color Temp 30, 35, 40, 50	CALL


For Brushed Nickel, Change WH to BN and Add \$15 per 4 ft. For Bronze, Change WH to BZ and add \$15. For Emergency, add EM and \$115. For Sensor Option add "SD" in front and \$35.00

LED PREMIUM STRIP (IDEAL FOR CONTINUOUS RUNS)

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLCRSR48LT30W3500LDMV40K*	4.36"W x 48"L x 3.90"H/ ROUND LENS/ 30W, 3500L, 4000K	CALL
HSLCRSR48LT41W4300LDMV40K*	4.36"W x 48"L x 3.90"H/ ROUND LENS/ 41W, 4300L, 4000K	CALL
HSLCRSR48LT58W6700LDMV40K*	4.36"W x 48"L x 3.90"H/ ROUND LENS/ 58W, 6700L, 4000K	CALL
HSLCRSR96LT60W6900LDMV40K*	4.36"W x 96"L x 3.90"H/ ROUND LENS/ 60W, 6900L, 4000K	CALL
HSLCRSR96LT82W8900LDMV40K*	4.36"W x 96"L x 3.90"H/ ROUND LENS/ 82W, 8900L, 4000K	CALL
HSLCRSR96LT116W13400LDMV40K*	4.36"W x 96"L x 3.90"H/ ROUND LENS/ 116W, 13400L, 4000K	CALL
HSLCRSF48LT30W3500LDMV40K	4.36"W x 48"L x 3.90"H/ FLAT LENS/ 30W, 3500L, 4000K	CALL
HSLCRSF48LT41W4300LDMV40K	4.36"W x 48"L x 3.90"H/ FLAT LENS/ 41W, 4300L, 4000K	CALL
HSLCRSF48LT58W6700LDMV40K	4.36"W x 48"L x 3.90"H/ FLAT LENS/ 58W, 6700L, 4000K	CALL
HSLCRSF96LT60W6900LDMV40K	4.36"W x 96"L x 3.90"H/ FLAT LENS/ 60W, 6900L, 4000K	CALL
HSLCRSF96LT82W8900LDMV40K	4.36"W x 96"L x 3.90"H/ FLAT LENS/ 82W, 8900L, 4000K	CALL
HSLCRSF96LT116W13400LDMV40K	4.36"W x 96"L x 3.90"H/ FLAT LENS/ 116W, 13400L, 4000K	CALL

For Emergency, add EM and \$115.

Check DLC listing for most current/additional Wattage and Lumen Options.




DKS - 2" wide

DKSWB - 3" wide

New Designer White Ends ideal for variety of applications.



Consult for other finishes and adder.



Vented body is for Emergency Version.



Fully luminous lens from end to end.



This fixture is also DLC listed with a Flat Lens Option. (See picture above.)



LINEAR FIXTURE

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLSESFR48LS31W3100LDMV40KWH	2.36"W x 47.25"L x 2.83"H / 31W, 3100L, 4000K	CALL
HSLSESFR48LR40W4000LDMV40KWH	2.36"W x 47.25"L x 2.83"H / 40W, 4000L, 4000K	CALL
HSLSESFR96LS62W6200LDMV40KWH	2.36"W x 94.43"L x 2.83"H / 62W, 6200L, 4000K	CALL
HSLSESFR96LR80W8000LDMV40KWH	2.36"W x 94.43"L x 2.83"H / 80W, 8000L, 4000K	CALL

Pendant mount available. Available in 3000K, 3500K, and 5000K. For Side Mount version with downlight change SES to SESW.

LINEAR FIXTURE w/ SENSOR (FIXTURE ON WHEN OCCUPIED, OFF WHEN NOT)

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLSSSESFR24LH20W2000LDMV40KWH	2.36"W x 23.6"L x 2.83"H / 20W, 2000L, 4000K	CALL
HSLSSSESFR48LS31W3100LDMV40KWH	2.36"W x 47.25"L x 2.83"H / 31W, 3200L, 4000K	CALL
HSLSSSESFR96LS62W6200LDMV40KWH	2.36"W x 94.43"L x 2.83"H / 62W, 6200L, 4000K	CALL
HSLSSSESFR24LH20W2000LSTMV40KWH	2.36" x 23.6", 20W 2000L with 50% Step Dim	CALL
HSLSSSESFR48LS31W3100LSTMV40KWH	2.36" x 47.3", 31W 3100L with 50% Step Dim	CALL
HSLSSSESFR96LS62W6200LSTMV40KWH	2.36" x 94.43", 62W 6200L with 50% Step Dim	CALL

Step Dim w/Sensor (Fixture ON when occupied, 50% when not). Consult for other finishes. Pendant mount available. Available in 3000K, 3500K, and 5000K. Other Sensor Options See Page A3.

LED OPEN STRIP (4.25" WIDE) (CONSULT TO ADD REFLECTORS)

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLC24LF24W3350LDMV40K*	4.25" x 24" / 24W, 3350L, 4000K	CALL
HSLC24LF30W3900LDMV40K*	4.25" x 24" / 30W, 3900L, 4000K	CALL
HSLC48LF35W4900LDMV40K*	4.25" x 48" / 35W, 4900L, 4000K	CALL
HSLC48LF48W6500LDMV40K*	4.25" x 48" / 48W, 6500L, 4000K	CALL
HSLC48LF57W7800LDMV40K*	4.25" x 48" / 57W, 7800L, 4000K	CALL
HSLC96LF70W9800LDMV40K*	4.25" x 96" / 70W, 9800L, 4000K	CALL
HSLC96LF97W13000LDMV40K*	4.25" x 96" / 97W, 13000L, 4000K	CALL
HSLC96LF118W15500LDMV40K*	4.25" x 96" / 118W, 15500L, 4000K	CALL



LED LENSED STRIP (4.25" WIDE)

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLC24LFRF24W3000LDMV40K*	4.25" x 24" / 24W, 3000L, 4000K	CALL
HSLC24LFRF30W3400LDMV40K*	4.25" x 24" / 30W, 3400L, 4000K	CALL
HSLC48LFRF35W4500LDMV40K*	4.25" x 48" / 35W, 4500L, 4000K	CALL
HSLC48LFRF48W6000LDMV40K*	4.25" x 48" / 48W, 6000L, 4000K	CALL
HSLC48LFRF57W7100LDMV40K*	4.25" x 48" / 57W, 7100L, 4000K	CALL
HSLC96LFRF70W9100LDMV40K*	4.25" x 96" / 70W, 9100L, 4000K	CALL
HSLC96LFRF97W11900LDMV40K*	4.25" x 96" / 97W, 11900L, 4000K	CALL
HSLC96LFRF118W14200LDMV40K*	4.25" x 96" / 118W, 14200L, 4000K	CALL



For Wire Guard add WG and \$8.00. For Emergency, add EM and \$115.
Check DLC listing for most current/additional Wattage and Lumen Options.



Frosted lens
accessory reduces
LED brightness.
S48FRLN - \$8.50

LED OPEN STRIP (2.75" WIDE)

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLS24LS12W1400LDMV40K	2.75" x 1.80" x 24.00" / 12W, 1400L, 4000K	CALL
HSLS48LS24W2800LDMV40K	2.75" x 1.80" x 48.00" / 24W, 2800L, 4000K	CALL
HSLS48LS28W3200LDMV40K	2.75" x 1.80" x 48.00" / 28W, 3200L, 4000K	CALL
HSLS48LH35W3400LDMV40K	2.75" x 1.80" x 48.00" / 35W, 3400L, 4000K	CALL
HSLS96LS57W6400LDMV40K	2.75" x 1.80" x 96.00" / 57W, 6400L, 4000K	CALL
HSLS96LH72W8200LDMV40K	2.75" x 1.80" x 96.00" / 72W, 8200L, 4000K	CALL

LED STRIP WITH REFLECTOR (IDEAL FOR WALL WASHING)

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLS24LR15W1600LW35DMV40K	24" STRIP ASYMMETRICAL REFLECTOR 15W 1600 LUMENS 4000K	CALL
HSLS48LR29W3200LW35DMV40K	48" STRIP ASYMMETRICAL REFLECTOR 29W 3200 LUMENS 4000K	CALL
HSLS60LR38W4070LW35DMV40K	60" STRIP ASYMMETRICAL REFLECTOR 38W 4070 LUMENS 4000K	CALL
HSLS96LR57W6400LW35DMV40K	96" STRIP ASYMMETRICAL REFLECTOR 57W 6400 LUMENS 4000K	CALL

Available in 3000K, 3500K, and 5000K. For continuous run, see wiring harness on page E10.



Asymmetrical reflector
provides wall wash
(W35 Reflector)



Create perimeter lighting and brand image.
Consult for custom fixtures and finishes.

LED OPEN STRIP (1.62" WIDE) IDEAL FOR COVES

	DESCRIPTION	SPECIAL PRICE
HSLKDS48LJ24W2800LDMV40K	1.62" x 1.62" x 48.00" / 24W, 2800L, 4000K	CALL
HSLKDS48LJ28W3200LDMV40K	1.62" x 1.62" x 48.00" / 28W, 3200L, 4000K	CALL
HSLKDS48LJ35W4000LDMV40K	1.62" x 1.62" x 48.00" / 35W, 4000L, 4000K	CALL
HSLKDS96LJ48W5650LDMV40K	1.62" x 1.62" x 96.00" / 48W, 5650L, 4000K	CALL
HSLKDS96LJ57W6400LDMV40K	1.62" x 1.62" x 96.00" / 57W, 6400L, 4000K	CALL
HSLKDS96LJ72W7000LDMV40K	1.62" x 1.62" x 96.00" / 72W, 7000L, 4000K	CALL

Available in 3000K, 3500K and 5000K. Add Wiring Harness for Continuous Runs - See Page E10.

For Emergency, add EM and \$115.



LED LINEAR w/DAYLIGHT HARVESTING SENSOR

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLSDSEFR24LJ20W2000LDMV40KWH	2.36" x 23.6", 20W 2000L, Daylight Harvesting	CALL
HSLSDSEFR48LJ31W3100LDMV40KWH	2.36" x 47.3", 31W 3100L, Daylight Harvesting	CALL
HSLSDSEFR96LJ62W6200LDMV40KWH	2.36" x 94.43", 62W 6200L, Daylight Harvesting	CALL

SD - Daylight Harvesting Sensor in conjunction with 0-10V driver allow light level to adjust to ambient light. Available in 3000K, 3500K, and 5000K.

WIDE BODY LINEAR STRIP w/SENSOR
(FIXTURE ON WHEN OCCUPIED, OFF WHEN NOT)

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLSSSKDWBFR24LH35W3400LDMV40KWH	2 ft / 35W, 3400L / Color Temp 30, 35, 40, 50	CALL
HSLSSSKDWBFR48LE40W4000LDMV40KWH	4 ft / 40W, 4000L / Color Temp 30, 35, 40, 50	CALL
HSLSSSKDWBFR48LH72W7000LDMV40KWH	4 ft / 72W, 7000L / Color Temp 30, 35, 40, 50	CALL
HSLSSSKDWBFR96LH80W8000LDMV40KWH	8 ft / 80W, 8000L / Color Temp 30, 35, 40, 50	CALL
HSLSSSKDWBFR96LE114W10800LDMV40KWH	8 ft / 114W, 10800L / Color Temp 30, 35, 40, 50	CALL

LINEAR FIXTURE w/MICROWAVE SENSOR

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HLSMFSFFR48LF31W3100LDMV40KWH	2.36"W x 47.25"L x 2.83"H / 31W, 3200L, 4000K	CALL
HLSMFSFFR96LF62W6200LDMV40KWH	2.36"W x 94.43"L x 2.83"H / 62W, 6200L, 4000K	CALL

For Emergency, add EM and \$115. NOTE: Center shadow for microwave sensor.


Dimming to 1%

Standard DMV provides dimming to 10% intensity.

For Dim to 1% up to 57watt, change DMV to D1MV and add \$10.00.


From design, to your site. We help you complete the Job, at the speed of LITE!

Photos from previous job sites. Fixtures supplied by LITE.




Note to our Valued Customers:

As the current climate of tariff policies continues to impact pricing, LITE can be a great resource to help minimize the impact on your purchases. Manufacturing domestically, we have the fixture advantage. We can also recommend or source alternative products that might be more cost effective. Please check with your sales consultant for options and current pricing.

**Premium High Bay****HIL High Bay****HBG High Bay****HBC High Bay****HBCA Aisle Light****Mini High Bay****Round High Bay****Vapor Tight High Bay****Vapor Tight High Bay Low Bay**

Evolution of a High Bay Leader (From HID to LED)

Evolution of the High Bay			
	HID	FLUORESCENT	LED
ENERGY	460 Watts	324 Watts	216 Watts
LIFE	20,000 Hours	30,000 Hours	50,000 hour
MAINTENANCE	Re-Lamp and Re-Ballast	Re-Lamp and Re-Ballast	Replace Driver

LED PREMIUM HIGH BAY w/OPTIONAL ACCESSORIES



ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLHBIP12L110W14680LMV50K*	11.8"Wx21.5"Lx2"H High Bay 110W, 14680 Lumens 50K	CALL
HSLHBIP22L165W22000LMV50K*	16.0"Wx21.5"Lx2"H High Bay 165W, 22000 Lumens 50K	CALL
HSLHBIP24L220W29370LMV50K**	11.8"Wx43"Lx2"H High Bay 220W 29370 Lumens 50K	CALL

For Emergency, add EM for \$115. For Occupancy Sensor, add MDT4 and \$36. Fixtures include chain kits. Consult for different wattage, color temperature, and higher lumens.



HIGH OUTPUT PREMIUM LED HIGH BAY

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLHBIHO24L245W34300LDMV50K*	20"Wx43"Lx1.5"H High Output High Bay 245W, 34300 LUMEN 50K	CALL
HSLHBIHO24L325W45500LDMV50K*	20"Wx43"Lx1.5"H High Output High Bay 325W, 45500 LUMEN 50K	CALL

Consult for 200W.

ACCESSORIES

Fine tune your High Bay to your application.



Door Frame
Lens options.

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLHBI12DFMW	1x2** High Bay Door Frame Set w/ Matte White Lens	CALL
HSLHBI22DFMW	2x2** High Bay Door Frame Set w/ Matte White Lens	CALL
HSLHBI24DFMW	2x4** High Bay Door Frame Set w/ Matte White Lens	CALL
HSLHBI12WG	1x2 Wire Guard White	CALL
HSLHBI22WG	2x2 Wire Guard White	CALL
HSLHBI24WG	2x4 Wire Guard White	CALL
HSLHBIFMK	Flush Mounting Kit 6"L x 2"W x 0.8"H	CALL
HSLHBIPDMK	Pendant Mounting Kit 3.4"L x 2.3"W x 2"H	CALL



For lensed version
add FR after HIL.




LED HIGH BAY (OPTIONAL LENS)

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLHIL24LY80W10000LDMV50K	24"L 80W AND 10,000 LUMENS 50K	CALL
HSLHIL24LY122W15000LDMV50K	24"L 122W AND 15,000 LUMENS 50K	CALL
HSLHIL48LY80W10000LDMV50K	45"L 80W AND 10,000 LUMENS 50K	CALL
HSLHIL48LY122W15000LDMV50K	45"L 122W AND 15,000 LUMENS 50K	CALL
HSLHIL48LA149W20000LDMV50K	45"L 149W AND 20,000 LUMENS 50K	CALL
HSLHIL48LA175W25000LDMV50K*	45"L 175W AND 25,000 LUMENS 50K	CALL
HSLHIL48LA215W30000LDMV50K*	45"L 215W AND 30,000 LUMENS 50K	CALL
HSLHIL48LA260W35000LDMV50K*	45"L 260W AND 35,000 LUMENS 50K	CALL
HSLHIL48LA280W40000LDMV50K*	45"L 280W AND 40,000 LUMENS 50K	CALL
HSLHIL48LA315W45000LDMV50K*	45"L 315W AND 45,000 LUMENS 50K	CALL
HSLHIL48LA355W50000LDMV50K*	45"L 335W AND 50,000 LUMENS 50K	CALL

Available in 3000K, 3500K and 4000K. For Frosted Lens add "FR" after HIL and \$10 on 2x2 and \$15 on 2x4. For Clear Lens change FR to CL and add \$5 on 2x2 and \$10 on 2x4. For Wireguard add WG after FR and \$15 on 2x2 and \$19 on 2x4. For Occupancy Sensor on End add MDT4 and \$36. For Emergency, add EM for \$115.

Check DLC listing for most current/additional Wattage and Lumen Options.



Uplight Arrays

UPLIGHT ACCESSORY FOR HIL

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLUV45W	Uplight Accessory Module 45W and 5500 Lumens to either 2x2 or 2x4	CALL

LED Arrays don't provide the 360 degrees light output of fluorescent lamps. For applications that require uplight, this accessory is ideal. Consult for other wattages and lumens.

HIGH BAY WITH AIMABLE AND MODULAR ARRAYS

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLHBG48LD104W15000LDHV50K*	20"Wx46"L / 104W, 15000L Color Temp 30, 35, 40, 50	CALL
HSLHBG48LD132W20000LDHV50K*	20"Wx46"L / 132W, 20000L Color Temp 30, 35, 40, 50	CALL
HSLHBG48LD175W25000LDHV50K*	20"Wx46"L / 175W, 25000L Color Temp 30, 35, 40, 50	CALL
HSLHBG48LD215W30000LDHV50K*	20"Wx46"L / 215W, 30000L Color Temp 30, 35, 40, 50	CALL
HSLHBG48LD280W40000LDMV50K*	20"Wx46"L / 280W, 40000L Color Temp 30, 35, 40, 50	CALL
HSLHBG48LD355W50000LDMV50K*	20"Wx46"L / 355W, 50000L Color Temp 30, 35, 40, 50	CALL

with SENSOR

HSLSSHBG48LD104W15000LDMV50K*	20"Wx46"L / 104W, 15000L Color Temp 30, 35, 40, 50	CALL
HSLSSHBG48LD132W20000LDMV50K*	20"Wx46"L / 132W, 20000L Color Temp 30, 35, 40, 50	CALL
HSLSSHBG48LD175W25000LDMV50K*	20"Wx46"L / 175W, 25000L Color Temp 30, 35, 40, 50	CALL
HSLSSHBG48LD215W30000LDMV50K*	20"Wx46"L / 215W, 30000L Color Temp 30, 35, 40, 50	CALL
HSLSSHBG48LD280W40000LDMV50K*	20"Wx46"L / 280W, 40000L Color Temp 30, 35, 40, 50	CALL
HSLSSHBG48LD355W50000LDMV50K*	20"Wx46"L / 355W, 50000L Color Temp 30, 35, 40, 50	CALL

Add "FR" after HBG for Frosted Lens and add \$24.00 for 104W to 215W \$32.00 for 280W \$40.00 to 355W. This fixture series available in HV (347v/480v)

Check DLC listing for most current/additional Wattage and Lumen Options.



Shown with Sensor.

Each of the Four Linear LEDs
are Separately Enclosed and
Aimable.

Consult for 2 Row Version.



**The Next Generation
of High Bays is Here**



Add Wire Guard, without door, with WG at end of item number and add \$16.
Add to door frame for \$12.



LENS OPTIONS

(See Width Description Above for Correct Version)

HIGH BAY (Most Popular High Bay Style for 6 Years)

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLHBC48LN127W18000LA10DMV50K*	16"Wx48"L / 127W, 18000L Color Temp 30, 35, 40, 50	CALL
HSLHBC48LN162W24000LA10DMV50K*	16"Wx48"L / 162W, 24000L Color Temp 30, 35, 40, 50	CALL
HSLHBC48LN216W30000LA10DMV50K*	16"Wx48"L / 216W, 30000L Color Temp 30, 35, 40, 50	CALL
HSLHBC48LN272W36000LA10DMV50K*	16"Wx48"L / 272W, 36000L Color Temp 30, 35, 40, 50	CALL


LOW BAY

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLHBC48LS61W7040LW30DMV40K	10"Wx48"L / 61W, 7040L Color Temp 30, 35, 40, 50	CALL
HSLHBC48LF97W11300LW30DMV40K*	16"Wx48"L / 97W, 11300L Color Temp 30, 35, 40, 50	CALL
HSLHBC48LH118W13500LW30DMV50K*	16"Wx48"L / 118W, 13500L Color Temp 30, 35, 40, 50	CALL

Check DLC listing for most current/ additional Wattage and Lumen Options. **For Emergency, add EM for \$115.**

See Accessories & Options Below

	HBC10"	HBC16"
Clear Lens Wraps Around Body	HBC10CL - \$15.00	HBC16CL \$18.00
Frosted Lens Wraps Around Body	HBC10FR - \$14.00	HBC16FR \$16.00
Door Frame with Clear Lens*	DFCL - \$25	DFCL - \$30
Door Frame with Frosted Lens*	DFFR - \$20	DFFR - \$25



Big Job or
small,
We help you
LITE it all!

Previous Job Site Photos.
Fixtures supplied by LITE.



ASLE LIGHT



Shown with Optional Wire Guard

ITEM NO.	DESCRIPTION	SPECIAL PRICE
4FT		
HSLHBCA48LN110W14000LA10DMV50K	8"Wx48"L / 110W, 14000L Color Temp 30, 35, 40, 50	CALL
HSLHBCA48LN144W20000LA10DMV50K	8"Wx48"L / 144W, 20000L Color Temp 30, 35, 40, 50	CALL
8FT		
HSLHBCA96LN162W22000LA10DMV50K	8"Wx96"L / 162W, 22000L Color Temp 30, 35, 40, 50	CALL
HSLHBCA96LN220W27000LA10DMV50K	8"Wx96"L / 220W, 27000L Color Temp 30, 35, 40, 50	CALL
HSLHBCA96LN288W35000LA10DMV50K	8"Wx96"L / 288W, 35000L Color Temp 30, 35, 40, 50	CALL

For Wire Guard Add WG and \$14.00. Consult for other wattage and lumen packages.

MINI HIGH BAY



Shown with Door
Frame and Lens

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLHBC22LN63W9000LA10DMV50K	20"Wx24"L / 63W, 9000L Color Temp 30, 35, 40, 50	CALL
HSLHBC22LN110W16000LA10DMV50K	20"Wx24"L / 110W, 16000L Color Temp 30, 35, 40, 50	CALL
HSLHBC22LN144W20000LA10DMV50K	20"Wx24"L / 144W, 20000L Color Temp 30, 35, 40, 50	CALL

For Door Frame and Lens add DFFR and \$25.00

HIGH BAY ACCESSORY OPTIONS



ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLMDT4	External Mounted Occupancy Sensor	CALL
HSLWG	Wire Guard for HBC Full Size	CALL
HSLGT310	Gripple Style Cable Kit 10 FT	CALL
HSLHC101	Chain Kit - 4 "S" Hooks & 20 FT Chain	CALL
HSLEM	Emergency Driver	CALL
HSLHBC7	Center Hub for 3/4" Pipe	CALL

ROUND HIGH BAY



ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLRHB15L100W14000LDMV50K*	15.56"Dia x 7.08"H 100W / 14000 Lumen, 120V-277V, 5000K	CALL
HSLRHB15L180W25000LDMV50K*	15.56"Dia x 7.08"H 180W / 25000 Lumen, 120V-277V, 5000K	CALL
HSLSVRHB15L100W14000LDMV50K*	15.56"Dia x 7.08"H 100W / 14000 Lumen, 120V-277V, 5000K w/Integrated Photo/Motion Sensor	CALL
HSLSVRHB15L180W25000LDMV50K*	15.56"Dia x 7.08"H 180W / 25000 Lumen, 120V-277V, 5000K w/Integrated Photo/Motion Sensor	CALL

VAPOR TIGHT HIGH BAY WET LOCATION

(IDEAL FOR COLD STORAGE AND WASH DOWN)



ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLCITACL48LV80W9700LDMV50K	51.87"L x 14.44"W x 4.63"H / Clear with Matt White Ends Lens / 80W, 9700L / 5000K	CALL
HSLCITACL48LA120W15500LDMV50K	51.87"L x 14.44"W x 4.63"H / Clear with Matt White Ends Lens / 120W, 15500L / 5000K	CALL
HSLCITACL48LA140W18000LDMV50K	51.87"L x 14.44"W x 4.63"H / Clear with Matt White Ends Lens / 140W, 18000L / 5000K	CALL
HSLCITACL48LA150W19500LDMV50K	51.87"L x 14.44"W x 4.63"H / Clear with Matt White Ends Lens / 150W, 19500L / 5000K	CALL
HSLCITACL48LA180W21500LDMV50K	51.87"L x 14.44"W x 4.63"H / Clear with Matt White Ends Lens / 180W, 21500L / 5000K	CALL

For Emergency, add EM and \$115. See specification sheet for mounting options and accessories. CL is Clear Acrylic Lens, change to FR for Frosted Acrylic Lens. For Polycarbonate Versions add PC after CL or FR. Available in 3000K, 3500K and 4000K. Consult your sales specialist for DLC listed options.

VAPOR TIGHT LOW BAY WET LOCATION

(IDEAL FOR COLD STORAGE AND WASH DOWN) IP65, IP66 IP67, NEMA4X



ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLCITACL24LV80W8000LDMV50K	26.6"L x 14.5"W x 5.8"H, Clear with Frosted Ends Lens 80W / 8000L	CALL
HSLCITACL24LV100W10000LDMV50K	26.6"L x 14.5"W x 5.8"H, Clear with Frosted Ends Lens 100W / 10000L	CALL
HSLCITACL24LV140W14000LDMV50K	26.6"L x 14.5"W x 5.8"H, Clear with Frosted Ends Lens 140W / 14000L	CALL


For Emergency, add EM and \$115. See specification sheet for mounting options and accessories. CL is Clear Acrylic Lens, change to FR for Frosted Acrylic Lens. For Polycarbonate Versions add PC after CL or FR. Available in 3000K, 3500K and 4000K.

Note to our Valued Customers:

As the current climate of tariff policies continues to impact pricing, LITE can be a great resource to help minimize the impact on your purchases. Manufacturing domestically, we have the fixture advantage. We can also recommend or source alternative products that might be more cost effective. Please check with your sales consultant for options and current pricing.




**Low Profile Surface
Flat Panel**




Surface Troffer



**Engineered
Wraparound**



Wraparound 7"



Wraparound 9"



209 Wide Wraparound



**201 Narrow
Wraparound**



Corridor Linear



**Linear Wall
Washer**



**Linear Strip
Cove**



**Linkable LED
Strip**



**Strip With
Reflector**

PREMIUM LOW PROFILE WELDED SURFACE FLAT PANEL

Most shroud kits for flat panels have unsightly seams in the corners. This welded body encloses Flat Panel without visual seams and requires no tools to install.



ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLSHPFPELP22LED40DMVWH40	2x2 / 40W, 5000L, 4000K, 0-10V Dim, Color Temp - 35,40, 50	CALL
HSLSHPFPELP14LED40DMVWH40	1x4 / 40W, 5000L, 4000K, 0-10V Dim, Color Temp - 35,40, 50	CALL
HSLSHPFPELP24LED50DMVWH40	2x4 / 50W, 6250L, 4000K, 0-10V Dim, Color Temp - 35,40, 50	CALL

SURFACE SHROUD FOR FLAT PANELS

This specially designed shroud kit allows most flat panels to be surface mounted with a sleek, fresh appearance.



ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLSHPFPELP22WH	2x2x3.5" Deep Surface Kit for Most 2x2 Flat Panels	CALL
HSLSHPFPELP14WH	1x4x3.5" Deep Surface Kit for Most 1x4 Flat Panels	CALL
HSLSHPFPELP24WH	2x4x3.5" Deep Surface Kit for Most 2x4 Flat Panels	CALL

For economy shroud see page A4. Order flat panels separately.

LED SURFACE TROFFER (WELDED SEAMLESS BODY)

ITEM NO.	SIZE (W X L)	Watts / Lumens	Color Options (X100 Kelvins)	SPECIAL PRICE
HSL153A22LJ24W2700LDMV40K	2 x 2	24 / 2700	30, 35, 40, 50	CALL
HSL153A22LJ28W3200LDMV40K	2 x 2	28 / 3200	30, 35, 40, 50	CALL
HSL153A22LJ35W3900LDMV40K	2 x 2	35 / 3900	30, 35, 40, 50	CALL
HSL153A14LJ35W4300LDMV40K	1 x 4	35 / 4300	30, 35, 40, 50	CALL
HSL153A14LJ48W5800LDMV40K	1 x 4	48 / 5800	30, 35, 40, 50	CALL
HSL153A24LJ35W4600LDMV40K	2 x 4	35 / 4600	30, 35, 40, 50	CALL
HSL153A24LJ48W6300LDMV40K	2 x 4	48 / 6300	30, 35, 40, 50	CALL
HSL153A24LJ57W7100LDMV40K	2 x 4	57 / 7100	30, 35, 40, 50	CALL

For Emergency, add EM for \$115. Dress up with higher efficiency. Frosted Lens made special for LED. Replace "A" with "FR" and add \$8.00.

ENGINEERED WRAPAROUND WITH SOLID ENDS

Heavy duty construction ideal for individual or continuous runs.



ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLEWPLR48LS32W4200LDMV40K	9.56"W x 48.0"L x 3.19"H , 32 Watts, 4200 Lumens/ Avail 30K, 35K, 40K, 50K	CALL
HSLEWPLR48LS48W5800LDMV40K	9.56"W x 48.0"L x 3.19"H , 48 Watts, 5800 Lumens/ Avail 30K, 35K, 40K, 50K	CALL
HSLEWPLR48LH72W8700LDMV40K	9.56"W x 48.0"L x 3.19"H , 72 Watts, 8700 Lumens/ Avail 30K, 35K, 40K, 50K	CALL
HSLEWPLR96LS48W5800LDMV40K	9.56"W x 96.0"L x 3.19"H , 48 Watts, 5800 Lumens/ Avail 30K, 35K, 40K, 50K	CALL
HSLEWPLR96LS65W8400LDMV40K	9.56"W x 96.0"L x 3.19"H , 65 Watts, 8400 Lumens/ Avail 30K, 35K, 40K, 50K	CALL
HSLEWPLR96LS97W11600LDMV40K	9.56"W x 96.0"L x 3.19"H , 97 Watts, 11600 Lumens/ Avail 30K, 35K, 40K, 50K	CALL

For Emergency, add EM for \$115. For wiring harness for continuous run, see page E10.



Consult for 8ft. LED Wrap.

NEW Frosted Lens

LED WRAPAROUND 7'

ITEM NO.	SIZE (W X L)	SPECIAL PRICE
HSL207FR224LS24W2800LDMV40K	7.625"W" x 24"L x 3"H / 24W, 2800L, 4000K	CALL
HSL207FR224LS30W3300LDMV40K	7.625"W" x 24"L x 3"H / 30W, 3300L, 4000K	CALL
HSL207FR248LS32W4000LDMV40K	7.625"W" x 48"L x 3"H / 32W, 4000L, 4000K	CALL
HSL207FR248LS48W5500LDMV40K	7.625"W" x 48"L x 3"H / 48W, 5500L, 4000K	CALL
HSL207FR248LS57W6300LDMV40K	7.625"W" x 48"L x 3"H / 57W, 6300L, 4000K	CALL
HSL207FR448LS65W8100LDMV40K	13"W" x 48"L x 3"H / 65W, 8100L, 4000K	CALL
HSL207FR448LS97W11200LDMV40K	13"W" x 48"L x 3"H / 97W, 11200L, 4000K	CALL

For Emergency, add EM for \$115. Available in 3000K, 3500K and 5000K.



NEW Frosted Lens



LED WRAPAROUND 9'

ITEM NO.	SIZE (W X L)	Watts / Lumens	Color Options (X100 Kelvins)	SPECIAL PRICE
HSL209A24LF18W2400LDMV40K*	9" x 24"	18 / 2400	30, 35, 40, 50	CALL
HSL209A24LF30W3600LDMV40K*	9" x 24"	30 / 3600	30, 35, 40, 50	CALL
HSL209FR48LF57W6700LDMV40K	9" x 48"	57 / 6700	30, 35, 40, 50	CALL
HSL209FR48LH72W9000LDMV40K	9" x 48"	72 / 9000	30, 35, 40, 50	CALL
HSL209A48LF32W3450LDMV40K*	9" x 48"	32 / 3450	30, 35, 40, 50	CALL
HSL209A48LV37W4500LDMV40K*	9" x 48"	37 / 4500	30, 35, 40, 50	CALL
HSL209A48LV45W4900LDMV40K	9" x 48"	45 / 4900	30, 35, 40, 50	CALL

For Emergency, add EM for \$115.

Check DLC listing for most current/additional Wattage and Lumen Options.

LED Wraparound



ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSL207A224LV22W2650LDMV40K*	24"L x 7.625"W x 3"H / 22W, 2650L / 0-10V Dim / 40K	CALL
HSL207A248LV37W4500LDMV40K*	48"L x 7.625"W x 3"H / 37W, 4500L / 0-10V Dim / 40K	CALL

For Emergency, add EM for \$115. Acrylic Lens' above.

SPECIFICATION GRADE WIDE WRAPAROUND (4 SIZES)



8 FT Size Available

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSL200A224LS28W2700LDMV40K	24"L x 11.25"W x 3.4"H / Acrylic Lens / 28W, 3300L / 0-10V Dim, Avail 30K, 35K, 40K, 50K	CALL
HSL200A424LS48W6000LDMV40K	24"L x 15.80"W x 3.4"H / Acrylic Lens / 48W, 6000L / 0-10V Dim, Avail 30K, 35K, 40K, 50K	CALL
HSL200A248LS48W5600LDMV40K	48"L x 11.25"W x 3.4"H / Acrylic Lens / 48W, 5600L / 0-10V Dim, Avail 30K, 35K, 40K, 50K	CALL
HSL200A248LS57W6500LDMV40K	48"L x 11.25"W x 3.4"H / Acrylic Lens / 57W, 6500L / 0-10V Dim, Avail 30K, 35K, 40K, 50K	CALL
HSL200A448LS72W9500LDMV40K	48"L x 15.80"W x 3.4"H / Acrylic Lens / 72W, 8200L / 0-10V Dim, Avail 30K, 35K, 40K, 50K	CALL
HSL200A296LS97W11200LDMV40K	96"L x 11.25"W x 3.4"H / Acrylic Lens / 97W, 11200L / 0-10V Dim, Avail 30K, 35K, 40K, 50K	CALL
HSL200A296LS114W13000LDMV40K	96"L x 11.25"W x 3.4"H / Acrylic Lens / 114W, 13000L / 0-10V Dim, Avail 30K, 35K, 40K, 50K	CALL

For Emergency, add EM for \$115.

NARROW WRAPAROUND LED (IDEAL FOR CORRIDORS & SMALLER AREAS)



ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSL201A48LS24W2800LDMV40K	48"L x 5.75"W x 4.6"H / Acrylic Lens / 24W, 2800L / 0-10V Dim	CALL
HSL201A48LS32W4000LDMV40K	48"L x 5.75"W x 4.6"H / Acrylic Lens / 32W, 4000L / 0-10V Dim	CALL
HSL201A48LS48W5700LDMV40K	48"L x 5.75"W x 4.6"H / Acrylic Lens / 48W, 5700L / 0-10V Dim	CALL
HSL201A48LH72W8700LDMV40K	48"L x 5.75"W x 4.6"H / Acrylic Lens / 72W, 8700L / 0-10V Dim	CALL
HSL201A96LS48W5600LDMV40K	96"L x 5.75"W x 4.6"H / Acrylic Lens / 48W, 5600L / 0-10V Dim	CALL
HSL201A96LS65W8000LDMV40K	96"L x 5.75"W x 4.6"H / Acrylic Lens / 65W, 8000L / 0-10V Dim	CALL
HSL201A96LS97W11400LDMV40K	96"L x 5.75"W x 4.6"H / Acrylic Lens / 97W, 11400L / 0-10V Dim	CALL

Also available in 30K, 35K, 40K, 50K

CORRIDOR LINEAR



ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSL1159A24LS24W1900LDMV40K	4.62"W x 24"L x 4.5"H	CALL
HSL159A24LS31W2300LDMV40K	4.62"W x 24"L x 4.5"H	CALL
HSL159A48LS48W3900LDMV40K	4.62"W x 48"L x 4.5"H	CALL
HSL159A48LS62W4700LDMV40K	4.62"W x 48"L x 4.5"H	CALL

LED LINEAR WALL WASHER

Fits neatly into a corner between ceiling and wall to provide general lighting or provides a surface mounted wall wash mounted one third of wall height from the wall.



ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLW4ASSF48LR24W2400LDMV40KWH	Linear Wall Washer 4"W x 48"L x 4"H, 0-10V Dimmable	CALL
HSLW4ASSF48LR48W4800LDMV40KWH	Linear Wall Washer 4"W x 48"L x 4"H, 0-10V Dimmable	CALL
HSLW4ASSF96LR48W4800LDMV40KWH	Linear Wall Washer 4"W x 96"L x 4"H, 0-10V Dimmable	CALL
HSLW4ASSF96LR96W9600LDMV40KWH	Linear Wall Washer 4"W x 96"L x 4"H, 0-10V Dimmable	CALL

Available in 3000K, 3500K and 5000K.

VANDAL PROOF SURFACE MOUNT

Ideal for Locker Rooms and Other High Traffic, Potentially Abusive Applications



ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLRSFR24LS25W2800LDMV40KWH	12"W x 24"L x 6"D 25 Watts, 2800 Lumens, 0-10V Dimmable Tamper Proof	CALL
HSLRSFR48LS50W5600LDMV40KWH	12"W x 48"L x 6"D 50 Watts, 5600 Lumens, 0-10V Dimmable Tamper Proof	CALL

Available with Clear Lens change FR to CL. For different color temperature change 40K to 30K, 35K, or 50K. For Emergency add EM for \$115.

LED CONTINUOUS RUN LINEAR STRIP COVE LIGHTING (PLUG AND PLAY SYSTEM WITH CORD, PLUG AND BUTT CONNECTOR)



Adjustable and locking mounting bracket aims the light.

ITEM NO.	SIZE (W X L)	Watts / Lumens	Color Options (X100 Kelvins)	SPECIAL PRICE
HSLLCR48L18W2400LMV50K*	1" x 48"	18 / 2250	50	CALL
HSLLCR96L40W5200LMV50K*	1" x 96"	40 / 5000	50	CALL
HSLLCRADJMT**	Set of 3			CALL

**Standard brackets included. Not dimmable. Check availability for other color temperatures.

LINKABLE LED STRIP (EACH FIXTURE COMES WITH 3FT CORD & PLUG, MINI COUPLER AND MOUNTING CLIPS)

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLLED13L4W360L50K	STRIP LED DED 4W 360 LUMENS 5000K	CALL
HSLLED22L7W630L50K	STRIP LED DED 7W 630 LUMENS 5000K	CALL
HSLLED23L8W720L50K	STRIP LED DED 8W 720 LUMENS 5000K	CALL
HSLLED35L14W1260L50K	STRIP LED DED 14W 1260 LUMENS 5000K	CALL
HSLLED47L18W1550L50K	STRIP LED DED 18W 1550 LUMENS 5000K	CALL
HSLLED12JOIN	STRIP LED DED 12in JOINER	CALL
HSLLED24JOIN	STRIP LED DED 24in JOINER	CALL
HSLLED6JOIN	STRIP LED DED 6in JOINER	CALL
HSLLEDJBOX	STRIP LED DED HARDWIRE JBOX	CALL

LED STRIP WITH REFLECTOR (IDEAL FOR WALL WASHING)


ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLS24LR15W1600LW35DMV40K	24" STRIP ASYMMETRICAL REFLECTOR 15W 1600 LUMENS 4000K	CALL
HSLS48LR29W3200LW35DMV40K	48" STRIP ASYMMETRICAL REFLECTOR 29W 3200 LUMENS 4000K	CALL
HSLS60LR38W4070LW35DMV40K	60" STRIP ASYMMETRICAL REFLECTOR 38W 4070 LUMENS 4000K	CALL
HSLS96LR57W6400LW35DMV40K	96" STRIP ASYMMETRICAL REFLECTOR 57W 6400 LUMENS 4000K	CALL

Available in 3000K, 3500K, and 5000K. For continuous run, see wiring harness on page E10.



Asymmetrical reflector provides wall wash (W35 Reflector)

Shown W65 Reflectos, ideal for coves.



Create perimeter lighting and brand image. Consult for custom fixtures and finishes.




Recessed Linear



SER Designer Strips




SESLinear



SSSWideBody



23 Series Recessed




44 Series Recessed




66 Series



Linear Recessed Wall Wash



23 Series Pendant



SES Series Pendant



44 Series Pendant



66 Series Pendant




44 Square



44X Series



CLLL Series



LLL Series



LPLIN Series



SLP Series



LIN Series



FHBL Series




FHBLFR Lensed



LVS Series



DID Series



LinearWallSeries Downlight



Linear Window




LVS Series



45 Degree Strip

Note to our Valued Customers:

As the current climate of tariff policies continues to impact pricing, LITE can be a great resource to help minimize the impact on your purchases. Manufacturing domestically, we have the fixture advantage. We can also recommend or source alternative products that might be more cost effective. Please check with your sales consultant for options and current pricing.




RECESSED LINEAR 1.93" WIDTH w/FLANGE and REMOTE DRIVER

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLLLLSR47L42W2488L30KSA	47" Square 1.93" SR Channel w/lens and 2 end caps and tape 30K installed with 10' clear wire	CALL
HSLLLLSR96L83W4976L30KSA	96" Square 1.93" SR Channel w/lens and 2 end caps and tape 30K installed with 10' clear wire	CALL

Change 30K to 40K for 4000 color temperature. Order driver separately.

Ideal Choice for Customized Lengths. Available from Factory in Any Length at Value Pricing. Call for Pricing.

RECESSED LINEAR 2.16" w/FLANGE AND PATTERN ACCESSORIES



Consult for configuration and ordering.

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLLLFR48L24W2125L30KSA	47.24" Square Recessed 2.16"W x 1.38"H FR Channel w/lens and 2 end caps and tape 30K installed with 10' clear wire	CALL
HSLLLFR48L24W2125L40KSA	47.24" Square Recessed 2.16"W x 1.38"H FR Channel w/lens and 2 end caps and tape 40K installed with 10' clear wire	CALL
HSLLLFR96L49W4335L30KSA	96.46" Square Recessed 2.16"W x 1.38"H FR Channel w/lens and 2 end caps and tape 30K installed with 10' clear wire	CALL
HSLLLFR96L49W4335L40KSA	96.46" Square Recessed 2.16"W x 1.38"H FR Channel w/lens and 2 end caps and tape 40K installed with 10' clear wire	CALL

Configure to any 5 watts per foot shape.

LLLFR PATTERN OPTIONS

Configure recessed squares/rectangles or any pattern including up a wall and across a ceiling.



Flat Corner



Inside Corner



Outside Corner



Flat "T"



X-Cross



Screw Clip



Spring Clip

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLLLFRJOINER	Joiner Spline for LLL FR Extrusion	CALL
HSLLLFRCORNER30K	LLLFR 90 DEGREE FLAT CORNER 3000K	CALL
HSLLLFRCORNER40K	LLLFR 90 DEGREE FLAT CORNER 4000K	CALL
HSLLLFRIS9030K	LLLFR 90 DEGREE INSIDE CORNER 3000K	CALL
HSLLLFRIS9040K	LLLFR 90 DEGREE INSIDE CORNER 4000K	CALL
HSLLLFROS9030K	LLLFR 90 DEGREE OUTSIDE CORNER 3000K	CALL
HSLLLFROS9040K	LLLFR 90 DEGREE OUTSIDE CORNER 4000K	CALL
HSLLLFRTEE30K	LLLFR FLAT "T" 3000K	CALL
HSLLLFRTEE40K	LLLFR FLAT "T" 4000K	CALL
HSLLLFRCROSS30K	LLLFR FLAT X-CROSS 3000K	CALL
HSLLLFRCROSS40K	LLLFR FLAT X-CROSS 4000K	CALL
HSLLLFRRECLIP	LLLFR RECESSED SCREW CLIP	CALL
HSLLLFRSPRINGCLIP	LLLFR BUTTERFLY SPRING CLIP SET(2)	CALL

REMOTE DRIVER (Dimmable with any standard MLV Triac (leading edge) control)

ITEM NO.	DESCRIPTION	Watts	SPECIAL PRICE
HSLMTIM60L24DC	Magnitude Magnetic Driver 60W 24VDC Encased	60	CALL
HSLMTIM100L24DC	Magnitude Magnetic Driver 96W 24VDC Encased	96	CALL
HSLMTIM150L24DC	Magnitude Magnetic Driver 150W 24VDC Encased	150	CALL


Consult for other drivers and wattages.



LED Designer Strips

Ideal for All Applications

Dress up your linear strip with a “hot” color that will attract attention in your space. We can powder coat to any finish with an economical adder



Orange (OR)



Red (RD)




Matte White (WH)



Black (BK)

LED CONTOURED STRIP

Wall or Ceiling mount, surface or pendant mounted, vertical or horizontal this fixture available standard in 3 sizes can be used individually or joined together for a continuous run. Standard in white but with a variety of finish options. Eight foot has one piece lens for a great look. See page E10 for continuous run wiring harness.



ITEM NO.	DESCRIPTION	SPECIAL PRICE
HLSERFR24LT14W1400LDMV40KWH	3.79"W x 23.60"L x 3.93"H / 14W, 1400L, 4000K	CALL
HLSERFR24LT20W2000LDMV40KWH	3.79"W x 23.60"L x 3.93"H / 20W, 2000L, 4000K	CALL
HLSERFR48LT28W3600LDMV40KWH*	3.79"W x 47.20"L x 3.93"H / 28W, 3600L, 4000K	CALL
HLSERFR48LT36W4500LDMV40KWH*	3.79"W x 47.20"L x 3.93"H / 36W, 4500L, 4000K	CALL
HLSERFR96LT56W7500LDMV40KWH*	3.79"W x 94.40"L x 3.93"H / 56W, 7500L, 4000K	CALL
HLSERFR96LT84W11000LDMV40KWH*	3.79"W x 94.40"L x 3.93"H / 84W, 11000L, 4000K	CALL

Check DLC listing for most current/additional Wattage and Lumen Options.

with SENSOR

HSLSSSERFR24LT14W1400LDMV40KWH	3.79"W x 23.60"L x 3.93"H / 14W, 1400L, 4000K	CALL
HSLSSSERFR24LT20W2000LDMV40KWH	3.79"W x 23.60"L x 3.93"H / 20W, 2000L, 4000K	CALL
HSLSSSERFR48LT28W3600LDMV40KWH*	3.79"W x 47.20"L x 3.93"H / 28W, 3600L, 4000K	CALL
HSLSSSERFR48LT36W4500LDMV40KWH*	3.79"W x 47.20"L x 3.93"H / 36W, 4500L, 4000K	CALL
HSLSSSERFR96LT56W7500LDMV40KWH*	3.79"W x 94.40"L x 3.93"H / 56W, 7500L, 4000K	CALL
HSLSSSERFR96LT84W11000LDMV40KWH*	3.79"W x 94.40"L x 3.93"H / 84W, 11000L, 4000K	CALL

For Emergency, add EM and \$115.

See page E10 for hanging options or consult sales.

LINEAR FIXTURE

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLSESFR48LJ31W3100LDMV40KWH	2.36"W x 47.25"L x 2.83"H / 31W, 3100L, 4000K	CALL
HSLSESFR48LJ40W4000LDMV40KWH	2.36"W x 47.25"L x 2.83"H / 40W, 4000L, 4000K	CALL
HSLSESFR96LJ62W6200LDMV40KWH	2.36"W x 94.43"L x 2.83"H / 62W, 6200L, 4000K	CALL
HSLSESFR96LJ80W8000LDMV40KWH	2.36"W x 94.43"L x 2.83"H / 80W, 8000L, 4000K	CALL

Pendant mount available. Available in 3000K, 3500K, and 5000K. For Side Mount version with downlight change SES to SESW.

LINEAR FIXTURE w/ SENSOR

(FIXTURE ON WHEN OCCUPIED, OFF WHEN NOT)

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLSSSESFR24LJ20W2000LDMV40KWH	2.36"W x 23.6"L x 2.83"H / 20W, 2000L, 4000K	CALL
HSLSSSESFR48LJ31W3100LDMV40KWH	2.36"W x 47.25"L x 2.83"H / 31W, 3200L, 4000K	CALL
HSLSSSESFR96LJ62W6200LDMV40KWH	2.36"W x 94.43"L x 2.83"H / 62W, 6200L, 4000K	CALL
HSLSSSESFR24LH20W2000LSTMV40KWH	2.36" x 23.6", 20W 2000L with 50% Step Dim	CALL
HSLSSSESFR48LS31W3100LSTMV40KWH	2.36" x 47.3", 31W 3100L with 50% Step Dim	CALL
HSLSSSESFR96LS62W6200LSTMV40KWH	2.36" x 94.43", 62W 6200L with 50% Step Dim	CALL

Step Dim w/Sensor (Fixture ON when occupied, 50% when not). Consult for other finishes Pendant mount available. Available in 3000K, 3500K, and 5000K. Other Sensor Options See Page A3.

LED LINEAR w/DAYLIGHT HARVESTING SENSOR

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLSDSESFR24LH20W2000LDMV40KWH	2.36" x 23.6", 20W 2000L, Daylight Harvesting	CALL
HSLSDSESFR48LS31W3100LDMV40KWH	2.36" x 47.3", 31W 3100L, Daylight Harvesting	CALL
HSLSDSESFR96LS62W6200LDMV40KWH	2.36" x 94.43", 62W 6200L, Daylight Harvesting	CALL

SD - Daylight Harvesting Sensor in conjunction with 0-10V driver allow light level to adjust to ambient light. Available in 3000K, 3500K, and 5000K.


WIDE BODY LINEAR STRIP w/SENSOR

(FIXTURE ON WHEN OCCUPIED, OFF WHEN NOT)

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLSSSKDWBFR24LZ35W3400LDMV40KWH	2 ft / 35W, 3400L / Color Temp 30, 35, 40, 50	CALL
HSLSSSKDWBFR48LZ40W4000LDMV40KWH	4 ft / 40W, 4000L / Color Temp 30, 35, 40, 50	CALL
HSLSSSKDWBFR48LZ72W7000LDMV40KWH	4 ft / 72W, 7000L / Color Temp 30, 35, 40, 50	CALL
HSLSSSKDWBFR96LZ80W8000LDMV40KWH	8 ft / 80W, 8000L / Color Temp 30, 35, 40, 50	CALL
HSLSSSKDWBFR96LZ114W10800LDMV40KWH	8 ft / 114W, 10800L / Color Temp 30, 35, 40, 50	CALL


Choose from three Recessed Mounting and Looks

Tbar Grid Ceiling Specify "R"



End is slightly shorter to accommodate the T Bar Grid.

Hard Ceiling - Sheetrock Flanged Version Specify "RF"



Hard Ceiling - Sheetrock Flangeless Version Specify "RRXX" or "RRPF"


XXX - Depth of Sheetrock
RRPF - Perforated Flange to mud to



New Perforated
Flange 1/4" below
ceiling to mud to
(RRPF)




RECESSED LINEAR 2" x 3"



ITEM NO.	SIZE (W X L)	Watts / Lumens	Color Options (X100 Kelvins)	SPECIAL PRICE
HSL23RSF48LT26W2600LDMV40KWH	2" x 47.32"	26 / 2600	30, 35, 40, 50	CALL
HSL23RSF48LT38W3800LDMV40KWH	2" x 47.32"	38 / 3800	30, 35, 40, 50	CALL
HSL23RSF48LT45W4500LDMV40KWH	2" x 47.32"	45 / 4500	30, 35, 40, 50	CALL
HSL23RSF96LT52W5200LDMV40KWH	2" x 96"	52 / 5200	30, 35, 40, 50	CALL
HSL23RSF96LT76W7600LDMV40KWH	2" x 96"	76 / 7600	30, 35, 40, 50	CALL
HSL23RSF96LT90W9000LDMV40KWH	2" x 96"	90 / 9000	30, 35, 40, 50	CALL

23R - Recessed for T-Bar Grid, 23RF - Flanged, Add \$10 per 4 ft. 23RR(XXX) - Flangeless Hard Ceiling (xxx for sheetrock depth). Add \$10 per 4 ft. EM remote on 4 ft. See Specification sheet for flang option details. Remote only for emergency, add EM for \$115.
For Dim to 1% up to 57watt, change DMV to D1MV and add \$10.00.

Recessed Linear 2.5" x 3"



Shown with
Flange
SES25RFSF



For sensor, add
SS in front and
\$45.

ITEM NO.	SIZE (W X L)	Watts / Lumens	Color Options (X100 Kelvins)	SPECIAL PRICE
HLSSES25RSF48LT26W2600LDMV40KWH	2.5" x 47.32"	26 / 2600	30, 35, 40, 50	CALL
HLSSES25RSF48LT38W3800LDMV40KWH	2.5" x 47.32"	38 / 3800	30, 35, 40, 50	CALL
HLSSES25RSF48LT45W4500LDMV40KWH	2.5" x 47.32"	45 / 4500	30, 35, 40, 50	CALL
HLSSES25RSF96LT52W5200LDMV40KWH	2.5" x 96"	52 / 5200	30, 35, 40, 50	CALL
HLSSES25RSF96LT76W7600LDMV40KWH	2.5" x 96"	76 / 7600	30, 35, 40, 50	CALL
HLSSES25RSF96LT90W9000LDMV40KWH	2.5" x 96"	90 / 9000	30, 35, 40, 50	CALL

For Sensor Option add SS in front and \$45.00.

Dimming to 1%

Standard DMV provides dimming to 10% intensity.
For Dim to 1% up to 57watt, change DMV to D1MV and add \$10.00.



Shown recessed fixture for T-Bar / Grid ceiling.

RECESSED LINEAR 4" x 4"

ITEM NO.	SIZE (W X L)	Watts / Lumens	Color Options (X100 Kelvins)	SPECIAL PRICE
HSL44RSF48LR24W2400LDMV40KWH	4" x 48"	24 / 2400	30, 35, 40, 50	CALL
HSL44RSF48LR48W4800LDMV40KWH	4" x 48"	48 / 4800	30, 35, 40, 50	CALL
HSL44RSF96LR48W4800LDMV40KWH	4" x 96"	48 / 4800	30, 35, 40, 50	CALL
HSL44RSF96LR96W9600LDMV40KWH	4" x 96"	96 / 9600	30, 35, 40, 50	CALL

44R - For T-Bar Grid Ceiling, 44RF - Flanged (Add \$10 per 4 ft.)
 44RR(xxx) - Flangeless (Add \$10 per 4 ft.) Hard Ceiling (xxx for sheetrock depth)
 See Specification sheet for flange option details.
 For Sensor Option add SS in front and \$45.00.
 For Dim to 1% up to 57watt, change DMV to D1MV and add \$10.00.

RECESSED LINEAR 6" x 6"

ITEM NO.	SIZE (W X L)	Watts / Lumens	Color Options (X100 Kelvins)	SPECIAL PRICE
HSL66RSF48LR48W4800LDMV40KWH	6" x 48"	48 / 4800	30, 35, 40, 50	CALL
HSL66RSF96LR48W4800LDMV40KWH	6" x 96"	48 / 4800	30, 35, 40, 50	CALL
HSL66RSF96LR96W9600LDMV40KWH	6" x 96"	96 / 9600	30, 35, 40, 50	CALL

66R - For T-Bar Grid Ceiling, 66RF - Flanged and add \$10 per 4 ft.
 66RR(xxx) - Flangeless Hard Ceiling (xxx for sheetrock depth) and add \$10 per 4 ft.
 For Blade Louver change SF to BL and add \$15 per 4ft. To add with overlay add BLMW and \$20 per 4ft. For Regressed white Lens change SF to MW. For Sensor Option add SS in front and \$45.00. For Emergency, add EM for \$115.
 For Dim to 1% up to 57watt, change DMV to D1MV and add \$10.00.



Shown "RF" recessed flange fixture

Consult for 2FT and Other Custom Lengths


LINEAR RECESSED WALL WASH 4" x 4"

ITEM NO.	SIZE (W X L)	Watts / Lumens	Color Options (X100 Kelvins)	SPECIAL PRICE
HSL44RWSF48LRW24W2400LDMV40KWH	4" x 48"	24 / 2400	30, 35, 40, 50	CALL
HSL44RWSF48LRW48W4800LDMV40KWH	4" x 48"	48 / 4800	30, 35, 40, 50	CALL
HSL44RWSF96LRW48W4800LDMV40KWH	4" x 96"	48 / 4800	30, 35, 40, 50	CALL
HSL44RWSF96LRW96W9600LDMV40KWH	4" x 96"	96 / 9600	30, 35, 40, 50	CALL

For Sensor Option add SS in front and \$45.00. For Emergency, add EM for \$115. See specification sheet or above for the flange options.
 For Dim to 1% up to 57watt, change DMV to D1MV and add \$10.00.



Now Available with Snap Fit Lens (SF).
 Shown without lens.
 Available in 44 and 66 series.



Specially designed reflector provides asymmetrical light distribution ideal for economical wall washing.

LINEAR RECESSED WALL WASH 6" x 6"

ITEM NO.	SIZE (W X L)	Watts / Lumens	Color Options (X100 Kelvins)	SPECIAL PRICE
HSL66RWSF48LRW48W4800LDMV40KWH	6" x 48"	48 / 4800	30, 35, 40, 50	CALL
HSL66RWSF96LRW48W4800LDMV40KWH	6" x 96"	48 / 4800	30, 35, 40, 50	CALL
HSL66RWSF96LRW96W9600LDMV40KWH	6" x 96"	96 / 9600	30, 35, 40, 50	CALL

For Sensor Option add SS in front and \$45.00. For Emergency, add EM for \$115. See specification sheet or above for the flange options.
 For Dim to 1% up to 57watt, change DMV to D1MV and add \$10.00.




Shown without lens.

E7 SPECIALTY & ARCHITECTURAL LINEAR

Largest Selection of Linear LED Pendants from Less than 1 inch Wide to 8 inch Wide at Value Pricing.

Choose Your Finish



LINEAR 2"X 3" PENDANT (UPLIGHT OR DOWNLIGHT ONLY)

ITEM NO.	SIZE (W X L)	Watts / Lumens	Color Options (X100 Kelvins)	SPECIAL PRICE
HSL23PSF48LR26W2600LDMV40KWH-HC301WH	2" x 48"	26 / 2600	30, 35, 40, 50	CALL
HSL23PSF48LR38W3800LDMV40KWH-HC301WH	2" x 48"	38 / 3800	30, 35, 40, 50	CALL
HSL23PSF48LR45W4500LDMV40KWH-HC301WH	2" x 48"	45 / 4500	30, 35, 40, 50	CALL
HSL23PSF96LR52W5200LDMV40KWH-HC301WH	2" x 96"	52 / 5200	30, 35, 40, 50	CALL
HSL23PSF96LR76W7600LDMV40KWH-HC301WH	2" x 96"	76 / 7600	30, 35, 40, 50	CALL
HSL23PSF96LR90W9000LDMV40KWH-HC301WH	2" x 96"	90 / 9000	30, 35, 40, 50	CALL

For Dimming, change "HC301WH" to "HC3015WWH" and add \$5.00.

For Surface Mounted, remove "HC301WH" and Deduct \$19.00.

For Emergency(External Battery Backup), add EM and \$199.00.

For Up Light, Add "U" after "L".

For Dim to 1% up to 57watt, change DMV to D1MV and add \$10.00

LINEAR 2"X 3" PENDANT (UPLIGHT AND DOWNLIGHT)

ITEM NO.	SIZE (W X L)	Watts Up/Down	Color Options (X100 Kelvins)	SPECIAL PRICE
HSL23PSF48LUR12WD24WDMV40KWH-HC301WH	2" x 48"	12 / 24	30, 35, 40, 50	CALL
HSL23PSF48LUR18WD36WDMV40KWH-HC301WH	2" x 48"	18 / 36	30, 35, 40, 50	CALL
HSL23PSF96LUR24WD48WDMV40KWH-HC301WH	2" x 96"	24 / 48	30, 35, 40, 50	CALL
HSL23PSF96LUR36WD72WDMV40KWH-HC301WH	2" x 96"	36 / 72	30, 35, 40, 50	CALL

For Dimming, change "HC301WH" to "HC3015WWH" and add \$5.00.

For Surface Mounted, remove "HC301WH" and Deduct \$19.00.

For Emergency(External Battery Backup), add EM and \$199.00. For

Dim to 1% up to 57watt, change DMV to D1MV and add \$10.00.

LINEAR 2.5" X 3.5" PENDANT (DOWNLIGHT ONLY)

ITEM NO.	SIZE (W X L)	Watts / Lumens	Color Options (X100 Kelvins)	SPECIAL PRICE
HSLSES25PSF48LR26W2600LDMV40KWH-HC301WH	2.5" x 48"	26 / 2600	30, 35, 40, 50	CALL
HSLSES25PSF48LR38W3800LDMV40KWH-HC301WH	2.5" x 48"	38 / 3800	30, 35, 40, 50	CALL
HSLSES25PSF48LR45W4500LDMV40KWH-HC301WH	2.5" x 48"	45 / 4500	30, 35, 40, 50	CALL
HSLSES25PSF96LR52W5200LDMV40KWH-HC301WH	2.5" x 96"	52 / 5200	30, 35, 40, 50	CALL
HSLSES25PSF96LR76W7600LDMV40KWH-HC301WH	2.5" x 96"	76 / 7600	30, 35, 40, 50	CALL
HSLSES25PSF96LR90W9000LDMV40KWH-HC301WH	2.5" x 96"	90 / 9000	30, 35, 40, 50	CALL

For Dimming, change "HC301WH" to "HC3015WWH" and add \$5.00.

For Surface Mounted, remove "HC301WH" and Deduct \$19.00.

For Emergency(External Battery Backup), add EM and \$199.00.



For continuous runs, see ordering on page E10.





For continuous runs,
see ordering on page E10.



Consult for 2ft and
custom sizes.



For continuous runs,
see ordering on page E10



For matching wall
version, see page F3.

LINEAR 4" X 4" PENDANT (DOWNLIGHT ONLY)

ITEM NO.	SIZE (W X L)	Watts / Lumens	Color Options (X100 Kelvins)	SPECIAL PRICE
HSL44PSF48LR24W2400LDMV40KWH-HC301WH	4" x 48"	24 / 2400	30, 35, 40, 50	CALL
HSL44PSF48LR48W4800LDMV40KWH-HC301WH	4" x 48"	48 / 4800	30, 35, 40, 50	CALL
HSL44PSF96LR48W4800LDMV40KWH-HC301WH	4" x 96"	48 / 4800	30, 35, 40, 50	CALL
HSL44PSF96LR96W9600LDMV40KWH-HC301WH	4" x 96"	96 / 9600	30, 35, 40, 50	CALL

For surface mount remove HC301WH and deduct \$19. For emergency, add EM and \$115. For Dimming add "5W" after HC301 and add \$5.00. For Dim to 1% up to 57watt, change DMV to D1MV and add \$10.00.

For Indirect only options add U after the length and L.

Ex: 44PSF48LR26W - becomes 44PSF48LR26W

SENSOR READY LINEAR 4" X 4" (DOWNLIGHT ONLY)

ITEM NO.	SIZE (W X L)	Watts / Lumens	Color Options (X100 Kelvins)	SPECIAL PRICE
HSLSS44PSF48LR24W2400LDMV40KWH-HC301WH	4" x 48"	24 / 2400	30, 35, 40, 50	CALL
HSLSS44PSF48LR48W4800LDMV40KWH-HC301WH	4" x 48"	48 / 4800	30, 35, 40, 50	CALL
HSLSS44PSF96LR48W4800LDMV40KWH-HC301WH	4" x 96"	48 / 4800	30, 35, 40, 50	CALL
HSLSS44PSF96LR96W9600LDMV40KWH-HC301WH	4" x 96"	96 / 9600	30, 35, 40, 50	CALL

SS comes standard with Occupancy Sensor. For Daylight Harvesting change SS to SD and add \$25. For Dimming add "5W" after HC301 and add \$5.00.

LINEAR 4" X 5" (UPLIGHT AND DOWNLIGHT)

ITEM NO.	SIZE (W X L)	Watts Up / Down	Color Options (X100 Kelvins)	SPECIAL PRICE
HSL45PSF48LUR12WD24WDMV40KWH-HC301WH	4" x 48"	12 / 24	30, 35, 40, 50	CALL
HSL45PSF48LUR18WD36WDMV40KWH-HC301WH	4" x 48"	18 / 36	30, 35, 40, 50	CALL
HSL45PSF96LUR24WD48WDMV40KWH-HC301WH	4" x 96"	24 / 48	30, 35, 40, 50	CALL
HSL45PSF96LUR36WD72WDMV40KWH-HC301WH	4" x 96"	36 / 72	30, 35, 40, 50	CALL

For surface mount remove HC301WH and deduct \$19. For Emergency, add EM and \$115. For Dimming add "5W" after HC301 and add \$5.00. For Dim to 1% up to 57watt, change DMV to D1MV and add \$10.00.

LINEAR 6" X 6" PENDANT (UPLIGHT OR DOWNLIGHT ONLY)

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSL66PSF48LR24W2400LDMV40KWHHC401WH	6.00" X 6.00" X 48" / 24W, 2400L, 4000K	CALL
HSL66PSF48LR48W4800LDMV40KWHHC401WH	6.00" X 6.00" X 48" / 48W, 4800L, 4000K	CALL
HSL66PSF96LR48W4800LDMV40KWHHC401WH	6.00" X 6.00" X 96" / 48W, 4800L, 4000K	CALL
HSL66PSF96LR97W9600LDMV40KWHHC401WH	6.00" X 6.00" X 96" / 97W, 9600L, 4000K	CALL

For Emergency, add EM and \$115. For Dimming add "5W" after HC401 and add \$5.00.

Now Available with Snap Fit lens specially designed for LED Arrays. Change MW to SF for Snap Fit Lens.

For Up Light, Add "U" after "L". For Dim to 1% up to 57watt, change DMV to D1MV and add \$10.00.


LINEAR 6" X 6" PENDANT (UPLIGHT AND DOWNLIGHT)

ITEM NO.	DESCRIPTION	Watts Up / Down	Color Options (X100 Kelvins)	SPECIAL PRICE
HSL66PSF48LUR12WD24WDMV40KWHHC401WH	6.00" X 6.00" X 48"	12 / 24	30, 35, 40, 50	CALL
HSL66PSF48LUR24WD48WDMV40KWHHC401WH	6.00" X 6.00" X 48"	24 / 48	30, 35, 40, 50	CALL
HSL66PSF96LUR24WD48WDMV40KWHHC401WH	6.00" X 6.00" X 96"	24 / 48	30, 35, 40, 50	CALL
HSL66PSF96LUR36WD72WDMV40KWHHC401WH	6.00" X 6.00" X 96"	36 / 72	30, 35, 40, 50	CALL

Wall washer option -Add \$25 for 4 ft. \$50 for 8 ft. for asymmetrical reflector.

Now Available with Snap Fit lens specially designed for LED Arrays. Change SF to MW for Matte White Lens.

For Dim to 1% up to 57watt, change DMV to D1MV and add \$10.00.



Linear configurations with lit or unlit corner options provide a dramatic look and lighting effect that completely change the aesthetics of the space. If you can dream it, we can make it.



Lit corners

**Consult for
Different Configurations
(Squares or Rectangles, Up
and Downlight Versions, or
Different Shapes of Lit
Patterns)**

4X4 SQUARE IN 4FT SQ AND 8FT SQ (DOWNLIGHT) 6 OR 8 WATTS PER FOOT

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSL44PSF4X4R96WDMV40KWHHC401WH	4x4" 4ft. Sq / 96W, 9600L / White 3 Wire Cord	CALL
HSL44PSF4X4R96WDMV40KWHHC4015WWH	4x4" 4ft. Sq / 96W, 9600L / White 5 Wire Cord for 0-10V Dim	CALL
HSL44PSF4X4R128WDMV40KWHHC401WH	4x4" 4ft. Sq / 128W, 12800L / White 3 Wire Cord	CALL
HSL44PSF4X4R128WDMV40KWHHC4015WWH	4x4" 4ft. Sq / 128W, 12800L / White 5 Wire Cord for 0-10V Dim	CALL
HSL44PSF8X8R192WDMV40KWHHC401WH	4x4" 8ft. Sq / 192W, 19200L / White 3 Wire Cord	CALL
HSL44PSF8X8R192WDMV40KWHHC4015WH	4x4" 8ft. Sq / 192W, 19200L / White 5 Wire Cord for 0-10V Dim	CALL
HSL44PSF8X8R256WDMV40KWHHC401WH	4x4" 8ft. Sq / 256W, 25600L / White 3 Wire Cord	CALL
HSL44PSF8X8R256WDMV40KWHHC4015WWH	4x4" 8ft. Sq / 256W, 25600L / White 5 Wire Cord for 0-10V Dim	CALL

For Emergency, add EM and \$115. Consult for up and downlight. Available in 3000k, 3500K and 5000K.
For Dim to 1% up to 57watt, change DMV to D1MV and add \$10.00.

LINEAR 4"X 4" PENDANT (DOWNLIGHT ONLY) UNLIT CORNERS




**For continuous runs, see
ordering on page E10.**



Joiner Box

ITEM NO.	SIZE (W X L)	Watts / Lumens	Color Options (X100 Kelvins)	SPECIAL PRICE
HSL44PSF48LR24W2400LDMVPI3D40KWH-HC301WH	4" x 48"	24 / 2400	30, 35, 40, 50	CALL
HSL44PSF48LR48W4800LDMVPI3D40KWH-HC301WH	4" x 48"	48 / 4800	30, 35, 40, 50	CALL
HSL44PSF96LR48W4800LDMVPI3D40KWH-HC301WH	4" x 96"	48 / 4800	30, 35, 40, 50	CALL
HSL44PSF96LR96W9600LDMVPI3D40KWH-HC301WH	4" x 96"	96 / 9600	30, 35, 40, 50	CALL
HSL44JB1WAYWH	Straight Joiner			CALL
HSL44JB2WAYWH	90 Degree Joiner			CALL
HSL44JB3WAYWH	T Connector (3 Way)			CALL
HSL44JB4WAYWH	X Connector (4 Way)			CALL
HSL44E10WAYWH	End of Run			CALL

For surface mount remove HC301WH and deduct \$19. For emergency, add EM and \$115. For Dimming add "5W" after HC301 and add \$5.00. For Dim to 1% up to 57watt, change DMV to D1MV and add \$10.00.
PATTERNS W/NON LIT CORNERS - Choose Straight Run 44 Series Pendants and Then Choose Appropriate Non Lit Corner Accessory (Consult Light for 45 Series Up and Down Option or other Sizes)



Shown custom finish

4" X 4" LINEAR X SERIES

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLX44PSF2X2R48WDMV40KWHHC4015WWH	4" X 4" 2 FT CROSS DIMMABLE, 48W Total and 12W Per 2ft Run, 4800 Lumens, White 5 Wire Cord for 0-10V Dim	CALL
HSLX44PSF4X4R96WDMV40KWHHC4015WWH	4" X 4" 4 FT CROSS DIMMABLE, 96W Total and 24W Per 4ft Run, 9600 Lumens, White 5 Wire Cord for 0-10V Dim	CALL

Consult for Different shapes, sizes or finishes


Ordering Patterns

You can draw it, we can make it!

LITE Technology can create patterns with 23, 44, 45 and 66 Series. Patterns are available for recessed and pendant mounting versions with lit corners or unlit corners. See below for some of the possibilities and consult factories for exact ordering numbers and pricing.



Engineered ends either accept end cap to complete run or to join two fixtures together for continuous runs.



Continuous Run Ordering for 23, 44, 45, 66, LPLIN and SLP Series

1. Determine the run length and whether the run will be dimmed or not.
2. Use the above 2, 4 or 8 ft. runs from the Series Specified to add up to total run length. Use the largest individual fixtures to achieve run lengths (i.e. for 20 ft. run use 2x8 ft. individuals and 1x4 ft. individual from above with the correct ordering info for your series). Watts and lumens for each section should be proportional for the size (i.e. If 48W with 4 ft then 8 ft should be 96W). Consult for other lengths.
3. Designate each length required in the run whether it will be the **beginning of the run "B", joiner in the run "J" or the end "E" of the run. Add the letter designation to the end of the part number.**
4. For Plug and Play electrical wiring between individual fixtures in the run, add one of the following harnesses. The number of wires is based on whether the run will be dimmable, with emergency or just ON/OFF.

Add Wiring Harness Code After the Driver Designation

PI1 - 3 Wire Harness (normally for non-dim applications) **\$9.95**

PI2 - 4 Wire Harness (normally for emergency circuit) **\$10.95**

PI3D - 5 Wire Harness (normally for 0-10V dimming) **\$11.95**

PI4D - 6 Wire Harness (normally for 0-10V dimming and emergency) **\$13.95**



Linear Fixture Cable Hanging Options:

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLHC301WH	4ft Cable and Power feed Linear Fixtures	CALL
HSLHC302WH	12ft Cable and Power feed Linear Fixtures	CALL



For continuous runs, first remove the end plates on the fixtures you want to join together; then using bolts and nuts (4X), attach the two ends together. Be sure both fixtures are properly aligned before tightening the bolts. Repeat steps for the overall length desired. Finish run, with the end plate attached to the last fixture in the run.

All-In-One LED Channels

4x8 Foot Rectangle Provides Dramatic Look
Installs in under 30 minutes with user friendly electrical and mechanical joiners.
Lowest Price Per Foot!



4X8 RECTANGLE



ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLCLLSF4X8T210WDMV35KALHC705WH	Aluminum - 2.2"Wx2.8"HT x 8', 210W, 21000L 3500K	CALL
HSLCLLSF4X8T210WDMV35KWHHC705WH	White - 2.2"Wx2.8"HT x 8', 210W, 21000L 3500K	CALL

Change 35K to 40K for 4000K Color Temperature.

Preconfigured Rectangle with 2.2 Inch Wide Channel in Choice of White or Satin Aluminum Finish.


Pendant Cable Kit comes standard for 6ft. drop. For up to 12ft. drop order LLLSF4X8HC6125WWH \$69.00

Individual or Continuous Use ~ Convenient and Simple to Install




Based on your feedback, our brand new All-In-One LED Linear Channels are now improved and easier than ever to: specify, order and install! This integral driver channel in two different profiles is great for an individual fixture (in 4 or 8 foot), and to join multiple channels for longer, continuous runs (in 4 or 8 foot multiples). This beautifully finished aluminum channel can be easily installed by any professional in just minutes. Even a "do-it-yourselfer" will appreciate that this fixture comes with step by step instructions. A specially designed integral wiring harness (ordered separately) makes joining two channels electronically simple and efficient. A unique, mechanical joiner bracket in conjunction with our special joiner tool allows for joining two or more channels together with no light leak and a clean connection.

LLLSF*
2.16" Wide, 2.75" Tall




LLLSG*
3.54" Wide, 3.38" Tall



* Available for Pendant Mounting & Surface Mounting applications

Custom Finishes Available
2 Sizes Ready to Ship!

Order one item number for complete luminaires!



Ready to Ship!
(Within 48 Hours)

LLLSF - 2.16" wide
or
LLLSG - 3.54" wide



Three-part system
allows for easy wiring
with prewired harnesses
and allows for custom
finishes on channel
(Consult)

FEATURES INCLUDE:

- Aluminum Channel
- Integral Driver
- Snap Fit Lens
- Magnetic Light Leak Block
- Integral Wire Harness



Joins easily with a mechanical spline

Width	Length	Pendant Mounted		Description	Surface Mounted	
		Preconfigured Kit Part Number	Special Pricing		Preconfigured Kit Part Number	Special Pricing
LLLSF	4'	HSLCLLSF48L31WCDMV30KSAHC605WH	\$155.00	48"L x 2.2"W x 2.8"H / 31W 3100	HSLCLLSF48L31WCDMV30KSASURF	\$145.00
	8'	HSLCLLSF96L62WCDMV30KSAHC605WH	\$228.00	96"L x 2.2"W x 2.8"H / 62W 6200L	HSLCLLSF96L62WCDMV30KSASURF	\$218.00
	12'	HSLCLLSF144L93WCDMV30KSAHC605WH	\$381.00	144"L x 2.2"W x 2.8"H / 93W 9300L	HSLCLLSF144L93WCDMV30KSASURF	\$368.00
	16'	HSLCLLSF192L124WCDMV30KSAHC605WH	\$454.00	192"L x 2.2"W x 2.8"H / 124W 12400	HSLCLLSF192L124WCDMV30KSASURF	\$441.00
LLLSG	4'	HSLCLLSG48L45WCDMV30KSAHC605WH	\$197.00	48"L x 3.5"W x 2.8"H / 45W 5000L	HSLCLLSG48L45WCDMV30KSASURF	\$187.00
	8'	HSLCLLSG96L90WCDMV30KSAHC605WH	\$296.00	96"L x 3.5"W x 2.8"H / 90W 1000L	HSLCLLSG96L90WCDMV30KSASURF	\$285.00
	12'	HSLCLLSG144L135WCDMV30KSAHC605WH	\$485.00	144"L x 3.5"W x 2.8"H / 135W 13500	HSLCLLSG144L135WCDMV30KSASURF	\$478.00
	16'	HSLCLLSG192L180WCDMV30KSAHC605WH	\$584.00	192"L x 3.5"W x 2.8"H / 180W 18000	HSLCLLSG192L180WCDMV30KSASURF	\$577.00

For custom finishes Red, Blue, Satin Nickel, Satin Brass, Black and others, consult sales rep for pricing.

**All hanging kits come with a White Canopy. Standard hanging kit length is 72", For 144" hanging kit, please replace "HC605WH" with "HC612WH" and add \$5.00.
(Ex. CLLSF-48L30W-DMV-30K-SA-HC612WH).**

Nomenclature shown reflects 3000K Color Temperature.
Change "30K" to "40K" for 4000K Color Temperature*



Silver (SL)



Red (RD)



Black (BK)



Bronze (BZ)



LLLSFLENSTOOL

Tool Required to Remove Lens and
Tool Required to Remove Harness
(1 per Installation needed)
\$7.00




LLLSGJOINERTOOL

Tool Required to Use Mechanical
Joiner (1 per Installation of Continuous
Runs)\$3.00

LED LINEAR CHANNEL IN 2 SIZES w/ INTEGRAL DRIVER



LLLSF
2.2"W x 2.8"H




LLLSG
3.5"W x 3.3"H

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLLLLSF - Alum. Channel 2.2"W x (48"L or 96"L) x 2.8"H		
HSLLLLSF48L31W3100LDMV40KSA	31W 3100L, 4000K 0-10V Dimming Multi-Volt	CALL
HSLLLLSF96L62W6200LDMV40KSA	62W 6200L, 4000K 0-10V Dimming Multi-Volt	CALL
HSLLLLSG - Alum. Channel 3.5"W x (48"L or 96"L) x 3.3"H		
HSLLLLSG48L48W5040LDMV40KSA	48W 5040L, 4000K 0-10V Dimming Multi-Volt	CALL
HSLLLLSG96L96W10080LDMV40KSA	96W 10080L, 4000K 0-10V Dimming Multi-Volt	CALL

Change 40K to 30K for 3000K

Consult for Finish Options.

JOIN TWO OR MORE CHANNELS TOGETHER



Mechanical Joiner is Simple and Clean and requires special tool.




Wiring Harness 5" to join 2 channels.

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLLLLSFJOINER	Mechanical Joiner to Join 2 LLLSF Channels	CALL
HSLLLLSGJOINER	Mechanical Joiner to Join 2 LLLSG Channels	CALL
HSLLLLSGJOINERTOOL	Tool Required to Use Mechanical Joiner (1 per Installation)	CALL
HSLLLLSFLENSTOOL	Tool Required to Remove Lens; 1 per installation needed	CALL
HSLLLLSF5WMFH*	Wiring Harness 5" to Join 2 Channels	CALL

*Included with Channels only need to purchase for replacements

3 MOUNTING OPTIONS (SURFACE, PENDANT AND RECESSED)



Surface



Recessed



Pendant

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLLLLSFSURFKIT	Surface Mount Screw and Toggle Set of 3 (Includes 24 inch power cord)	CALL
HSLLLLSFRECKIT*	Recessed Mounting Brackets for LLLSF (Set of 2) (Includes 24 inch power cord)	CALL
HSLLLLSGRECKIT*	Recessed Mounting Brackets for LLLSG (Set of 2) (Includes 24 inch power cord)	CALL
HSLLLLSFHCPF605WWH**	Pendant Mounting Power Feed Canopy Kit 5 Wire for up to 6FT Drop	CALL
HSLLLLSFHCPF6125WWH**	Pendant Mounting Power Feed Canopy Kit 5 Wire for up to 12FT Drop	CALL
HSLLLLSFHCNPF605WWH	Pendant Mounting Non-Power Canopy Kit, 6 FT Cable with Canopy	CALL
HSLLLLSFHCNPF612WWH	Pendant Mounting Non-Power Canopy Kit, 12 FT Cable with Canopy	CALL

* Aluminum Channel has no flang so review Recessed Application to ensure this will work.

**Use One Power Feed Canopy Kit every place mounting to Power. Non Power Feed Version Order Separately for Mounting where No Power Feed is Required.

LED LINEAR PENDANT (1.57" Wide and 6 Watts Per FT)

1.57" Wide x 2.54" Height Satin Aluminum. Requires Remote Driver.

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLLLSH48L24W2125L30KSA	47.24" Square Pendant 1.57"W x 2.54"H SH Channel w/lens and 2 end caps and tape 30K installed with 10' clear wire	CALL
HSLLLSH48L24W2125L40KSA	47.24" Square Pendant 1.57"W x 2.54"H SH Channel w/lens and 2 end caps and tape 40K installed with 10' clear wire	CALL
HSLLLSH96L49W4335L30KSA	96.46" Square Pendant 1.57"W x 2.54"H SH Channel w/lens and 2 end caps and tape 30K installed with 10' clear wire	CALL
HSLLLSH96L49W4335L40KSA	96.46" Square Pendant 1.57"W x 2.54"H SH Channel w/lens and 2 end caps and tape 40K installed with 10' clear wire	CALL

Order driver and accessories separately.

Available in custom sizes and patterns. We make it easy!

LLLSH PATTERNS OPTIONS

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLLLSHCAP	END CAP	CALL
HSLLLSHLOCKER	Internal Locker for GEAR TRAY	CALL
HSLLLSHRECCLIP	RECESSED SCREW CLIP	CALL
HSLLLSHWALLCLIP	WALL MOUNT ELL CLIP	CALL
HSLLLSHJOINER	Joiner Spline for LLL SH Extrusion	CALL
HSLLLSHCORNER30K	90° FLAT CORNER 3000K	CALL
HSLLLSHCORNER40K	90° FLAT CORNER 4000K	CALL
HSLLLSHTEEE30K	FLAT "T" 3000K	CALL
HSLLLSHTEEE40K	FLAT "T" 4000K	CALL
HSLLLSHXCROSS30K	FLAT X-CROSS 3000K	CALL
HSLLLSHXCROSS40K	FLAT X-CROSS 4000K	CALL
HSLLLSHHC601WH	LLLSH Pendant parts kit 2M	CALL
HSLLLSHHC602WH	LLLSH Pendant parts kit 4M	CALL



End Cap



Internal Locker



Screw Clip



Ell Clip



Flat Corner



Flat "T"



X-Cross



Pendant Kit



HC601 Cable Kit



HC601 Canopy

REMOTE DRIVER (Dimmable with any standard MLV Triac (leading edge) control)

ITEM NO.	DESCRIPTION	Watts	SPECIAL PRICE
HSLMTIM60L24DC	Magniture Magnetic Driver 60W 24VDC Encased	60	CALL
HSLMTIM100L24DC	Magniture Magnetic Driver 96W 24VDC Encased	96	CALL
HSLMTIM150L24DC	Magniture Magnetic Driver 150W 24VDC Encased	150	CALL

Consult for other drivers and wattages.



LED Linear Channels w/ Remote Drivers (LLL Series)

LLLRA 1.5" Diameter, 3 watts per ft

ITEM NO.	DESCRIPTION	WATTS	SPECIAL PRICE
HSLLLLRA48L35W2246L30KSA	47.75" Round 1.6" Dia. RA Channel w/Lens and 2 End Caps and Tape 30K Installed with 10' Clear Wire	35	CALL
HSLLLLRA97L69W4492L30KSA	92" Round 1.6" Dia. RA Channel w/Lens and 2 End Caps and Tape 30K Installed with 10' Clear Wire	69	CALL

Not available for surface mount. See accessories below.

LLLRB 2.4" Diameter, 4 watts per ft

HSLLLRB47L42W2488L30KSA	47.75" Round 2.36" Dia. RB Extrusion w/Lens and 2 End Caps and Tape 30K Installed with 10' Clear Wire	42	CALL
HSLLLRB99L96W4976L30KSA	96" Round 2.36" Dia. RB Extrusion w/Lens and 2 End Caps and Tape 30K Installed with 10' Clear Wire	83	CALL

See accessories below.

LLLSA 0.78" Diameter, 2 watts per ft

HSLLLSA48L23W1500L30KSA	47.75" Square 0.77" SA Channel w/Lens and 2 End Caps and Tape 30K Installed with 10' Clear Wire	23	CALL
HSLLLSA97L46W3000L30KSA	97" Square 0.77" SA Channel w/Lens and 2 End Caps and Tape 30K Installed with 10' Clear Wire	46	CALL

See accessories below.

LLLSB 1.4" Diameter, 4 watts per ft

HSLLLSB47L42W2488L30KSA	47" Square 1.38" SB Channel w/Lens and 2 End Caps and Tape 30K Installed with 10' Clear Wire	42	CALL
HSLLLSB96L83W4976L30KSA	96" Square 1.38" SB Channel w/Lens and 2 End Caps and Tape 30K Installed with 10' Clear Wire	83	CALL

See accessories below.

LLLSC 1.9" Diameter, 5 watts per ft

HSLLLSC48L58W3456L30KSA	47.75" Rect. 1.92W" x 2.75H" SC Extrusion w/Lens and 2 End Caps and Tape 30K Installed with 10' Clear Wire	58	CALL
HSLLLSC97L115W6912L30KSA	97" Rect. 1.92W" x 2.75H" SC Extrusion w/Lens and 2 End Caps and Tape 30K Installed with 10' Clear Wire	115	CALL





See accessories below.

Drivers and Accessories

Consult for Custom Finish.

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLMTIM40L24DC	Magniture Magnetic Driver 40W 24VDC Encased	CALL
HSLMTIM60L24DC	Magniture Magnetic Driver 60W 24VDC Encased	CALL
HSLMTIM100L24DC	Magniture Magnetic Driver 96W 24VDC Encased	CALL
HSLMTIM150L24DC	Magniture Magnetic Driver 150W 24VDC Encased	CALL
Cable Kits		
HSLHC601WH	Cable kit with 6' cable and power feed/cable incl. and white canopy	CALL
HSLHC602WH	Cable kit with 12' cable and power feed/cable incl. and white canopy	CALL
Joiners		
HSLLLRAJOIN	Mechanical joiner spline for RA and SC	CALL
HSLLLSAJOIN	Mechanical joiner spline for RB, SA and SB	CALL

Change 30K to 40K for 4000 color temperature. Consult for surface mount to order channel and tape separately.



Consult for accessories to make patterns

BULLNOSE STYLE WITH DIRECT/INDIRECT LIGHTING



For continuous runs, see
ordering on page E10.




ITEM NO.	SIZE	Watts	Color Temp	SPECIAL PRICE
HSLPLINFR48LUF12WD24WDMV40KWH*-HC401WH*	48"	12W Up 24W Down	30, 35, 40, 50	CALL
HSLPLINFR48LUF30WD60WDMV40KWH*-HC401WH*	48"	130 Up 60W Down	30, 35, 40, 50	CALL
HSLPLINFR96LUF24WD48WDMV40KWH*-HC401WH*	96"	24W Up 48W Down	30, 35, 40, 50	CALL
HSLPLINFR96LUF60WD120WDMV40KWH*-HC401WH*	96"	60W Up 120W Down	30, 35, 40, 50	CALL

For 0-10 Dimming. Change 401WH to 4015WWH and add \$5.00. For Emergency, add EM and \$115.
Consult for other Direct/Indirect Options.

*Check DLC listing for most current/additional Wattage and Lumen Options.

Ideal for Direct/Indirect Applications

LINEAR WINDOW LED WITH DIRECT/INDIRECT LIGHTING



For continuous runs, see
ordering on page E10.

For Wall version
see page F2.

ITEM NO.	SIZE	Watts	Color Temp	SPECIAL PRICE
Downlight				
HSLSLPFR48LS48W5400LDMV40KWH-HC401WH	7.6" x 48"	48W, 5400L, All downlight, Color Temp 30, 35, 40, 45		CALL
HSLSLPFR96LS96W10800LDMV40KWH-HC401WH	7.6" x 96"	96W, 10800L, All downlight, Color Temp 30, 35, 40, 45		CALL
Up and Downlight				
HSLSLPFR48LUS12WD24WDMV40KWH-HC401WH	48"	12W Up 24W Down	30, 35, 40, 50	CALL
HSLSLPFR48LUS18WD36WDMV40KWH-HC401WH	48"	18W Up 36W Down	30, 35, 40, 50	CALL
HSLSLPFR96LUS24WD48WDMV40KWH-HC401WH	96"	24W Up 48W Down	30, 35, 40, 50	CALL
HSLSLPFR96LUS36WD72WDMV40KWH-HC401WH	96"	36W Up 72W Down	30, 35, 40, 50	CALL

For 0-10 Dimming. Change 401WH to 4015WWH and add \$5.00. For Emergency, add EM and \$115.
Consult for other Direct/Indirect Options. Change FR to BN for Brushed Nickel and add \$25 per 4 ft.
For LED arrays angled for partial up and downlight add UD after S.
Consult for smart sensor option.

Add this Emergency to most LED Fixtures with Array and Driver for \$115.00




This ILB-CP10 from IOTA Engineering is a UL Classified LED emergency driver that allows the same LED fixture to be use for both normal and emergency operation. In the event of a power failure, the ILB-CP10 switches to the emergency mode and operates the existing fixture **90 minutes**. The unit contains a battery, charger and converter circuit in a single can and is available in different mounting configurations for individual fixture requirements. The ILB-CP10 maintains the output wattage even as the system voltage diminishes. Also suitable for field installation.



INPUT VOLTAGE: 120-277Vac±10%

OUTPUT CURRENT: 550-245mA

OUTPUT VOLTAGE: 20-54Vdc



KT-EMRG-LED-12-1200-EN
CONSTANT WATTAGE LED EMERGENCY BACK-UP

12W Constant Wattage - Ballast Battery Backup - Damp Location - 120-277V
Includes driver, separately housed 1200mAh Ni-Cd battery and 0.7" x 8" 1200 Lumen LED module for complete emergency lighting installations. When AC power fails, the driver will power the LED for a minimum of **90 minutes** emergency illumination. Easy installation in existing LED or fluorescent fixtures with wiring diagrams and labels on all parts. Mounting hardware included. Full 5 year warranty on all components.

Output Current 1000 mA-200mA - Output Voltage 12 ~41 Vdc

LINEAR INDIRECT LIGHTING (NOT AVAILABLE FOR DOWNLIGHT ONLY)

LINMW
Matte White LensLINLV
LouveredLINPF
Perforated

ITEM NO.	SIZE	WATTS/LUMENS	Color Temp (X100 Kelvins)	SPECIAL PRICE
HSLLINMW48LUS24WD12WDMV40KWH-HC301WH	48"	24W Up 12W Down	30, 35, 40, 50	CALL
HSLLINMW48LUS36WD18WDMV40KWH-HC301WH	48"	36W Up 18W Down	30, 35, 40, 50	CALL
HSLLINMW96LUS48WD24WDMV40KWH-HC301WH	96"	48W Up 24W Down	30, 35, 40, 50	CALL
HSLLINMW96LUS72WD36WDMV40KWH-HC301WH	96"	72W Up 36W Down	30, 35, 40, 50	CALL

For Emergency, add EM and \$115. For Dimming, change "HC301WH" to "HC3015WWH" and add \$5.00. Consult for other Direct/Indirect Options. Change WH to BN for Brushed Nickel and add \$25 per 4 ft. For Louver, change MW to LV and add \$30 for 4ft and \$60 for 8ft. For Perforated, change MW to PF and deduct \$25 per 4ft.

LED HIGH BAY BAFFLE (IDEAL FOR GENERAL MERCHANDISING)



ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLFHBL48LS32W4050LW30DMV40K	HI BAY BAFFLE 11.25"W x 48"L x 4.25"H - 4050lm - 4000K - 0-10V dimmable	CALL
HSLFHBL48LS48W5400LW30DMV40K	HI BAY BAFFLE 11.25"W x 48"L x 4.25"H - 5400lm - 4000K - 0-10V dimmable	CALL
HSLFHBL48LS57W6000LW30DMV40K	HI BAY BAFFLE 11.25"W x 48"L x 4.25"H - 6000lm - 4000K - 0-10V dimmable	CALL
HSLFHBL48LH72W7600LW30DMV40K	HI BAY BAFFLE 11.25"W x 48"L x 4.25"H - 7600lm - 4000K - 0-10V dimmable	CALL
HSLFHBL96LS97W10800LW30DMV40K	HI BAY BAFFLE 11.25"W x 96"L x 4.25"H - 10800lm - 4000K - 0-10V dimmable	CALL
HSLFHBL96LS114W12000LW30DMV40K	HI BAY BAFFLE 11.25"W x 96"L x 4.25"H - 12000lm - 4000K - 0-10V dimmable	CALL

Consult for Inlay Lens. For Emergency, add EM for \$115. Available in 3000K, 3500K and 5000K.

For Continuous Runs, add Wire Harnessing, see page E10.

LED LINEAR STEPPED PENDANT w/LENS



New Door Frame and Lens is a high style option for LED.

Consult for finish options.

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLFHBFR48LS32W4050LW30DMV40K	HI BAY BAFFLE 11.25"W x 48"L x 4.25"H - 4050lm - 4000K - 0-10V dimmable	CALL
HSLFHBFR48LS48W5650LW30DMV40K	HI BAY BAFFLE 11.25"W x 48"L x 4.25"H - 5650lm - 4000K - 0-10V dimmable	CALL
HSLFHBFR48LS57W6400LW30DMV40K	HI BAY BAFFLE 11.25"W x 48"L x 4.25"H - 6400lm - 4000K - 0-10V dimmable	CALL
HSLFHBFR48LH72W8200LW30DMV40K	HI BAY BAFFLE 11.25"W x 48"L x 4.25"H - 8200lm - 4000K - 0-10V dimmable	CALL
HSLFHBFR96LS97W11300LW30DMV40K	HI BAY BAFFLE 11.25"W x 96"L x 4.25"H - 11300lm - 4000K - 0-10V dimmable	CALL
HSLFHBFR96LS114W12800LW30DMV40K	HI BAY BAFFLE 11.25"W x 96"L x 4.25"H - 12800lm - 4000K - 0-10V dimmable	CALL

For Emergency, add EM for \$115. Available in 3000K, 3500K and 5000K.

LOUVERED 6" DECORATIVE LINEAR



ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLLSV648LJ48W4000LDMV40KWHHC301WH	6" Louvered Suspended 48"L 48Watt 4000 Lumens 4000K	CALL
HSLLSV648LZ57W4800LDMV40KWHHC301WH	6" Louvered Suspended 48"L 57Watt 4800 Lumens 4000K	CALL
HSLLSV648LZ72W6000LDMV40KWHHC301WH	6" Louvered Suspended 48"L 72Watt 6000 Lumens 4000K	CALL
HSLLSV696LJ48W4000LDMV40KWHHC301WH	6" Louvered Suspended 96"L 48Watt 4000 Lumens 4000K	CALL
HSLLSV696LJ96W8000LDMV40KWHHC301WH	6" Louvered Suspended 96"L 96Watt 8000 Lumens 4000K	CALL
HSLLSV696LZ114W9600LDMV40KWHHC301WH	6" Louvered Suspended 96"L 114Watt 9600 Lumens 4000K	CALL
HSLLSV696LZ144W12000LDMV40KWHHC301WH	6" Louvered Suspended 96"L 144Watt 12000 Lumens 4000K	CALL

Available in 3000K, 3500K and 5000K. For Inlay Lens add MW after LVS6 and add \$10.00. For Emergency, add EM and \$115. For Dimming, change "HC301WH" to "HC3015WWH" and add \$5.00. Available in Black (BK), Silver (SL), Bronze (BZ) or Galvanize (GV) add \$25 per 4ft.

LOUVERED 8" DECORATIVE LINEAR



Shown in Black (BK).

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLLSV48LS48W3800LDMV40KWHHC301WH	8" Louvered Suspended 48"L 48Watt 3800 Lumens 4000K	CALL
HSLLSV48LS57W4300LDMV40KWHHC301WH	8" Louvered Suspended 48"L 57Watt 4300 Lumens 4000K	CALL
HSLLSV48LH72W5500LDMV40KWHHC301WH	8" Louvered Suspended 48"L 72Watt 5500 Lumens 4000K	CALL
HSLLSV96LS48W3800LDMV40KWHHC301WH	8" Louvered Suspended 96"L 48Watt 3800 Lumens 4000K	CALL
HSLLSV96LS97W7600LDMV40KWHHC301WH	8" Louvered Suspended 96"L 96Watt 7600 Lumens 4000K	CALL
HSLLSV96LS114W8600LDMV40KWHHC301WH	8" Louvered Suspended 96"L 114Watt 8600 Lumens 4000K	CALL
HSLLSV96LH144W11000LDMV40KWHHC301WH	8" Louvered Suspended 96"L 144Watt 11000 Lumens 4000K	CALL

Available in 3000K, 3500K and 5000K. For Inlay Lens add MW after LVS and add \$10.00. For Emergency, add EM and \$115. For Dimming, change "HC301WH" to "HC3015WWH" and add \$5.00. Available in Black (BK), Silver (SL), Bronze (BZ) or Galvanize (GV) add \$25 per 4ft.

MEDIUM BODY DECORATIVE STRIP



ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLDID48LS48W5800LW30BFDMMV40K	Decorative Strip 48"L 48Watt 5800 Lumens 4000K	CALL
HSLDID48LS57W6500LW30BFDMMV40K	Decorative Strip 48"L 57Watt 6500 Lumens 4000K	CALL
HSLDID48LH72W9200LW30BFDMMV40K	Decorative Strip 48"L 72Watt 7000 Lumens 4000K	CALL
HSLDID96LS114W13000LW30BFDMMV40K	Decorative Strip 96"L 114Watt 13000 Lumens 4000K	CALL
HSLDID96LH144W18400LW30BFDMMV40K	Decorative Strip 96"L 144Watt 18400 Lumens 4000K	CALL

Available in 3000K, 3500K and 5000K. Reflector Options: W30 - White Steel, P10 - Perforated, M24-Full Specular. Basket Options: BP - Perforated, BF - Fine Fluted lens, BL - Smooth White Lens. Consult factory for Brushed Nickel and other finishes.



Available in 3000K, 3500K and 5000K.
See Matching Pendants on page E7.

WALL LINEAR 2" X 3.5" DOWNLIGHT ONLY (ADD U AFTER L FOR UPLIGHT)

ITEM NO.	DESCRIPTION			SPECIAL PRICE
HSL23WSF48LR26W2600LDMV40KWH	2.00" X 3.50" X 48.00" / 26W, 2600L, 4000K			CALL
HSL23WSF48LR38W3800LDMV40KWH	2.00" X 3.50" X 48.00" / 38W, 3800L, 4000K			CALL
HSL23WSF48LR45W4500LDMV40KWH	2.00" X 3.50" X 48.00" / 45W, 4500L, 4000K			CALL
HSL23WSF96LR52W5200LDMV40KWH	2.00" X 3.50" X 96.00" / 52W, 5200L, 4000K			CALL
HSL23WSF96LR76W7600LDMV40KWH	2.00" X 3.50" X 96.00" / 76W, 7600L, 4000K			CALL
HSL23WSF96LR90W9000LDMV40KWH	2.00" X 3.50" X 96.00" / 90W, 9000L, 4000K			CALL
Direct/Indirect	Size	Watts Up/Down	Color Options	
HSL23WSF48LUR12WD24WDMV40KWH	2.00" X 3.50" X 48"	12 / 24	30, 35, 40, 50	CALL
HSL23WSF48LUR18WD36WDMV40KWH	2.00" X 3.50" X 48"	18 / 36	30, 35, 40, 50	CALL
HSL23WSF96LUR24WD48WDMV40KWH	2.00" X 3.50" X 96"	24 / 48	30, 35, 40, 50	CALL
HSL23WSF96LUR36WD72WDMV40KWH	2.00" X 3.50" X 96"	36 / 72	30, 35, 40, 50	CALL

Remote Emergency available only. For Emergency, add EM for \$115.

WALL LINEAR 4" X 4" DOWNLIGHT ONLY (ADD U AFTER L FOR UPLIGHT)

ITEM NO.	DESCRIPTION	SPECIAL PRICE
Direct		
HSL44WSF48LR24W2400LDMV40KWH	4.00" X 4.00" X 48" / 24W, 2400L, 4000K	CALL
HSL44WSF48LR48W4800LDMV40KWH	4.00" X 4.00" X 48" / 48W, 4800L, 4000K	CALL
HSL44WSF96LR48W4800LDMV40KWH	4.00" X 4.00" X 96" / 48W, 4000K, 4000K	CALL
HSL44WSF96LR96W9600LDMV40KWH	4.00" X 4.00" X 96" / 96W, 9600L, 4000K	CALL

For Emergency, add EM and \$115. Consult for other finishes

WALL LINEAR 4" X 5" DIRECT / INDIRECT

ITEM NO.	Size	Watts Up/Down	Color Options	SPECIAL PRICE
HSL45WSF48LUR12WD24WDMV40KWH	4.00" X 5.50" X 48"	12 / 24	30, 35, 40, 50	CALL
HSL45WSF48LUR24WD48WDMV40KWH	4.00" X 5.50" X 48"	18 / 36	30, 35, 40, 50	CALL
HSL45WSF96LUR24WD48WDMV40KWH	4.00" X 5.50" X 96"	24 / 48	30, 35, 40, 50	CALL
HSL45WSF96LUR36WD72WDMV40KW	4.00" X 5.50" X 96"	36 / 72	30, 35, 40, 50	CALL

H For Emergency, add EM and \$115.

WALL LINEAR 6" X 6"

ITEM NO.	DESCRIPTION			SPECIAL PRICE
HSL66WSF48LR24W2400LDMV40KWH	6.00" X 6.00" X 48"/ 24W, 2400L/ Color Temp - 30, 35, 40, 50			CALL
HSL66WSF48LR48W4800LDMV40KWH	6.00" X 6.00" X 48"/ 48W, 4800/ Color Temp - 30, 35, 40, 50			CALL
HSL66WSF96LR48W4800LDMV40KWH	6.00" X 6.00" X 96"/ 48W, 4800/ Color Temp - 30, 35, 40, 50			CALL
HSL66WSF96LR96W9600LDMV40KWH	6.00" X 6.00" X 96"/ 96W, 9600/ Color Temp - 30, 35, 40, 50			CALL
Direct/Indirect	Size	Watts Up/Down	Color Options	
HSL66WSF48LUR12WD24WDMV40KWH	6.00" X 6.00" X 48"	12 / 24	30, 35, 40, 50	CALL
HSL66WSF48LUR24WD48WDMV40KWH	6.00" X 6.00" X 48"	18 / 16	30, 35, 40, 50	CALL
HSL66WSF96LUR24WD48WDMV40KWH	6.00" X 6.00" X 96"	24 / 48	30, 35, 40, 50	CALL
HSL66WSF96LUR36WD72WDMV40KWH	6.00" X 6.00" X 96"	36 / 72	30, 35, 40, 50	CALL

Change SF to MW for Matte White Lens.



Available in 3000K, 3500K and 5000K.



Available in 3000K, 3500K and 5000K.



Available in 3000K, 3500K and 5000K.
See Matching Pendants or Surface
Mounts on page E7.

NEW Snap Fit Lens

WALL LINEAR WINDOW LED WITH DIRECT/INDIRECT LIGHTING



Available in 3000K, 3500K and 5000K.


ITEM NO.	DESCRIPTION			SPECIAL PRICE
Downlight Only				
HSLSLWFR48LS48W4800LDMV40KWH	7.60" x 1.9" x 48" / 48W, 4800L, 4000K			CALL
HSLSLWFR96LS96W9600LDMV40KWH	7.60" x 1.9" x 96" / 96W, 9600L, 4000K			CALL
Direct/Indirect	Size	Watts Up/Down	Color Options	
HSLSLWFR48LUS12WD24WDMV40KWH	7.60" x 1.9" x 48"	12 / 24	30, 35, 40, 50	CALL
HSLSLWFR48LUS18WD36WDMV40KWH	7.60" x 1.9" x 48"	18 / 36	30, 35, 40, 50	CALL
HSLSLWFR96LUS24WD48WDMV40KWH	7.60" x 1.9" x 96"	24 / 48	30, 35, 40, 50	CALL
HSLSLWFR96LUS36WD72WDMV40KWH	7.60" x 1.9" x 96"	36 / 72	30, 35, 40, 50	CALL

For Emergency, add EM for \$115. Available in variety of finishes

LINEAR INDIRECT LIGHTING (Not Available Downlight Only)



Louvered (LV)



Perforated (PF)



Matte White Lens (MV)

ITEM NO.	SIZE	WATTS/LUMENS	Color Temp (X100 Kelvins)	SPECIAL PRICE
HSLWLINMW48LUS24WD12WDMV40KWH	48"	24W Up 12W Down	30, 35, 40, 50	CALL
HSLWLINMW48LUS36WD18WDMV40KWH	48"	36W Up 18W Down	30, 35, 40, 50	CALL
HSLWLINMW96LUS48WD24WDMV40KWH	96"	48W Up 24W Down	30, 35, 40, 50	CALL
HSLWLINMW96LUS72WD36WDMV40KWH	96"	72W Up 36W Down	30, 35, 40, 50	CALL

For 0-10 Dimming. For Emergency, add EM and \$115.

Consult for other Direct/Indirect Options. Change WH to BN for Brushed Nickel and add \$25 per 4 ft.

For Louver, change MW to LV and add \$30 for 4ft and \$60 for 8ft.

For Perforated, change MW to PF and deduct \$25 per 4ft.

Most fixture are available in these finishes



Silver (SL)



Red (RD)



Black (BK)



Bronze (BZ)



Iron (IN)

LED 45 DEGREE LINEAR STRIP (IDEAL FOR WALL AND CORNER APPLICATIONS)



ITEM NO.	SIZE	WATTS/LUMENS	Color Temp (X100 Kelvins)	SPECIAL PRICE
HSLCU45FR48LFRS35W4500LDMV40K	4.25" x 48"	35W / 4500L	30, 35, 40, 50	CALL
HSLCU45FR48LFRS48W6000LDMV40K	4.25" x 48"	48W / 6000L	30, 35, 40, 50	CALL
HSLCU45FR48LFRS57W7100LDMV40K	4.25" x 48"	57W / 7100L	30, 35, 40, 50	CALL
HSLCU45FR96LFRS70W9100LDMV40K	4.25" x 96"	70W / 9100L	30, 35, 40, 50	CALL
HSLCU45FR96LFRS97W11900LDMV40K	4.25" x 96"	97W / 11900L	30, 35, 40, 50	CALL
HSLCU45FR96LFRS118W14200LDMV40	4.25" x 96"	118W / 14200L	30, 35, 40, 50	CALL

K For Emergency, add EM for \$115.

Note to our Valued Customers:

As the current climate of tariff policies continues to impact pricing, LITE can be a great resource to help minimize the impact on your purchases. Manufacturing domestically, we have the fixture advantage. We can also recommend or source alternative products that might be more cost effective. Please check with your sales consultant for options and current pricing.

**4" Wall Linear****4" Up and Down Wall****Linear Wall
Downlight****VAN Series****Stairwell****Stairwellw/StepDim****Stairwellw/StepDim****LED Linkable
Undercabinet****LED Dimmable
Task****LED High Lumen
Tape****Remote Driver**


4" WALL LINEAR



For Matt White Lens, change "A" to "MW".

For Emergency, add EM for \$115.

4' UP AND DOWN WALL FIXTURE



Uplight

ITEM NO.	SIZE	WATTS/ LUMENS	COLOR OPTIONS (X100 Kelvins)	SPECIAL PRICE
HSL555A24LF24W2900LDMV40KWH	4.3" x 24"	24 / 2900	30, 35, 40, 50	CALL
HSL555A24LF28W3200LDMV40KWH	4.3" x 24"	28 / 3200	30, 35, 40, 50	CALL
HSL555A24LF35W4000LDMV40KWH	4.3" x 24"	35 / 4000	30, 35, 40, 50	CALL
HSL555A48LF30W4100LDMV40KWH*	4.3" x 48"	30 / 4100	30, 35, 40, 50	CALL
HSL555A48LF48W6000LDMV40KWH*	4.3" x 48"	48 / 6000	30, 35, 40, 50	CALL
HSL555A48LF57W6900LDMV40KWH*	4.3" x 48"	57 / 6900	30, 35, 40, 50	CALL
HSL555A48LH72W8800LDMV40KWH	4.3" x 48"	72 / 8800	30, 35, 40, 50	CALL

For separately switching, add 11 after DMV and add \$25. For 4 way pull chain add \$5.

For Emergency, add EM for \$115.

LINEAR WALL DOWNLIGHT (IDEAL FOR PERIMETER WALL LIGHTING)

ITEM NO.	SIZE	WATTS/ LUMENS	Color Temp (X100 Kelvins)	SPECIAL PRICE
HSLWDFR48LS30W2400LDMV40KWH	4.25" x 48"	30 / 2400	30, 35, 40, 50	CALL
HSLWDFR48LS48W3500LDMV40KWH	4.25" x 48"	48 / 3500	30, 35, 40, 50	CALL
HSLWDFR48LS57W4000LDMV40KWH	4.25" x 48"	57 / 4000	30, 35, 40, 50	CALL


VAN SERIES

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLVAN24LS24W2250LDMV40KSW	4.75" x 4.00" x 24.125" / 24W, 2250L, 4000K	CALL
HSLVAN24LS28W2550LDMV40KSW	4.75" x 4.00" x 24.125" / 28W, 2550L, 4000K	CALL
HSLVAN48LS32W3250LDMV40KSW	4.75" x 4.00" x 48.125" / 32W, 3250L, 4000K	CALL
HSLVAN48LS48W4500LDMV40KSW	4.75" x 4.00" x 48.125" / 48W, 4500L, 4000K	CALL
HSLVAN48LS57W5100LDMV40KSW	4.75" x 4.00" x 48.125" / 57W, 5100L, 4000K	CALL

Change SW to BM (Black Marble), IV (Ivory Marble), etc for end cap in different finish. See specification for more end cap choices. Available in 3000K, 3500K and 4000K.

Add after VAN, WR for White Ribbed, CR - Clear Ribbed, FR - For Frosted Ribbed.

Stairwell Lighting



FS-505 Mounted in Stairwell

Stairwells provide one of the easiest opportunities to provide energy savings. Reduce the light output when no one is in the stairwell and increase light when anyone enters the stairwell.

Ultrasonic technology for open area detection and line-of-sight obstructions.

Choose the percentage of light output (XX) that you want when space is unoccupied.

STAIRWELL STANDARD

ITEM NO.	SIZE (W X L)	Watts / Lumens	Color Options (X100 Kelvins)	SPECIAL PRICE
HSLSSSTWFR24LE15W2050LDMV(XX)40K	4.4" x 24"	15 / 2050	30, 35, 40, 50	CALL
HSLSSSTWFR24LE24W3000LDMV(XX)40K	4.4" x 24"	24 / 3000	30, 35, 40, 50	CALL
HSLSSSTWFR48LE48W6000LDMV(XX)40K	4.4" x 48"	48 / 6000	30, 35, 40, 50	CALL
HSLSSSTWFR48LE57W6900LDMV(XX)40K	4.4" x 48"	57 / 6900	30, 35, 40, 50	CALL

(XX) for Percentage of Light Output When it is not Occupied. For Emergency, add EM for \$115.

STAIRWELL LINEAR LED w/ 20% Output and Emergency Unit

ITEM NO.	SIZE	WATTS / LUMENS	COLOR OPTIONS (X100 Kelvins)	SPECIAL PRICE
HSLSSSTWFR48LY46W5500LDMV(20)40KEM	4.4" x 48"	46 / 5500	30, 35, 40, 50	CALL

Fixed output driver. No variations.

STAIRWELL LINEAR LED WITH STEP DIM DRIVER (Consult for other Driver Options)

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLSSSTRMW24LE27W2000LDMV(XX)40K	2 ft / 27W, 2000L with Variable Output, Color Temp 30, 35, 40, 50	CALL
HSLSSSTRMW48LE36W2800LDMV(XX)40K	4 ft / 36W, 2800L with Variable Output, Color Temp 30, 35, 40, 50	CALL
HSLSSSTSMW24LE27W2000LDMV(XX)40K	2 ft / 27W, 2000L with Variable Output, Color Temp 30, 35, 40, 50	CALL
HSLSSSTSMW48LE36W2800LDMV(XX)40K	4 ft / 36W, 2800L with Variable Output, Color Temp 30, 35, 40, 50	CALL

(XX) for Percentage of Light Output When it is not Occupied. For Emergency, add EM for \$115.

STAIRWELL LINEAR LED WITH STEP DIM DRIVER (Consult for other Driver Options)

ITEM NO.	SIZE	WATTS / LUMENS	COLOR OPTIONS (X100 Kelvins)	SPECIAL PRICE
HSLSS213A24LE15W2050LDMV(XX)40K	4.4" x 24"	15 / 2050	30, 35, 40, 50	CALL
HSLSS213A24LE24W3000LDMV(XX)40K	4.4" x 24"	24 / 3000	30, 35, 40, 50	CALL
HSLSS213A48LE30W4100LDMV(XX)40K*	4.4" x 48"	30 / 4100	30, 35, 40, 50	CALL
HSLSS213A48LE48W6000LDMV(XX)40K*	4.4" x 48"	48 / 6000	30, 35, 40, 50	CALL
HSLSS213A48LE57W6900LDMV(XX)40K*	4.4" x 48"	57 / 6900	30, 35, 40, 50	CALL

(XX) for Percentage of Light Output When it is not Occupied. Emergency, add EM for \$115.


*Check DLC listing for most current/additional Wattage and Lumen Options.



SSSTR



SSSTS





LED Linkable Undercabinet

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLUC9L5WE120	9" LED undercabinet lights, Dimmable, linkable, 5w	CALL
HSLUC12L6WE120	12" LED undercabinet lights, Dimmable, linkable, 6w	CALL
HSLUC18L9WE120	18" LED undercabinet lights, Dimmable, linkable, 9w	CALL
HSLUC24L11WE120	24" LED undercabinet lights, Dimmable, linkable, 11w	CALL
HSLUC33L13WE120	33" LED undercabinet lights, Dimmable, linkable, 13w	CALL
HSLUC42L16WE120	42" LED undercabinet lights, Dimmable, linkable, 16w	CALL

Undercabinets come with power cord, joiner cable, butt connector and a BX connector.



LED Dimmable Undercabinet Task Lighting

ITEM NO.	SIZE	WATTS / LUMENS	COLOR OPTIONS (x100) Kelvins	SPECIAL PRICE
HSLLEDDUCL12WH30	2" 12"	5 / 250	30	CALL
HSLLEDDUCL18WH30	2" x 18"	8 / 400	30	CALL
HSLLEDDUCL24WH30	2" x 24"	11 / 525	30	CALL
HSLLEDDUCLJBOX	Junction Box for hardwire			CALL

Each fixture comes with mini coupler and 15" joiner cord, 42" cord and plug with integral on/off switch.



LED HIGH LUMEN TAPE

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLT5050L24V27K*	LED HIGH LUMEN TAPE 1ft PIECES, 4.32W/FT, 180LM/FT, 24v, 27K	CALL
HSLT5050L24V30K*	LED HIGH LUMEN TAPE 1ft PIECES, 4.32W/FT, 185LM/FT, 24v, 30K	CALL
HSLT5050L24V40K*	LED HIGH LUMEN TAPE 1ft PIECES, 4.32W/FT, 189LM/FT, 24v, 40K	CALL
HSLTHWCON10	LED 10 foot HARDWIRE CONNECTOR	CALL
HSLTEXT4IN	LED 4 inch 4 PIN TAPE JUMPER CABLE MtoF	CALL
HSLTEXT12IN	LED 12 inch 4 PIN TAPE JUMPER CABLE MtoF	CALL
HSLTEXT36IN	LED 36 inch 4 PIN TAPE JUMPER CABLE MtoF	CALL
HSLTCON4M4M	LED 4 PIN TAPE MALE to MALE CONNECTOR	CALL
HSLTTCN	LED 4 PIN TAPE MALE to MALE T CONNECTOR	CALL

*Priced per Foot, 15ft/Reel. Specify remote driver.



REMOTE DRIVER (Dimmable with any standard MLV Triac (leading edge) control)

ITEM NO.	DESCRIPTION	Watts	SPECIAL PRICE
HSLMTIM60L24DC	Magniture Magnetic Driver 60W 24VDC Encased	60	CALL
HSLMTIM100L24DC	Magniture Magnetic Driver 96W 24VDC Encased	96	CALL
HSLMTIM150L24DC	Magniture Magnetic Driver 150W 24VDC Encased	150	CALL

Consult for other drivers and wattages.





DFUCLL



DFCKFR



RKCB



Troffer Retrofit



Strip Retrofit Kit

Strip Ballast
Cover Retrofit

Linear Wall Down



CTC Retrofits



CTC Retrofits Cover Retrofit

Note to our Valued Customers:

As the current climate of tariff policies continues to impact pricing, LITE can be a great resource to help minimize the impact on your purchases. Manufacturing domestically, we have the fixture advantage. We can also recommend or source alternative products that might be more cost effective. Please check with your sales consultant for options and current pricing.

LED Retrofits

All-In-One Retrofit LED Troffer Kits

Convert an existing linear fluorescent fixture to a state-of-the-art Linear LED fixture in minutes with this LED All-In-One Retrofit Kit. Choose from two great styles of Linear LED fixtures that will not only increase lighting performance, save energy and reduce maintenance but provide a fresh new look for the space. The LED Center Basket All-In-One Retrofit provides the look of a popular direct/indirect linear fixture with a special designed reflector and LED lens to provide comfortable, abundant lighting. The Chicklet Retrofit Kit provides a luminous pillow styled lens and a high level of lighting with a dramatic appearance. Each kit mounts in minutes with all the LED components neatly engineered in one simple frame that mounts to two side rails that mount between the existing fixture body and the T-bar. Available in 2x2 or 2x4 sizes and a variety of wattage, lumens and color temperatures.

CENTER BASKET



Install in Minutes:
Place Rails between fixture and T-Bar on each side. Then latch and secure All-In-One-LED-Retrofit into place.



ITEM NO.	ITEM NO.	SPECIAL PRICE
HSLDFUCLL22LF24W3000LDMV40K*	Door Frame Center Basket Retro 2x2 24W, 2400 Lumen, 40K, 0-10V Dimming Capable	CALL
HSLDFUCLL22LF28W3350LDMV40K	Door Frame Center Basket Retro 2x2 28W, 2800 Lumen, 40K, 0-10V Dimming Capable	CALL
HSLDFUCLL22LF35W4300LDMV40K	Door Frame Center Basket Retro 2x2 32W, 3200 Lumen, 40K, 0-10V Dimming Capable	CALL
HSLDFUCLL24LF32W4650LDMV40K*	Door Frame Center Basket Retro 2x4 32W, 3200 Lumen, 40K, 0-10V Dimming Capable	CALL
HSLDFUCLL24LF48W6750LDMV40K*	Door Frame Center Basket Retro 2x4 48W, 4800 Lumen, 40K, 0-10V Dimming Capable	CALL
HSLDFUCLL24LF57W7800LDMV40K*	Door Frame Center Basket Retro 2x4 57W, 5700 Lumen, 40K, 0-10V Dimming Capable	CALL
HSLDFUCLL24LF62W8100LDMV40K*	Door Frame Center Basket Retro 2x4 62W, 8100 Lumen, 40K, 0-10V Dimming Capable	CALL

For other color temperatures, replace 40K with 30K, 35K or 50K. Consult for other wattage and lumen options and emergency driver. Consult for 1x4 version.

Check DLC listing for most current/additional Wattage and Lumen Options.

CHICKLET FROSTED LENS



Watch Installation Video on YouTube.com, Texas Fluorescents Channel
<https://www.youtube.com/channel/UCxulbwriXpLi2xxyGhGe3YQ>


ITEM NO.	ITEM NO.	SPECIAL PRICE
HSLDFCKFR22LF24W2400LDMV40K	Door Frame Chicklet Frosted Lens Retro 2x2 24W, 2400 Lumen, 40K, 0-10V Dimming Capable	CALL
HSLDFCKFR22LF28W2800LDMV40K	Door Frame Chicklet Frosted Lens Retro 2x2 28W, 2800 Lumen, 40K, 0-10V Dimming Capable	CALL
HSLDFCKFR22LF32W3200LDMV40K	Door Frame Chicklet Frosted Lens Retro 2x2 32W, 3200 Lumen, 40K, 0-10V Dimming Capable	CALL
HSLDFCKFR24LF32W3200LDMV40K	Door Frame Chicklet Frosted Lens Retro 2x4 32W, 3200 Lumen, 40K, 0-10V Dimming Capable	CALL
HSLDFCKFR24LF40W4000LDMV40K	Door Frame Chicklet Frosted Lens Retro 2x4 40W, 4000 Lumen, 40K, 0-10V Dimming Capable	CALL
HSLDFCKFR24LF48W4800LDMV40K	Door Frame Chicklet Frosted Lens Retro 2x4 48W, 4800 Lumen, 40K, 0-10V Dimming Capable	CALL
HSLDFCKFR24LF57W5700LDMV40K	Door Frame Chicklet Frosted Lens Retro 2x4 57W, 5700 Lumen, 40K, 0-10V Dimming Capable	CALL

For other color temperatures, replace 40K with 30K, 35K or 50K.

Consult for other wattage and lumen options and emergency driver.


Consult for 1x4 version.

Retrofit Your Store To Stand Out and Save Energy



LED Troffer Retrofit Kit Makes Sally Beauty Stand Out.

VL LED CENTER BASKET RETROFIT



ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLRRCB22L36W4680LDMV40K*	22.52" x 20.67" x 2.6" / 36W, 4680 Lumens, 4000K	CALL
HSLRRCB22L36W4680LDMV50K*	22.52" x 20.67" x 2.6" / 36W, 4680 Lumens, 5000K	CALL
HSLRRCB24L36W4900LDMV40K	20.67" x 47.8" x 2.6" / 36W, 4902 Lumens, 4000K	CALL
HSLRRCB24L36W4900LDMV50K	20.67" x 47.8" x 2.6" / 36W, 4902 Lumens, 5000K	CALL

For Emergency, add EM for \$115.

LED TROFFER RETROFIT KIT

(INSTALLS IN FLUORESCENT TROFFER IN UNDER 5 MINUTES)



Consult for
Parabolic Retrofit Ki

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSL22CF24W2600LW10DMV40K*	2x2 / 24W, 2600L / Color Temp - 30, 35, 40, 50	CALL
HSL22CF28W3000LW10DMV40K*	2x2 / 28W, 3000L / Color Temp - 30, 35, 40, 50	CALL
HSL22CF35W3600LW10DMV40K*	2x2 / 35W, 4400L / Color Temp - 30, 35, 40, 50	CALL
HSL24CF35W3650LW10DMV40K*	2x4 / 35W, 3650L / Color Temp - 30, 35, 40, 50	CALL
HSL24CF48W5650LW10DMV40K*	2x4 / 48W, 5650L / Color Temp - 30, 35, 40, 50	CALL
HSL24CF56W6050LW10DMV40K*	2x4 / 56W, 6050L / Color Temp - 30, 35, 40, 50	CALL

For Emergency, add EM for \$115.

LED TROFFER RETROFIT KIT w/INTEGRAL SENSOR



ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLSM22CLY28W2850LVDMV40K	2x2 / 28W, 2850L / Color Temp - 30, 35, 40, 50 w/Integral Occupancy Sensor	CALL
HSLSM24CLY56W5650LVDMV40K	2x4 / 56W, 5650L / Color Temp - 30, 35, 40, 50 w/Integral Occupancy Sensor	CALL

VL LED TROFFER RETROFIT

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSL24CV46W6200LDMV40K	2x4 / 46W, 6200L / Color Temp 40	CALL

Fixed output driver. No variations.

LED Strip Retrofit Kits



WARNING: If you have this fixture in 4 or 8 Foot, You can Retrofit Them and Save over 40% Energy and Reduce Maintenance.

LED STRIP RETROFIT KIT ROUND PROFILE



Complete fixture available. Add "C" in front of item number and add \$9 per 4 foot



ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLRSR48LT20W2200LDMV40K	4.25" 48" Strip LED Round Frost Lens 20W 2200 Lumens 4000K	CALL
HSLRSR48LT30W3500LDMV40K*	4.25" 48" Strip LED Round Frost Lens 30W 3500 Lumens 4000K	CALL
HSLRSR48LT41W4300LDMV40K*	4.25" 48" Strip LED Round Frost Lens 41W 4300 Lumens 4000K	CALL
HSLRSR48LT58W6700LDMV40K*	4.25" 48" Strip LED Round Frost Lens 58W 6700 Lumens 4000K	CALL
HSLRSR96LT40W4400LDMV40K	4.25" 96" Strip LED Round Frost Lens 40W 4400 Lumens 4000K	CALL
HSLRSR96LT60W6900LDMV40K*	4.25" 96" Strip LED Round Frost Lens 60W 6900 Lumens 4000K	CALL
HSLRSR96LT82W8900LDMV40K*	4.25" 96" Strip LED Round Frost Lens 82W 8900 Lumens 4000K	CALL
HSLRSR96LT116W13400LDMV40K*	4.25" 96" Strip LED Round Frost Lens 116W 13400 Lumens 4000K	CALL

For Emergency, add EM for \$115. Available in 3000K, 3500K, and 5000K.

LED STRIP RETROFIT KIT FLAT PROFILE



Complete fixture available. Add "C" in front of item number and add \$9 per 4 foot

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLRSF48LT20W2000LDMV40K	4.25" 48" Strip LED Flat Frost Lens 20W 2000 Lumens 4000K	CALL
HSLRSF48LT30W3000LDMV40K	4.25" 48" Strip LED Flat Frost Lens 30W 3000 Lumens 4000K	CALL
HSLRSF48LT41W4100LDMV40K	4.25" 48" Strip LED Flat Frost Lens 41W 4100 Lumens 4000K	CALL
HSLRSF48LT58W5800LDMV40K	4.25" 48" Strip LED Flat Frost Lens 58W 5800 Lumens 4000K	CALL
HSLRSF96LT40W4000LDMV40K	4.25" 96" Strip LED Flat Frost Lens 40W 4000 Lumens 4000K	CALL
HSLRSF96LT60W6000LDMV40K	4.25" 96" Strip LED Flat Frost Lens 60W 6000 Lumens 4000K	CALL
HSLRSF96LT82W8200LDMV40K	4.25" 96" Strip LED Flat Frost Lens 82W 8200 Lumens 4000K	CALL
HSLRSF96LT116W11600LDMV40K	4.25" 96" Strip LED Flat Frost Lens 116W 11600 Lumens 4000K	CALL

For Emergency, add EM for \$115. Available in 3000K, 3500K and 5000K. Consult to retrofit 5" strip.

ENCLOSED STRIP RETROFIT KIT BEST VALUE



ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLRFSFFR24LJ12W1200LDMV40K	4.25" x 3.5" x 24.00" / 12W, 1200L, 4000K	CALL
HSLRFSFFR48LJ24W2600LDMV40K	4.25" x 3.5" x 48.00" / 24W, 2600L, 4000K	CALL
HSLRFSFFR48LJ48W5400LDMV40K	4.25" x 3.5" x 48.00" / 48W, 5400L, 4000K	CALL
HSLRFSFFR48LZ57W6200LDMV40K	4.25" x 3.5" x 48.00" / 57W, 6200L, 4000K	CALL
HSLRFSFFR96LJ62W6600LDMV40K	4.25" x 3.5" x 96.00" / 62W, 6600L, 4000K	CALL
HSLRFSFFR96LZ114W12400LDMV40K	4.25" x 3.5" x 96.00" / 114W, 12400L, 4000K	CALL

For Emergency, add EM for \$115. Available in 3000K, 3500K and 5000K. Consult for retrofit 5" strip.

LED STRIP BALLAST COVER RETROFIT KIT (FOR 4.25" OR 5" STRIPS)



Check Sales for Frosted lens.



ITEM NO.	SIZE (W X L)	Watts / Lumens	Color Options (X100 Kelvins)	SPECIAL PRICE
HSL4RB421F24W3500LDMV40K*	4.25" x 48"	24 / 3500	30, 35, 40, 50	CALL
HSL4RB421F48W6500LDMV40K*	4.25" x 48"	48 / 6500	30, 35, 40, 50	CALL
HSL4RB421F57W7900LDMV40K*	4.25" x 48"	57 / 7900	30, 35, 40, 50	CALL
HSL4RB501F24W3500LDMV40K*	5" x 48"	24 / 3500	30, 35, 40, 50	CALL
HSL4RB501F48W6500LDMV40K*	5" x 48"	48 / 6500	30, 35, 40, 50	CALL
HSL4RB501F57W7900LDMV40K*	5" x 48"	57 / 7900	30, 35, 40, 50	CALL
HSL8RB421F48W6950LDMV40K*	4.25" x 96"	48 / 6950	30, 35, 40, 50	CALL
HSL8RB421F97W13100LDMV40K*	4.25" x 96"	97 / 13100	30, 35, 40, 50	CALL
HSL8RB421F118W15800LDMV40K*	4.25" x 96"	118 / 15800	30, 35, 40, 50	CALL
HSL8RB501F48W6950LDMV40K*	5" x 96"	48 / 6950	30, 35, 40, 50	CALL
HSL8RB501F97W13100LDMV40K*	5" x 96"	97 / 13100	30, 35, 40, 50	CALL
HSL8RB501F118W15800LDMV40K*	5" x 96"	118 / 15800	30, 35, 40, 50	CALL

For Emergency, add EM for \$115.

LINEAR WALL DOWN RETROFIT
(IDEAL TO RETROFIT PERIMETER WALL LIGHTING)

Fully Luminous Lens for beautiful look.

ITEM NO.	SIZE	WATTS/ LUMENS	Color Temp (X100 Kelvins)	SPECIAL PRICE
HSLRLWDFR48LS30W4100LDMV40K	4.25" x 48"	30 / 4100	30, 35, 40, 50	CALL
HSLRLWDFR48LS48W6000LDMV40K	4.25" x 48"	48 / 6000	30, 35, 40, 50	CALL
HSLRLWDFR48LS57W6900LDMV40K	4.25" x 48"	57 / 6900	30, 35, 40, 50	CALL

CTC / WALL FIXTURE RETROFITS
(AC WITH DRIVER ON BOARD AND HEAT SINK)

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLEOS12W900LD12030KSQ	EOS Array w/6" Sq Alum Heat Sink - 12W, 900L, 3000K	CALL
HSLEOS12W1000LD12040KSQ	EOS Array w/6" Sq Alum Heat Sink - 12W, 1000L, 4000K	CALL
HSLEOS15W1350LD12030KSQ	EOS Array w/8" Sq Alum Heat Sink - 15W, 1350L, 3000K	CALL
HSLEOS15W1400LD12040KSQ	EOS Array w/8" Sq Alum Heat Sink - 15W, 1400L, 4000K	CALL
HSLEOS22W1850LD12030KSQ	EOS Array w/8" Sq Alum Heat Sink - 22W, 1850L, 3000K	CALL
HSLEOS22W1900LD12040KSQ	EOS Array w/8" Sq Alum Heat Sink - 22W, 1900L, 4000K	CALL

Dimmable with standard dimmer. UL Classified for retrofit

CTC RETROFIT FOR 11" OR 14" WITH HEAT SINK
(DIMMABLE W/STANDARD DIMMER)

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLDAC15W1350LD12040K	LED Array 120V for 11" CTC 15W, 1350L / Color Temp 30, 40, 50	CALL
HSLDAC15W1350LD12050K	LED Array 120V for 14" CTC 25W, 1850L / Color Temp 30, 40, 50	CALL



Low Profile Cloud



Eclipse



Contemporary Cloud



PUF Series



Spill Ring



Crown



Spill Ring Bath



Vanity Series



Crown



Close to Ceiling



Dome



Ultra Thin Downlight



MicroSurface Mount



TDL



Ceiling/Wall Retrofits

Note to our Valued Customers:

As the current climate of tariff policies continues to impact pricing, LITE can be a great resource to help minimize the impact on your purchases. Manufacturing domestically, we have the fixture advantage. We can also recommend or source alternative products that might be more cost effective. Please check with your sales consultant for options and current pricing.

LOW PROFILE CLOUD (EXCLUSIVELY FOR LED ARRAYS - SHALLOWEST EVER)

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLPCMWW24LV22W2000LG120*	11" x 24" x 3" / 22W, 2000L / Color Temp 30, 35, 40, 50	CALL
HSLPCMWW48LQ41W4200LG120*	11" x 48" x 3" / 41W, 4200L / Color Temp 30, 35, 40, 50	CALL

LOW PROFILE CLOUD (0-10V DIMMING)

HSLPCMWW24LS20W2250LDMV40K	11" x 24" x 3" / 20W, 2250L / 0-10V Dimming / Color Temp 30, 35, 40, 50	CALL
HSLPCMWW24LS24W2600LDMV40K	11" x 24" x 3" / 24W, 2600L / 0-10V Dimming / Color Temp 30, 35, 40, 50	CALL
HSLPCMWW24LS28W3000LDMV40K	11" x 24" x 3" / 28W, 3000L / 0-10V Dimming / Color Temp 30, 35, 40, 50	CALL
HSLPCMWW48LS40W4550LDMV40K	11" x 48" x 3" / 40W, 4550L / 0-10V Dimming / Color Temp 30, 35, 40, 50	CALL
HSLPCMWW48LS48W5200LDMV40K	11" x 48" x 3" / 48W, 5200L / 0-10V Dimming / Color Temp 30, 35, 40, 50	CALL
HSLPCMWW48LS57W6050LDMV40K	11" x 48" x 3" / 57W, 6050L / 0-10V Dimming / Color Temp 30, 35, 40, 50	CALL

*120V only and 2 wire dimming.

ECLIPSE (4 SIZES TO MATCH YOUR APPLICATION)

ITEM NO.	SIZE (W X L)	Watts / Lumens	Color Options (X100 Kelvins)	SPECIAL PRICE
HSLECLMW224LS24W2000DMV40KWH	9.5" x 24"	24 / 2000	30, 35, 40, 50	CALL
HSLECLMW224LH36W2900LDMV40KWH	9.5" x 24"	36 / 2900	30, 35, 40, 50	CALL
HSLECLMW424LS48W4000LDMV40KWH	16.5" x 24"	48 / 4000	30, 35, 40, 50	CALL
HSLECLMW248LS32W2900LDMV40KWH	9.5" x 48"	32 / 2900	30, 35, 40, 50	CALL
HSLECLMW248LS48W4000LDMV40KWH	9.5" x 48"	48 / 4000	30, 35, 40, 50	CALL
HSLECLMW248LS57W4500LDMV40KWH	9.5" x 48"	57 / 4500	30, 35, 40, 50	CALL
HSLECLMW248LH72W5800LDMV40KWH	9.5" x 48"	72 / 5800	30, 35, 40, 50	CALL
HSLECLMW448LS96W8000LDMV40KWH	16.5" x 48"	96 / 8000	30, 35, 40, 50	CALL

Finishes for End Caps: SL-Silver, BM-Black Marble, TO- Tortoise, IM-Ivory, WM-White Marble, WH-White
Available in 3000K, 3500K and 5000K.

CONTEMPORARY CLOUD

ITEM NO.	SIZE (W X L)	Watts / Lumens	Color Options (X100 Kelvins)	SPECIAL PRICE
HSLCLMMW248LS32W3450LDMV40K	9.75" x 48"	32 / 3450	30, 35, 40, 50	CALL
HSLCLMMW248LS48W4800LDMV40K	9.75" x 48"	48 / 4800	30, 35, 40, 50	CALL
HSLCLMMW248LS57W5400LDMV40K	9.75" x 48"	57 / 5400	30, 35, 40, 50	CALL
HSLCLMMW448LS72W7000LDMV40K	13.75" x 48"	72 / 7200	30, 35, 40, 50	CALL
HSLCLMMW448LS97W9600LDMV40K	13.75" x 48"	97 / 9600	30, 35, 40, 50	CALL

Available in 3000K, 3500K and 5000K.

**LED Drivers and Dimming**

Most of our LED Linear Fixtures have a Multi-Volt 0-10V Dimming Driver designated by DMV.
For dimming, use any dimmer that works for 0-10 LED or purchase the Leviton IP710LFZ from us.



Leviton IP710LFZ
\$54.95
IllumaTech Preset
Slide Control

LED PUF SERIES



ITEM NO.	SIZE (W X L)	Watts / Lumens	Color Options (X100 Kelvins)	SPECIAL PRICE
HSLPUF22LS24W1800LDMV40K	17" x 26.5"	24 / 1800	30, 35, 40, 50	CALL
HSLPUF22LH36W2900LDMV40K	17" x 26.5"	36 / 2900	30, 35, 40, 50	CALL
HSLPUF424LS32W2600LDMV40K	26.5" x 26.5"	32 / 2600	30, 35, 40, 50	CALL
HSLPUF424LS48W3500LDMV40K	26.5" x 26.5"	48 / 3500	30, 35, 40, 50	CALL
HSLPUF248LS32W2600LDMV40K	11" x 48"	32 / 2600	30, 35, 40, 50	CALL
HSLPUF248LS48W3500LDMV40K	11" x 48"	48 / 3500	30, 35, 40, 50	CALL
HSLPUF248LS57W4200LDMV40K	11" x 48"	57 / 4200	30, 35, 40, 50	CALL
HSLPUF248LH72W5400LDMV40K	11" x 48"	72 / 5400	30, 35, 40, 50	CALL
HSLPUF448LS65W5200LDMV40K	17" x 48"	65 / 5200	30, 35, 40, 50	CALL
HSLPUF448LS97W7000LDMV40K	17" x 48"	97 / 7000	30, 35, 40, 50	CALL
HSLPUF448LS114W8400LDMV40K	17" x 48"	114 / 8400	For 30, 35, 40, 50	CALL

Emergency, add EM for \$115. Available in 3000K, 3500K and 5000K.

LED SPILL RING



Most linear fixture are dimmable 0-10V.

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLFL48LS32W3450LDMV40KSN	11.75"W x 48"L x 4.5"H, 3450lm - 4000K - 0-10V dimmable	CALL
HSLFL48LS48W4800LDMV40KSN	11.75"W x 48"L x 4.5"H, 4800lm - 4000K - 0-10V dimmable	CALL
HSLFL48LS57W5400LDMV40KSN	11.75"W x 48"L x 4.5"H, 5400lm - 4000K - 0-10V dimmable	CALL
HSLFL48LH72W7000LDMV40KSN	11.75"W x 48"L x 4.5"H, 7000lm - 4000K - 0-10V dimmable	CALL

Consult for Bronze. For Emergency, add EM for \$115. Available in 3000K, 3500K and 5000K.

LED CROWN



ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLCRWNMW22LS24W2400LDMV40KWH	CROWN 25"W x 25"L x 4.125"H, 2400lm - 4000K - 0-10V dimmable	CALL
HSLCRWNMW22LS28W2700LDMV40KWH	CROWN 25"W x 25"L x 4.125"H, 2700lm - 4000K - 0-10V dimmable	CALL
HSLCRWNMW22LS35W3200LDMV40KWH	CROWN 25"W x 25"L x 4.125"H, 3200lm - 4000K - 0-10V dimmable	CALL
HSLCRWNMW14LS48W4800LDMV40KWH	CROWN 11.5"W x 48"L x 4.125"H, 4800lm - 4000K - 0-10V dimmable	CALL
HSLCRWNMW14LS57W5700LDMV40KWH	CROWN 11.5"W x 48"L x 4.125"H, 5700lm - 4000K - 0-10V dimmable	CALL
HSLCRWNMW14LH72W7000LDMV40KWH	CROWN 11.5"W x 48"L x 4.125"H, 7000lm - 4000K - 0-10V dimmable	CALL
HSLCRWNMW24LS48W4800LDMV40KWH	CROWN 16.27"W x 48"L x 4.125"H, 4800lm - 4000K - 0-10V dimmable	CALL
HSLCRWNMW24LS57W5700LDMV40KWH	CROWN 16.27"W x 48"L x 4.125"H, 5700lm - 4000K - 0-10V dimmable	CALL
HSLCRWNMW24LH72W7000LDMV40KWH	CROWN 16.27"W x 48"L x 4.125"H, 7000lm - 4000K - 0-10V dimmable	CALL

Finishes: WH - White, GO - Golden Oak, UF - Unfinished
Available in 3000K, 3500K, 4000K and 5000K.



LED SPILL RING BATH

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLHOTBD24L23W2195LMVSN30K	24.5"L x 5.7"W x 4.5"E 23W, 2195 Lumens 3000K, Multi-Volt Satin Nickel	CALL
HSLHOTBD36L34W3260LMVSN30K	36.5"L x 5.7"W x 4.5"E 34W, 3261 Lumens 3000K, Multi-Volt Satin Nickel	CALL
HSLHOTBD48L48W4590LMVSN30K	48.5"L x 5.7"W x 4.5"E 48W, 4594 Lumens 3000K, Multi-Volt Satin Nickel	CALL

Consult for Bronze ends. Also available in 40K.



VAN SERIES

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLVAN24LS24W2250LDMV40KSW	4.75" x 4.00" x 24.125" / 24W, 2250L, 4000K	CALL
HSLVAN24LS28W2550LDMV40KSW	4.75" x 4.00" x 24.125" / 28W, 2550L, 4000K	CALL
HSLVAN48LS32W3250LDMV40KSW	4.75" x 4.00" x 48.125" / 32W, 3250L, 4000K	CALL
HSLVAN48LS48W4500LDMV40KSW	4.75" x 4.00" x 48.125" / 48W, 4500L, 4000K	CALL
HSLVAN48LS57W5100LDMV40KSW	4.75" x 4.00" x 48.125" / 57W, 5100L, 4000K	CALL

Change SW to BM (Black Marble), IV (Ivory Marble), etc for end cap in different finish See specification for more end cap choices. Available in 3000K, 3500K and 4000K.

Add after VAN, WR for White Ribbed, CR - Clear Ribbed, FR - For Frosted Ribbed.



WALL PUFF SERIES

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLWPU24LS24W2250LDMV40K	27" x 6" x 2.75" 24 Watt, 2250 Lumens, Available in 3000K, 3500K, 5000K	CALL
HSLWPU48LS48W4500LDMV40K	51" x 6" x 2.75" 48 Watt, 4500 Lumens, Available in 3000K, 3500K, 5000K	CALL

For Emergency, add EM for \$115.



LED SPILL RING CLOSE-TO-CEILING

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLHOTCD10L18W1300LD120SN30K	11.8"D x 4.2"H 18W, 1300 Lumens, 3000K, Multi-Volt Satin Nickel	CALL
HSLHOTCD12L17W1200LD120SN30K	11.8"D x 4.2"H 17W, 1200 Lumens, 3000K, Multi-Volt Satin Nickel	CALL
HSLHOTCD16L30W2600LMVSN30K	16"D x 4.9"H 28W, 2050 Lumens, 3000K, Multi-Volt Satin Nickel	CALL

For 4000K change 30K to 40K

**CTC 11" TWIST LOCK BRUSHED NICKEL LED 120V (DIMMABLE)**

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLHTCA11L15W800LD12040KBN	11" Brushed Nickel/Frosted Glass 15W, 800L, 4000K, Dimmable 120V, 50000 Hrs	CALL

Change 40K to 30K or 50K. While quantities last.

**CTC 11" & 14" SLEEK BRUSHED NICKEL LED 120V (DIMMABLE)**

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLHTCB11L15W900LD12040KBN	11" Brushed Nickel/Polycarbonate Diffuser 15W, 900L 4000K, Dimmable 120V, 50000 Hrs	CALL
HSLHTCB14L25W1200LD12040KBN	14" Brushed Nickel/Polycarbonate Diffuser 25W, 1200L 4000K, Dimmable 120V, 50000 Hrs	CALL

Change 40K to 30K or 50K. While quantities last.

**CTC 11" & 14" MUSHROOM LED 120V (DIMMABLE)**

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLMUS11L15W1000LD12040K	11" Mushroom White/Polycarbonate Diffuser 15W, 1000L 4000K, Dimmable 120V, 50000 Hrs	CALL
HSLMUS14L25W1600LD12040K	14" Mushroom White/Polycarbonate Diffuser 25W, 1600L 4000K, Dimmable 120V, 50000 Hrs	CALL

Change 40K to 30K or 50K. While quantities last.

LED DRUM FIXTURE

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLCIRDC11L13W900LD12030K	11" Drum 13W 900 Lumens, Dimmable 120V 3000K	CALL
HSLCIRDC11L14W1350LD12030K	11" Drum 14W 1350 Lumens, Dimmable 120V 3000K	CALL
HSLCIRDC14L14W1350LD12030K	14" Drum 14W 1350 Lumens, Dimmable 120V 3000K	CALL
HSLCIRDC14L23W1850LD12030K	14" Drum 23W 1850 Lumens, Dimmable 120V 3000K	CALL

Consult for multi-volt and other wattage and lumen options.

LED MUSHROOM FIXTURE

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLTFC11L13W900LD12030K	11" Mushroom 13W 900 Lumens, Dimmable 120V 3000K	CALL
HSLTFC11L14W1350LD12030K	11" Mushroom 14W 1350 Lumens, Dimmable 120V 3000K	CALL
HSLTFC14L14W1350LD12030K	14" Mushroom 14W 1350 Lumens, Dimmable 120V 3000K	CALL
HSLTFC14L23W1850LD12030K	14" Mushroom 23W 1850 Lumens, Dimmable 120V 3000K	CALL

Change 30K to 40K for 4000K. Consult for multi-volt and other wattage and lumen options.

LED DOME FIXTURE



ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLHOTCE11L13W900LD12030K	11" Dome 13W 900 Lumens, Dimmable 120V 3000K	CALL
HSLHOTCE11L14W1350LD12030K	11" Dome 14W 1350 Lumens, Dimmable 120V 3000K	CALL
HSLHOTCE14L14W1350LD12030K	14" Dome 14W 1350 Lumens, Dimmable 120V 3000K	CALL
HSLHOTCE14L23W1850LD12030K	14" Dome 23W 1850 Lumens, Dimmable 120V 3000K	CALL

Change 30K to 40K for 4000K. Consult for multi-volt and other wattage and lumen options.

ULTRA THIN FAUX DOWNLIGHT (WET LOCATION)

Choose either a round or square silhouette in two sizes and two finishes, white and brushed nickel with a special regressed lens to provide even, comfortable illumination from these edge-lit fixtures. Wet location for indoor and outdoor use. 120V only. Dims to 10% with standard dimmers.



Depth - 0.625"

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLRCS5L10W660L30KWH	Square 6.3 inches Diagonal, 10W, 660 Lumens, 3000K, 120V, White	CALL
HSLRCS5L10W660L30KBN	Square 6.3 inches Diagonal, 10W, 660 Lumens, 3000K 120V, Brushed Nickel	CALL
HSLRCS7L15W1000L30KWH	Square 8.0 inches Diagonal, 15W, 1000 Lumens, 3000K, 120V, White	CALL
HSLRCS7L15W1000L30KBN	Square 8.0 inches Diagonal, 15W, 1000 Lumens, 3000K, 120V, Brushed Nickel	CALL
HSLRCR5L10W660L30KWH	Round, 5.5 inches Diameter, 10W, 660 Lumens, 3000K, 120V White	CALL
HSLRCR5L10W660L30KBN	Round, 5.5 inches Diameter, 10W, 660 Lumens, 3000K, 120V Brushed Nickel	CALL
HSLRCR7L15W1000L30KWH	Round, 7.0 inches Diameter, 15W, 1000 Lumens, 3000K, 120V White	CALL
HSLRCR7L15W1000L30KBN	Round, 7.0 inches Diameter, 15W, 1000 Lumens, 3000K, 120V Brushed Nickel	CALL

Lumens shown are gross lumens. Net lumens is 20% less.

MICRO LED SURFACE MOUNT (WET LOCATION)



ITEM NO.	DESCRIPTION	SPECIAL PRICE
HLSMC4L12W900L30KWH	4" (5.9" OD) White, 12W 876L, CRI > 80, 3000K, 120V, with 20W Dimmable Driver. Surface Mount.	CALL
HLSMC6L15W1100L30KWH	6" (7.4" OD) White, 15W 1095L, CRI > 80, 3000K, 120V, Dimmable Driver. Surface Mount.	CALL
HLSMC9L26W2100L30KWH	9" Diameter, 26W, 2100 Lumen, 30K in White Dimmable Driver, Surface Mount	CALL
HLSMC4RECACC	Recessed Accessory Kit to Retro SMC4L Series into 4" Recessed White Can Housings	CALL
HLSMC6RECACC	Recessed Accessory Kit to Retro SMC6L Series into 6" Recessed White Can Housings	CALL

Consult for bronze and satin nickel. Also available in 9 inch version - 26 watt.

SMC EMERGENCY AND 277V VERSION



Emergency Version

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HLSMC6L15W1100L30KWH-277V	Surface Disc in 277V 15W, 1100L, 30K in White	CALL
HLSMC6L15W1100L30KWH-EM	Surface Disc with Integral Emergency Back-Up in recessed junction Box; 15W 1100L; EM mode 6w 400L 3000K White	CALL

Emergency version comes with junction box.

MICRO ECONOMY LED SURFACE MOUNT



ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLLM6L15W1100LD12030KWH	Surface Mount LED 15W 1100L, Dimmable. 35000 Hours. 7.4"OD x 1.26"H, White	CALL
HSLLM6L15W1100LD12030KBA	Surface Mount LED 15W 1100L, Dimmable. 35000 Hours. 7.4"OD x 1.26"H, Brushed Aluminum	CALL

SURFACE DISCS 11" AND 15"



ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLSMC11L28W1700LD12030KBN	SURFACE Disc 11" Dia LED 28W 1700 lumen BN	CALL
HSLSMC11L28W1700LD12030KWH	SURFACE Disc 11" Dia LED 28W 1700 lumen WH	CALL
HSLSMC15L40W2500LD12030KBN	SURFACE Disc 15" Dia LED 40W 2500 lumen BN	CALL
HSLSMC15L40W2500LD12030KWH	SURFACE Disc 15" Dia LED 40W 2500 lumen WH	CALL



STYLISH AND REALLY ECONOMICAL LED DISK, IDEAL FOR C-T-C

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLTDL6L15W1100L30KWH	7 3/8"D x 1 1/2"H DISK LIGHT 15W/1100 Lumen 120V AC 3000K WHITE	CALL
HSLTDL6L15W1100L30KBA	7 3/8"D x 1 1/2"H DISK LIGHT 15W/1100 Lumen 120V AC 3000K BRUSHED ALUMINUM	CALL
HSLTDL6L15W1100L30KBZ	7 3/8"D x 1 1/2"H DISK LIGHT 15W/1100 Lumen 120V AC 3000K BRONZE	CALL
HSLTDL6RECACC	Recessed Accessory Kit for TDLG	CALL

Change 30K to 40K.

CTC / WALL FIXTURE RETROFITS (AC WITH DRIVER ON BOARD AND HEAT SINK)



ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLEOS12W900LD12030KSQ	EOS Array w/6" Sq Alum Heat Sink - 12W, 900L, 3000K	CALL
HSLEOS12W1000LD12040KSQ	EOS Array w/6" Sq Alum Heat Sink - 12W, 1000L, 4000K	CALL
HSLEOS15W1350LD12030KSQ	EOS Array w/8" Sq Alum Heat Sink - 15W, 1350L, 3000K	CALL
HSLEOS15W1400LD12040KSQ	EOS Array w/8" Sq Alum Heat Sink - 15W, 1400L, 4000K	CALL
HSLEOS22W1850LD12030KSQ	EOS Array w/8" Sq Alum Heat Sink - 22W, 1850L, 3000K	CALL
HSLEOS22W1900LD12040KSQ	EOS Array w/8" Sq Alum Heat Sink - 22W, 1900L, 4000K	CALL

Dimmable with standard dimmer. UL Classified for retrofit

CTC RETROFIT FOR 11" OR 14" WITH HEAT SINK
(DIMMABLE W/STANDARD DIMMER)

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLDAC15W1350LD12040K	LED Array 120V for 11" CTC 15W, 1350L / Color Temp 30, 40, 50	CALL
HSLDAC25W1850LD12030K	LED Array 120V for 14" CTC 25W, 1850L / Color Temp 30, 40, 50	CALL

Also available in 50K





Enclosures Low Bay



LEDVaportight



SignLigther



LED Aquaguard



Vandal Resistant



Canopy



Large Canopy



Wall/Ceiling



Close to Ceiling



VaporProof



WallCylinder



Globes



Nautical



Lantern & Post Tops



Dusk To Dawn



Wallpack



Cutoff Wallpack



PLF Area Light



Floods



LED Bollard

Note to our Valued Customers:

As the current climate of tariff policies continues to impact pricing, LITE can be a great resource to help minimize the impact on your purchases. Manufacturing domestically, we have the fixture advantage. We can also recommend or source alternative products that might be more cost effective. Please check with your sales consultant for options and current pricing.

ENCLOSURES LOW BAY (WET LOCATION)

ITEM NO.	SIZE (W X L)	Watts / Lumens	Color Options (X100 Kelvins)	SPECIAL PRICE
HSLCITE24LRFV22W2500LLBDMV40K*	7.3" x 26.6"	22 / 2500	30, 35, 40, 50	CALL
HSLCITE48LRFV37W4600LLBDMV40K*	7.3" x 51.8"	37 / 4600	30, 35, 40, 50	CALL
HSLCITE48LRF48W5600LLBDMV40K*	7.3" x 51.8"	48 / 5600	30, 35, 40, 50	CALL
HSLCITE48LRF57W6800LLBDMV40K*	7.3" x 51.8"	57 / 6800	30, 35, 40, 50	CALL
HSLCITE96LRFV74W9200LLBDMV40K*	7.3" x 98.5"	74 / 9200	30, 35, 40, 50	CALL
HSLCITE96LRF114W13600LLBDMV40K	7.3" x 98.5"	114 / 13600	30, 35, 40, 50	CALL

For emergency, add EM and \$115.00. Consult for sensors. Consult for stainless steel latches.



Acrylic Lens Options	2ft	4ft	8ft
RF Ribbed Frosted	*✓	*✓	✓
LB Linear Ribbed	*✓	*✓	✓
CL Clear Shallow		*✓	
FR Frosted Shallow		*✓	
OL Clear Deep Lens	✓	✓	✓
FL Frosted Deep Lens	✓	✓	✓



ENCLOSURES PARKING GARAGE (WET LOCATION)

ITEM NO.	SIZE (W X L)	Watts / Lumens	Color Options (X100 Kelvins)	SPECIAL PRICE
HSLCITE48LRFF48W4500LPGDMV40K	7.3" x 51.8"	48 / 4500	30, 35, 40, 50	CALL
HSLCITE48LRFF57W5100LPGDMV40K	7.3" x 51.8"	57 / 5100	30, 35, 40, 50	CALL
HSLCITE48LRFF72W7000LPGDMV40K	7.3" x 51.8"	72 / 7000	30, 35, 40, 50	CALL
HSLCITE96LRFF57W5100LPGDMV40K	7.3" x 98.5"	57 / 5100	30, 35, 40, 50	CALL
HSLCITE96LRFF97W9050LPGDMV40K	7.3" x 98.5"	97 / 9050	30, 35, 40, 50	CALL

For emergency, add EM and \$115. Consult for sensors. Consult for stainless steel latches.

Add "P" in front of Lens options above for Polycarbonate. Consult for pricing adders on these.

LED NARROW BODY VAPOR TIGHT

ITEM NO.	SIZE (W X L)	Watts / Lumens	Color Options (X100 Kelvins)	SPECIAL PRICE
HSLCITN48LFRP34W4100LMV35K*	4.4" x 51.8"	34 / 4100	30, 35, 40, 50	CALL

Deep Lens not available for CITN.




OUTDOOR SIGN LIGHTER W 3/4" HUB (WET LOCATION)

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLOSL48LS48W5900LDMV40K	54.5"L x 5.25"W x 3.06"H, Aluminum Extrusion with Clear Lens 48W / 5900L	CALL
HSLOSL48LS57W6500LDMV40K	54.5"L x 5.25"W x 3.06"H, Aluminum Extrusion with Clear Lens 57W / 6500L	CALL
HSLOSL96LS96W11800LDMV40K	102.5"L x 5.25"W x 3.06"H, Aluminum Extrusion with Clear Lens 96W / 11800L	CALL
HSLOSL96LS114W13000LDMV40K	102.5"L x 5.25"W x 3.06"H, Aluminum Extrusion with Clear Lens 114W / 13000L	CALL

Standard 3/4" hub allows standard electrical accessories for installation.

LED AQUAGUARD



ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLLAG48L47W6890LDMV50KWH	48.25"L x 6.625"Dia, Extruded Acrylic Housing with Clear Prismatic Lens, 47W / 6888Lm, Strain Relief and 4' 16/3 STW Black Cordset	CALL

LINEAR VANDAL RESISTANT



ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLCV800LJ48W4800LDMV50K	50.25"L X 8.25"W X 4.5"H 48 System Watts, 4800 Delivered Lumens 5000K	CALL
HSLCV800LZ72W7200LDMV50K	50.25"L X 8.25"W X 4.5"H 72 System Watts, 7200 Delivered Lumens 5000K	CALL

LED CANOPY WET LOCATION



ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLCPY10L40W5400LDMV50K*	CANOPY LED - 40W - 5400 Lumen - 100-277V - 5000K - Finish: Bronze - uL/CuL/DLC	CALL
HSLCPY10L60W8000LDMV50K*	CANOPY LED - 60W - 8000 Lumen - 100-277V - 5000K - Finish: Bronze - uL/CuL/DLC	CALL

LED LARGE CANOPY



ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLCV30012L53W6250LDMV50KBZ	12Inch Square , Clear Lens, 53W / 6267Lm, 5000K, Bronze Finish	CALL

Available in 4000K and White Finish. Consult Factory for Custom Finish.



Outdoor Wet Location Wall/Ceiling (Bug Proof) IP65



\$13.00 Eyelid

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLOUTMW15W1200LD120BK40K	LED Round 12" diameter - Black 120V only 1200 Lumens 4000K	CALL
HSLOUTMW15W1200LD120BK30K	LED Round 12" diameter - Black 120V only 1200 Lumens 3000K	CALL
HSLOUTMW15W1200LD120WH40K	LED Round 12" diameter -White 120V only 1200 Lumens 4000K	CALL
HSLOUTMW15W1200LD120WH30K	LED Round 12" diameter -White 120V only 1200 Lumens 3000K	CALL

For eyelid change OUT to OUTEY and add \$13.00.



F1303 - Round



F1302 - Square



WET LOCATION CLOSE-TO-CEILING

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLF13032INCLPLEDWH	ROUND CEILING WET 2Incand. socket & LED Lamp 9.5W A19 27K Incl. White Dimmable 120V	CALL
HSLF1303L23W1900LD120WH40K	ROUND CEILING WET 23W 1900L White Dimmable 120V	CALL
HSLF1303L22W1824LMVWH40K	ROUND CEILING WET 22W 1824L White Multi-Volt	CALL
HSLF13022INCLPLEDWH	SQUARE CEILING WET 2 Incand. socket & LED Lamp 9.5W A19 27K Incl. White Dimmable 120V	CALL
HSLF1302L23W1900LD120WH40	SQUARE CEILING WET 23W 1900L White Dimmable 120V	CALL
HSLF1302L22W1824LMVWH40K	SQUARE CEILING WET 22W 1824L White Multi-Volt	CALL

For 3000K change 40K to 30K. For Black body, change WH to BK. See LED Lamp spec on page I7.

OUTDOOR OCTAGON SERIES



ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLOCLINCLPLEDWH	OCTAGON CEILING Incand. socket & LED Lamp 9.5W A19 27K Incl. White Dimmable 120V	CALL
HSLOCL10L14W1400LD120WH40K	OCTAGON CEILING 14W 1400L White Dimmable 120V	CALL
HSLOCL10L23W1900LD120WH40K	OCTAGON CEILING 23W 1900L White Dimmable 120V	CALL

For 3000K change 40K to 30K. For Black, change WH to BK

LED VAPOR PROOF



ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLVPC6L14W900LMV50K	CEILING MOUNT VAPOR PROOF LED VPC, 8.75X12.1, 14W, 900L 120-277V DRIVER, 5000K	CALL
HSLVPW6L14W900LMV50K	VAPORPROOF LED WALL MOUNT - FROST GLASS - 14W 900 LUMEN 5000K, 120-277V	CALL

WALL CYLINDER



ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLWCWD20W2300LDMV40KBZ	Wide Optic, 100 Degree, 8.875"L x 5.75"Dia x 10.25"H, Down Light, 20W / 2313Lm, 4100K, Bronze Finish	CALL
HSLWCWU20WD20W4350LDMV40KBZ	Wide Optic, 100 Degree, 8.875"L x 5.75"Dia x 12.25"H, Up and Down Light, 40W / 4347Lm, 4100K, Bronze Finish	CALL

For Up light only, change "D" to "U". Available in Black Finish, change "BZ" to "BK"

SQUARE CEILING LED



ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLCBPINCLPLEDWH	8.25" SQUARE Ceiling Incand. socket & LED Lamp 9.5W A19 27K Incl. White Dimmable 120V	CALL
HSLCBPL13W1000LD120WH40K	8.25" SQUARE CEILING 13W 1000L White Dimmable 120V	CALL
HSLCBPL11W912LMVWH40K	8.25" SQUARE CEILING 11.3W 912L White Multi-Volt	CALL



ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLBBPINCLPLEDWH	10.25" SQUARE Ceiling Incand. socket & LED Lamp 9.5W A19 27K Incl. White Dimmable 120V	CALL
HSLBBPL23W1900LD120WH40K	10.25" SQUARE CEILING 23W 1900L White Dimmable 120V	CALL
HSLBBPL22W1824LMVWH40K	10.25" SQUARE CEILING 22W 1824L White Multi-Volt	CALL

For Black base lamp change WH to BK

CEILING GLOBES



ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLBCCINCLPLEDWHCAG	CEILING MOUNT 6" SCREW NECK GLOBE-Incand. socket & LED Lamp 9.5W A19 27K Incl. - White Dimmable 120V	CALL



ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLBPCINCLPLEDWHWAG	CEILING MOUNT 6" SCREW NECK GLOBE TAPER-Incand. socket & LED Lamp 9.5W A19 27K Incl. - White Dimmable 120V	CALL

For Black base lamp change WH to BK

CYLINDER CLASSIC GLOBES



ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLBCCINCLPLEDWHWSJ	CEILING MOUNT HARBOR SCREW NECK-Incand. socket & LED Lamp 9.5W A19 27K Incl. - White Dimmable 120V	CALL

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLWPCINCLPLEDWHCSJ	CEILING MOUNT HARBOR SCREW NECK TAPER-Incand. socket & LED Lamp 9.5W A19 27K Incl. - White Dimmable 120V	CALL



ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLBPCINCLPLEDWHWPJ	CEILING MOUNT LONG BEACH TAPER-Incand. socket & LED Lamp 9.5W A19 27K Incl. - White Dimmable 120V	CALL

For Black base lamp change WH to BK. For other lens options, consult factory.



ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLF1010CLAC2INCLPLED	SQUARE SENTINEL 2 Incand. socket & LED Lamp 9.5W A19 27K Incl. White, Dimmable 120V	CALL
HSLF1010CLAC10L14W1400LD12040K	SQUARE SENTINEL, 10.25 SQ. 14W 1400L White Dimmable 120V	CALL
HSLF1010CLAC10L23W1900LD12040K	SQUARE SENTINEL, 10.25 SQ. 23W 1900L White Dimmable 120V	CALL



UTILITY LED

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLSWPFRACINCLPLED	Small Wall Pack 5" x 8" Incand. socket & LED Lamp 9.5W A19 27K Incl. White Dimmable 120V	CALL
HSLSWPFRACL13W1000LD12040K	Small Wall Pack 13W 1000L White Dimmable 120V	CALL
HSLMWPFRACINCLPLED	Medium Wall Pack, Incand. socket & LED Lamp 9.5W A19 27K Incl. White 6" x 10.8" Dimmable 120V	CALL
HSLMWPFRACL13W1000LD12040K	Medium Wall Pack 13W 1000L White Dimmable 120V	CALL
HSLWPFRL15W1500LMV40K	Large Wall Pack Clear Lens 15W 1500L Multi-Volt 40K	CALL

For 3000K change 40K to 30K

LED NAUTICAL WALL OR CEILING



CEO



CEOG



CEOS



CEOC

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLEOINCLPLEDWH	Euro Oval Wall or Ceiling Incand. socket & LED Lamp 9.5W A19 27K Incl. White Dimmable 120V	CALL
HSLCEOL13W1000LD120WH40K	Euro Oval Wall or Ceiling 13W 1000L White Dimmable 120V	CALL
HSLCEOL11W912LMVWH40K	Euro Oval Wall or Ceiling 11.3W 912L White Multi-Volt	CALL

HSLEOGINCLPLEDWH	Euro Oval Wall or Ceiling Incand. socket & LED Lamp 9.5W A19 27K Incl. White Dimmable 120V	CALL
HSLCEOGL13W1000LD120WH40K	Euro Oval Wall or Ceiling w/Grill 13W 1000L White Dimmable 120V	CALL
HSLCEOGL11W912LMVWH40K	Euro Oval Wall or Ceiling w/Grill 11.3W 912L White Multi-Volt	CALL

HSLEOSINCLPLEDWH	Euro Oval Wall or Ceiling Incand. socket & LED Lamp Incl. White Dimmable 120V	CALL
HSLCEOSL13W1000LD120WH40K	Euro Oval Wall or Ceiling w/Eyelid 13W 1000L White Dimmable 120V	CALL
HSLCEOSL11W912LMVWH40K	Euro Oval Wall or Ceiling 11.3W 912L White Multi-Volt	CALL

For Full Grill change EOS to EOC and CEO to CEOC

EURO ROUND WALL OR CEILING



CER



CERG



CERC

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLERLINCLPLEDWH	Euro Round Wall or Ceiling Incand. socket & LED Lamp Incl. White Dimmable 120V	CALL
HSLCERL23W1900LD120WH40K	Euro Round Wall or Ceiling 23W 1900L White Dimmable 120V	CALL
HSLCERL22W1824LMVWH40K	Euro Round Wall or Ceiling 22W 1824L White Multi-Volt	CALL

HSLERGINCLPLEDWH	Euro Round Wall or Ceiling w/Grill-9.5W A19 27K-White dimmable 120V	CALL
HSLCERGL23W1900LD120WH40K	Euro Round Wall or Ceiling w/Grill 23W 1900L White Dimmable 120V	CALL
HSLCERGL22W1824LMVWH40K	Euro Round Wall or Ceiling w/Grill 22W 1824L White Multi-Volt	CALL

HSLERCINCLPLEDWH	Euro Round Wall or Ceiling w/Mask-9.5W A19 27K-White dimmable 120V	CALL
HSLCERCL23W1900LD120WH40K	Euro Round Wall or Ceiling w/Mask 23W 1900L White Dimmable 120V	CALL
HSLCERCL22W1824LMVWH40K	Euro Round Wall or Ceiling w/Mask 22W 1824L White Multi-Volt	CALL

NAUTICAL LANTERNS AND POST TOPS



NOB



ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLNOBINCLPLEDWH	Nautical Bollard-9.5W A19 27K - White Dimmable 120V	CALL
HSLNOBL13W1000LD120WH40K	Nautical Bollard 12W 1000L White Dimmable 120V	CALL



NOP



HSLNOP2INCLPLEDWH	Double Nautical Post-9.5W A19 27K - White Dimmable 120V	CALL
HSLNOP2L26W2000LD120WH40K	Double Nautical Post 26W 2000L White Dimmable 120V	CALL
HSLNOPINCLPLEDWH	Single Nautical Post-9.5W A19 27K - White Dimmable 120V	CALL
HSLNOPL11W912LMVWH40K	Single Nautical Post 11.3W 912L White Multi-volt	CALL
HSLNOPL13W1000LD120WH40K	Single Nautical Post 13W 1000L White Dimmable 120V	CALL
HSLNOPL22W1824LMVWH40K	Double Nautical Post 22W 1824L White Multi-volt	CALL




NOW



HSLNOWINCLPLEDWH	Nautical Wall Incand. socket & LED Lamp 9.5W A19 27K incl. White Dimmable 120V	CALL
HSLNOWL11W912LMVWH40K	Nautical Wall 11.3W 912L White Multi-volt	CALL
HSLNOWL13W1000LD120WH40K	Nautical Wall 13W 1000L White Dimmable 120V	CALL

For 3000K change 40K to 30K. For Black, change WH to BK
Energy Star not available on Post Lanterns

LED GLOBE LANTERNS AND POST TOPS



GP12



GOW



ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLGOWINCLPLEDWH	8" Globe Wall Mount - Incand. socket & LED Lamp 9.5W A19 27K incl. - White Dimmable 120V	CALL
HSLGP10INCLPLEDWH	10" Globe Post Top - Incand. socket & LED Lamp 9.5W A19 27K incl. - White Dimmable 120V	CALL
HSLGP12INCLPLEDWH	12" Globe Post Top - Incand. socket & LED Lamp 9.5W A19 27K incl. - White Dimmable 120V	CALL
HSLGP14INCLPLEDWH	14" Globe Post Top - Incand. socket & LED Lamp 9.5W A19 27K incl. - White Dimmable 120V	CALL
HSLGP16INCLPLEDWH	16" Globe Post Top - Incand. socket & LED Lamp 9.5W A19 27K incl. - White Dimmable 120V	CALL

For 3000K change 40K to 30K. For Black, change WH to BK
 Consult for traditional Acorn and Flame Top Post Tops in clear or frosted finishes
Energy Star not available on Post Lanterns

BRADFORD LED LANTERNS AND POST TOPS



BRP



ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLBRLINCLPLEDWH	Bradford Long Wall - Incand. socket & LED Lamp 9.5W A19 27K incl. - White Dimmable 120V	CALL
HSLBRLL13W1000LD120WH40K	Bradford Long Wall 13W 1000L White Dimmable 120V	CALL
HSLBRPINCLPLEDWH	Bradford Post Top Incand. socket & LED Lamp incl. White Dimmable 120V	CALL
HSLBRPL13W1000LD120WH40K	Bradford Post Top 13W1000L White Dimmable 120V	CALL
HSLBRWINCLPLEDWH	Bradford Short Wall-9.5W A19 27K White Dimmable 120V	CALL
HSLBRWL13W1000LD120WH40K	Bradford Short Wall 13W 1000L White Dimmable 120V	CALL

Energy Star not available on Post Lanterns



BRW



BRL

LED A19/E26

- 9.5W
- 800 Lumens 120V 2700K
- Replaces 60W Incandescent or 13W CFL
- CRI 80
- 15,000 Hour Life
- 270 Beam Angle, Dimmable

Consult for 4000K Lamp



Consult for other Wattage and Lumen options

NOTE: Now fixture with LED A Lamps can qualify for Energy Star

**COLONIAL LED LANTERNS AND POST TOPS**

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLCOLINCLPLEDWH	Colonial Long Wall - Flemish Lens - Incand. socket & LED Lamp 9.5W A19 27K incl. - White Dimmable 120V	CALL
HSLCOLL13W1000LD120WH40K	Colonial Long Wall - Flemish Lens 13W 1000L, White Dimmable 120V	CALL
HSLCOPL13W1000LD120WH40K	Colonial Post Top - Flemish Lens 13W 1000L, White Dimmable 120V	CALL
HSLCOWINCLPLEDWH	Colonial Short Wall - Flemish Lens - Incand. socket & LED Lamp 9.5W A19 27K incl. White Dimmable 120V	CALL
HSLCOWL13W1000LD120WH40K	Colonial Short Wall - Flemish Lens 13W 1000L, White Dimmable 120V	CALL

For 3000K change 40K to 30K. For Black, change WH to BK. See A Lamp specs on page I7.

Energy Star not available on Post Lanterns

**PRINCETON LED LANTERNS AND POST TOPS**

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLPRLINCLPLEDWH	Princeton Long Wall - Incand. socket & LED Lamp 9.5W A19 27K incl. - White Dimmable 120V	CALL
HSLPRL13W1000LD120WH40K	Princeton Long Wall 13W 1000L, White Dimmable 120V	CALL
HSLPRPINCLPLEDWH	Princeton Post Top - Incand. socket & LED Lamp 9.5W A19 27K incl. - White Dimmable 120V	CALL
HSLPRPL13W1000LD120WH40K	Princeton Post Top 13W 1000L White Dimmable 120V	CALL
HSLPRWINCLPLEDWH	Princeton Short Wall - Incand. socket & LED Lamp 9.5W A19 27K incl. White Dimmable 120V	CALL
HSLPRWL13W1000LD120WH40K	Princeton Short Wall 13W 1000L, White Dimmable 120V	CALL

For 3000K change 40K to 30K. For Black, change WH to BK. See A Lamp specs on page I7.

Energy Star not available on Post Lanterns

**STAGECOACH LED LANTERN**

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLSCWINCLPLEDWH	Wall Mount Stage Coach - Incand. socket & LED Lamp 9.5W A19 27K incl. - White Dimmable 120V	CALL
HSLSCWL13W1000LD120WH40K	Wall Mount 13W 1000L White Dimmable 120V	CALL

For 3000K change 40K to 30K. For Black, change WH to BK. See A Lamp specs on page I7.

Energy Star not available on Post Lanterns

**ECONOMY WALL**

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLAPWINCLPLEDWH	Wall Mount Small Acorn - Incand. socket & LED Lamp 9.5W A19 27K incl. - White Dimmable 120V	CALL
HSLAPWL11W912LMVWH40K	Wall Mount Small Acorn 13W 912L, White Multi-volt	CALL
HSLAPWL13W1000LD120WH40K	Wall Mount Small Acorn 13W 1000L, White Dimmable 120V	CALL
HSLDHINCLPLEDWH	Wall Mount Cottage - Incand. socket & LED Lamp 9.5W A19 27K incl. - White Dimmable 120V	CALL
HSLDHL13W1000LD120WH40K	Wall Mount Cottage 13W 1000L White Dimmable 120V	CALL

See A Lamp specs on page I7.

Energy Star not available on Post Lanterns

Add Photocell to all LED wall versions - PC120, at \$7.50.



AMHERST LED LANTERNS AND POST TOPS

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLAOLINCLPLEDWH	Amherst Long Wall - Incand. socket & LED Lamp 9.5W A19 27K incl. - White Dimmable 120V	CALL
HSLAOLL13W1000LD120WH40K	Amherst Long Wall 13W 1000L, White Dimmable 120V	CALL
HSLAOPINCLPLEDWH	Amherst Post Top w/Incand. socket & LED Lamp 9.5W A19 27K incl. White Dimmable 120V	CALL
HSLAOP13W1000LD120WH40K	Amherst Post Top 13W 1000L, White Dimmable 120V	CALL
HSLAOWINCLPLEDWH	Amherst Short Wall - Incand. socket & LED Lamp 9.5W A19 27K incl. - White Dimmable 120V	CALL
HSLAOWL13W1000LD120WH40K	Amherst Short Wall 13W 1000L White Dimmable 120V	CALL

For 3000K change 40K to 30K. For Black, change WH to BK. See A Lamp specs on page I7.

Energy Star not available on Post Lanterns

HEXAGON LED LANTERNS AND POST TOPS

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLHOPINCLPLEDWH	Hexagon Post Top - Incand. socket & LED Lamp 9.5W A19 27K incl. - White Dimmable 120V	CALL
HSLHOPL13W1000LD120WH40K	Hexagon Post Top 13W 1000L, White Dimmable 120V	CALL
HSLHOWINCLPLEDWH	Hexagon Short Wall-9.5W A19 27K -White Dimmable 120V	CALL
HSLHOWL13W1000LD120WH40K	Hexagon Short Wall 13W 1000L, White Dimmable 120V	CALL
HSLHOLINCLPLEDWH	Hexagon Long Wall - White Dimmable 120V	CALL
HSLHOLL13W1000LD120WH40K	Hexagon Long Wall 13W 1000L White Dimmable 120V	CALL

For 3000K change 40K to 30K. For Black, change WH to BK. See A Lamp specs on page I7.

Energy Star not available on Post Lanterns

HATCH LED LANTERNS AND POST TOPS

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLHTPINCLPLEDWH	Post Top Hatch - Incand. socket & LED Lamp 9.5W A19 27K incl. - White Dimmable 120V	CALL
HSLHTPL13W1000LD120WH40K	Post Top Hatch 13W 1000L, White Dimmable 120V	CALL
HSLHTWINCLPLEDWH	Petite Hatch - Incand. socket & LED Lamp 9.5W A19 27K incl. - White Dimmable 120V	CALL
HSLHTWL13W1000LD120WH40K	Petite Hatch 13W 1000L, White Dimmable 120V	CALL
HSLHTSINCLPLEDWH	Short Hatch - Incand. socket & LED Lamp incl. White Dimmable 120V	CALL
HSLHTSL13W1000LD120WH40K	Short Hatch 13W 1000L White Dimmable 120V	CALL
HSLHTLINCLPLEDWH	Long Hatch - Incand. socket & LED Lamp 9.5W A19 27K incl. - White Dimmable 120V	CALL
HSLHTLL13W1000LD120WH40K	Long Hatch 13W 1000L White Dimmable 120V	CALL

For 3000K change 40K to 30K. For Black, change WH to BK. See A Lamp specs on page I7.

Energy Star not available on Post Lanterns

KINGSTON LED LANTERNS AND POST TOPS

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLKRLINCLPLEDWH	KINGSTON LONG WALL-Incand. socket & LED Lamp 9.5W A19 27K Incl. - White Dimmable 120V	CALL
HSLKRLL13W1000LD120WH40K	KINGSTON LONG WALL 13W 1000L White Dimmable 120V	CALL
HSLKRPINCLPLEDWH	KINGSTON POST TOP Incand. socket & LED Lamp 9.5W A19 27K Incl. White Dimmable 120V	CALL
HSLKRPL13W1000LD120WH40K	KINGSTON POST TOP 13W 1000L White Dimmable 120V	CALL
HSLKRWINCLPLEDWH	KINGSTON SHORT WALL-Incand. socket & LED Lamp 9.5W A19 27K Incl. - White Dimmable 120V	CALL
HSLKRWL13W1000LD120WH40K	KINGSTON SHORT WALL 13W 1000L White Dimmable 120V	CALL

For 3000K change 40K to 30K. For Black, change WH to BK. See A Lamp specs on page I7.

Energy Star not available on Post Lanterns



TUDOR LED POST TOPS



ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLTOLINCLPLEDBK*	Tudor Long Wall - Incand. socket & LED Lamp 9.5W A19 27K incl. - Black Dimmable 120V	CALL
HSLTOLL13W1000LD120BK40K*	Tudor Long Wall 13W 1000L, Black Dimmable 120V	CALL
HSLTOPINCLPLEDWH	Tudor Post Top w/Incand. socket & LED Lamp 9.5W A19 27K incl. White Dimmable 120V	CALL
HSLTOPL13W1000LD120WH40K	Tudor Post Top 13W 1000L, White Dimmable 120V	CALL
HSLTOP10INCLPLEDWH	10.5" IMPERIAL POST TOP-Incand. socket & LED Lamp 9.5W A19 27K Incl. - White Dimmable 120V	CALL
HSLTOP10L23W1900LD120WH40K	10.5" IMPERIAL POST TOP23W 1900L White Dimmable 120V	CALL
HSLTOP13INCLPLEDWH	13" IMPERIAL POST TOP-Incand. socket & LED Lamp 9.5W A19 27K Incl. - White Dimmable 120V	CALL
HSLTOP13L23W1900LD120WH40K	13" IMPERIAL POST TOP 23W 1900L White Dimmable 120V	CALL
HSLLTOPINCLPLEDBK*	LARGE TUDOR POST TOP-Incand. socket & LED Lamp 9.5W A19 27K Incl. - Black Dimmable 120V	CALL
HSLLTOP13W1000LD120BK40K*	LARGE TUDOR POST TOP13W 1000L Black Dimmable 120V	CALL
HSLLTOLINCLPLEDBK*	LARGE TUDOR WALL-Incand. socket & LED Lamp 9.5W A19 27K Incl. - Black Dimmable 120V	CALL
HSLLTOLL13W1000LD120BK40K*	LARGE TUDOR WALL13W 1000L Black Dimmable 120V	CALL

For 3000K change 40K to 30K. For Black, change WH to BK. See LED A19 Specs on page 17.

*Not available in White

HARBOUR LED WALL MOUNT



ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLBPWINCLPLEDWHWSJ	WALL MOUNT HARBOR-Incand. socket & LED Lamp 9.5W A19 27K Incl.- White Dimmable 120V	CALL
HSLBPWL13W1000LD120WH40KWSJ	WALL MOUNT HARBOR13W 1000L White Dimmable 120V	CALL
HSLBPWL11W912LMVWH40KWSJ	WALL MOUNT HARBOR11.3W 912L White Multi-Volt	CALL

For 3000K change 40K to 30K. For Black, change WH to BK. See LED A19 Specs on page 17.

LONG BEACH LED WALL MOUNT



ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLBPWINCLPLEDWHWPJ	WALL MOUNT LONG BEACH-9.5W A19 27K - White Dimmable 120V	CALL
HSLBPWL13W1000LD120WH40KWPJ	WALL MOUNT LONG BEACH13W 1000L White Dimmable 120V	CALL
HSLBPWL11W912LMVWH40KWPJ	WALL MOUNT LONG BEACH11.3W 912L White Multi-Volt	CALL

For 3000K change 40K to 30K. For Black, change WH to BK. See LED A19 Specs on page 17.

CLASSIC LED WALL POCKET



ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLWPWINCLPLEDWHWAG	WALL MOUNT 6" GLOBE-9.5W A19 27K - White Dimmable 120V	CALL
HSLWPWL13W1000LD120WH40KWAG	WALL MOUNT 6" GLOBE13W 1000L White Dimmable 120V	CALL
HSLWPWL11W912LMVWH40KWAG	WALL MOUNT 6" GLOBE11.3W 912L White Multi-Volt	CALL

For 3000K change 40K to 30K. For Black, change WH to BK. See LED A19 Specs on page 17.

Add Photocell to all LED wall versions - PC120 at \$7.50

**DUSK TO DAWN**

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLD2D10L40W4000LMV50KGY	23"L x 15"H x 7.50"Dia/ 40W, 4000L/ 120-277V / 50K/ GRAY FINISH	CALL
HSLD2D12L45W4900LMV50KBZ	20.69"L x 17.73"H x 8.98"Dia/ 45W, 4900L/ 120-277V / 50K / BRONZE FINISH	CALL

**ECONOMY WALL PACK (NOW SOME WITH SENSOR READY OPTION)**

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLDC150SR45W4900LMV50K*	SENSOR READY WALLPACK LED - 45W - 4000K or 5000K - 4900 LUMENS - 100-277V - FINISH: BRONZE - UL/cUL/DLC	CALL
HSLDC150SR70W7900LMV50K*	SENSOR READY WALLPACK LED - 70W - 5000K - 7900 LUMENS - 100-277V - FINISH: BRONZE - UL/cUL/DLC	CALL
HSLDC200SR90W9900LMV50K*	18"L x 9.75"W x 9.22"H / 90W, 9900L / 0-10V Dim / 5000K / BRONZE	CALL
HSLDC200SR135W15400LMV50K*	18"L x 9.75"W x 9.22"H / 135W, 15400L / 0-10V Dim / 5000K / BRONZE	CALL

Available in 4000K. For Photocell add PC at the end and add \$15.00.

MINI LED WALL PACK

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLDC056L17W2000LMV50K*	WALL MOUNT LED - 17W - 2000 Lumen - 120-277V - 5000K -Finish: Bronze - Frosted Lens - cUL/DLC	CALL
HSLDC056L17W2000LMV50KPC*	WALL MOUNT LED - 17W - 2000 Lumen - 120-277V - 5000K - PhotoCell - Finish: Bronze - Frosted Lens - cUL/DLC	CALL
HSLDC056L25W2700LMV50K*	WALL MOUNT LED - 25W - 2700 Lumen - 120-277V - 5000K - Finish: Bronze - Frosted Lens - cUL/DLC	CALL
HSLDC056L25W2700LMV50KPC*	WALL MOUNT LED - 25W - 2700 Lumen - 120-277V - 5000K - PhotoCell - Finish: Bronze - Frosted Lens - cUL/DLC	CALL

LED CUTOFF WALL PACK

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLDCC150SR45W4900LMV50K*	SENSOR READY CUTOFF WALL PACK LED - 45W - 5000K - 4900L 100-277V - BRONZE - DIM Type III beam angle	CALL
HSLDCC200SR90W9700LMV50K*	SENSOR READY CUTOFF WALL PACK LED - 90W - 5000K - 9700L 100-277V - BRONZE - DIM Type III beam angle	CALL
HSLDCC200SR135W14500LMV50K*	SENSOR READY CUTOFF WALL PACK LED - 135W - 5000K - 14500L 100-277V - BRONZE - DIM Type III beam angle	CALL

Available in 4000K. For Photocell add PC at the end and add \$15.00.

DECORATIVE CUT-OFF WALL PACK

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLSM302L35W3456LMV50KBZ	18" x 7,25" x 9.0" / 35W, 3456L / 5000K / BRONZE	CALL
HSLSM302LU5WD35W50KBZ	18" x 7,25" x 9.0" / UP, 5W, 480L / DOWN, 35W, 3456L / 5000K / BRONZE	CALL
HSLSM302LU5WD70W50KBZ	18" x 7,25" x 9.0" / UP, 5W, 480L / DOWN, 70W, 6735L / 5000K / BRONZE	CALL

AREALIGHT - WIDE AREALIGHTING OR POLE LIGHTS



ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLPLF12L70W9000LDMV50K	12.4"W x 11.26"L x 3.07"D/ 70W, 9000L/ 0-10V Dim/50K/ Bronze	CALL
HSLPLF12L105W13400LDMV50K	12.4"W x 11.26"L x 3.07"D/ 105W, 13400L/ 0-10V Dim/50K/ Bronze	CALL
HSLPPF15L150W20000LDMV50K*	14.61"L x 12.4"W x 3.07"D/ 150W, 19500L/ 0-10V Dim / 50K/ Bronze	CALL
HSLPPF15L150W19500LD48050K*	14.61"L x 12.4"W x 3.07"D/ 150W, 19500L/ 0-10V Dim /480V/50K/ Bronze	CALL
HSLPPF15L200W26000LDMV50K*	14.61"L x 12.4"W x 3.07"D/ 200W, 26000L/ 0-10V Dim / 50K/ Bronze	CALL
HSLPPF23L300W39000LDMV50K*	22.81"L x 12.4"W x 3.54"D/ 300W, 39000L/ 0-10V Dim / 50K/ Bronze	CALL
HSLPPF23L300W39000LD48050K*	22.81"L x 12.4"W x 3.54"D/ 300W, 39000L/ 0-10V Dim / 480V / 50K/ Bronze	CALL

For Photocontrol add PC at the end and add \$36.00.

Available in 4000K. Available in T4 and T5.



ACCESSORIES FOR AREALIGHT


ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLPLFSARM	Square pole mntg. arm for PLF Series BRZ 6.97" x 8.578" x 2.55"	CALL
HSLPLFRARM	Round pole mntg. arm for PLF Series BRZ 6.97" x 8.578" x 2.55"	CALL
HSLPLFSW	Slip fitter mntg. arm for PLF Series BRZ 9.989" x 3.346"	CALL
HSLPLF15YK	Yoke mount for PLF15 Series BRZ	CALL
HSLPLF23TR	Trunnion fitter for PLF23 Series BRZ 13.3" x 12.3" x 1.457"	CALL
HSLPLFWARM	Wall mntg. arm for PLF Series BRZ 7.99" x 5.98" x 8.027"	CALL

Tenon Top Adapter




TEN4
TEN5

Template 4" Poles



Template 5" Poles



2 Light Square Bullhorn



TB180*

* Requires TEN4 or TEN5

4 Light Square Bullhorn



TB490*

Pole Top Cap



TC4

TC5

Pole Base Cover



BC4

BC5

Anchor Bolts



AB3/4X30

AB1X36

Wall Mount Vertical



WMV



EFFICIENT SMALL FLOOD SERIES

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLMFL4L15W1500LMV40K*	4.72"L x 2.95"W x 1.27"H/15W, 1500L/ 4000K/ KNUCKLE, BRONZE	CALL
HSLMFL7L30W3000LMV40K*	7.08"L x 4.42"W x 1.61"H/30W, 3000L/ 4000K/ TRUNNION, BRONZE	CALL
HSLMFL8L45W5400LMV40K*	8.26"L x 4.42"W x 5.15"H/45W, 5400L/ 4000K/ KNUCKLE, BRONZE	CALL

DLC listed.



EFFICIENT LARGE FLOOD SERIES

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLMFD60W27V40KDDKN	60W 120-277V, 7600 Lumens, 40K or 50K Includes Knuckle	CALL
HSLMFD70W27V40KDDSF	70W 120-277V, 8900 Lumens 40K or 50K Includes Slip Fitter	CALL
HSLMFD100W2740KDDSF	100W 120-277V, 13,300 Lumens, 40K or 50K Includes Slip Fitter	CALL

Consult for other Wattage and Lumen Options. Consult for Photo Cell Option: Include PO after Color (D).

60 Watt – change KN to TR for Trunnion

70 W & 100W come with Slip Fitter, for YOKE – replace SF with YK



MINI FLOOD

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLLF545L24W2200L40KBZ	BRONZE LED FLOOD SQ 24W 2200L 40K BZ 6"W x 4.75"H x 6"Ext	CALL
HSLLF557L33W3700LMV40KWH	WHITE LED FLOOD SQ 33W 3700L MV 40K	CALL

Available in white.



LED SMALL ROUND FLOOD

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLLF54L12W1000L40KBZ	12W 1000L 40K BZ	CALL

BOLPF

BOLPR



LED BOLLARD

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLBOLPF18W2000LMV40KBZ	LED Flat Top Bollard, 18W/2035L, avail: 40k or 50K, 120V-277V Bronze Finish	CALL
HSLBOLPR18W2000LMV40KBZ	LED Round Bollard 18W/2035L, avail: 40K or 50K, 120V-277V Bronze Finish	CALL

Template and Anchor bolts are included.

STEEL POLES (CONSULT FOR PRICING)

- 12 top holes w/ polycarbonate lexan brushings
- Reinforced hand hold cover
- Anchor Bolts and Template Included

- Easily Secured base cover
- Bronze polyester powder-coat finish
- Meets ASTM 500 standard
- Pole cap is included



Pole does not include tenon.
Poles can be cut to any length.

ITEM NO	DESCRIPTION	SHAFT SIZE	GAGE	BASE PLATE SIZE	BOLT CIRCLE	BOLT SIZE	WEIGHT LBS	SPECIAL PRICE
HSLSPS16411	16 ft. 4 x 4 Square 11 Gauge Pole	16	11	10.5"x10.5"x3/4"	9"-3/16"	3/4" x 30"	126	CALL
HSLSPS20411	20 ft. 4 x 4 Square 11 Gauge Pole	20	11	10.5"x10.5"x3/4"	9"-3/16"	3/4" x 30"	146	CALL
HSLSPS25411	25 ft. 4 x 4 Square 11 Gauge Pole	25	11	10.5"x10.5"x3/4"	12"-3/4"	3/4" x 30"	180	CALL
HSLSPS30511	30 ft. 5 x 5 Square 11 Gauge Pole	30	11	11"x11"x1"	12"-3/4"	1" x 36"	290	CALL

Note to our Valued Customers:

As the current climate of tariff policies continues to impact pricing, LITE can be a great resource to help minimize the impact on your purchases. Manufacturing domestically, we have the fixture advantage. We can also recommend or source alternative products that might be more cost effective. Please check with your sales consultant for options and current pricing.



Stairwell



Stairwell Linear



Compact LED



Thin Thermoplastic




Thin Die Cast



**Thermoplastic LED
Edgelit**



**Aluminum Edgelit
Exit Sign**



**Recessed Edgelit
Exit Sign**



**Compact Wet
Location**




**Exits & Emergency
Combo**



Emergency Unit

Stairwell Lighting



FS-505 Mounted in Stairwell

Stairwells provide one of the easiest opportunities to provide energy savings. Reduce the light output when no one is in the stairwell and increase light when anyone enters the stairwell.

Ultrasonic technology for open area detection and line-of-sight obstructions.

Choose the percentage of light output (XX) that you want when space is unoccupied.

STAIRWELL STANDARD

HSLSSSTWFR24LE15W2050LDMV(XX)40K	4.4" x 24"	15 / 2050	30, 35, 40, 50	CALL
HSLSSSTWFR24LE24W3000LDMV(XX)40K	4.4" x 24"	24 / 3000	30, 35, 40, 50	CALL
HSLSSSTWFR48LE48W6000LDMV(XX)40K	4.4" x 48"	48 / 6000	30, 35, 40, 50	CALL
HSLSSSTWFR48LE57W6900LDMV(XX)40K	4.4" x 48"	57 / 6900	30, 35, 40, 50	CALL

(XX) for Percentage of Light Output When it is not Occupied. For Emergency, add EM for \$115.

STAIRWELL LINEAR LED w/ 20% Output and Emergency Unit

HSLSSSTWFR48LY46W5500LDMV(20)40KEM	4.4" x 48"	46 / 5500	30, 35, 40, 50	CALL
------------------------------------	------------	-----------	----------------	------

Fixed output driver. No variations.

STAIRWELL LINEAR LED WITH STEP DIM DRIVER

(Consult for other Driver Options)

HSLSSSTRMW24LE27W2400LDMV(XX)40K	2 ft / 27W, 2400L with Variable Output, Color Temp 30, 35, 40, 50	CALL
HSLSSSTRMW48LE36W3500LDMV(XX)40K	4 ft / 36W, 3500L with Variable Output, Color Temp 30, 35, 40, 50	CALL
HSLSSSTSMW24LE27W2400LDMV(XX)40K	2 ft / 27W, 2400L with Variable Output, Color Temp 30, 35, 40, 50	CALL
HSLSSSTSMW48LE36W3500LDMV(XX)40K	4 ft / 36W, 3500L with Variable Output, Color Temp 30, 35, 40, 50	CALL

(XX) for Percentage of Light Output When it is not Occupied. For Emergency, add EM for \$115.

STAIRWELL LINEAR LED WITH STEP DIM DRIVER

(Consult for other Driver Options)

HSLSS213A24LE15W2050LDMV(XX)40K	4.4" x 24"	15 / 2050	30, 35, 40, 50	CALL
HSLSS213A24LE24W3000LDMV(XX)40K	4.4" x 24"	24 / 3000	30, 35, 40, 50	CALL
HSLSS213A48LE48W6000LDMV(XX)40K	4.4" x 48"	48 / 6000	30, 35, 40, 50	CALL
HSLSS213A48LE57W6900LDMV(XX)40K	4.4" x 48"	57 / 6900	30, 35, 40, 50	CALL
HSLSS213A48LY45W4500LDMV(20)40KEM	4.4" x 48"	45 / 4500	30, 35, 40, 50	CALL

(XX) for Percentage of Light Output When it is not Occupied.



SSSTR



SSSTS





COMPACT LED EXIT SIGN

ITEM NO.	DESCRIPTION	SPECIAL PRICE	US MADE
HSLEZRXTU2GWEM	Rounded EXIT, SF/DF, Green, Backup	CALL	CALL
HSLEZRXTU2RWEM	Rounded EXIT, SF/DF, Red, Battery Backup	CALL	CALL



THIN THERMOPLASTIC EXIT SIGN

ITEM NO.	DESCRIPTION	SPECIAL PRICE	US MADE
HSLEZXTEU2GW	LED Exit AC Only Sgl/Dbf Face Univ. Green Letters, White Housing, 120/277V	CALL	CALL
HSLEZXTEU2GWEM	LED Exit w/Battery Backup Sgl/Dbf Face Univ. Green Letters White Housing, 120/277V	CALL	CALL
HSLEZXTEU2GWEMRC	LED Exit w/Battery Backup Sgl/Dbf Face Univ. Green Letters White Housing, Remote Capable 120/277V	CALL	CALL
HSLEZXTEU2RW	LED Exit AC Only Sgl/Dbf Face Univ. Red Letters, White Housing, 120/277V	CALL	CALL
HSLEZXTEU2RWEM	LED Exit w/Battery Backup Sgl/Dbf Face Univ. Red Letters, White Housing, 120/277V	CALL	CALL
HSLEZXTEU2RWEMRC	LED Exit w/Battery Backup Sgl/Dbf Face Univ. Red Letters, White Housing, Remote Capable 120/277V	CALL	CALL



THIN DIE-CAST LED EXIT SIGN

ITEM NO.	DESCRIPTION	SPECIAL PRICE	US MADE
HSCLKZXTEU1GAEM	Thin Die Cast, SF, Green, Battery Backup, Al face, Al body	CALL	CALL
HSCLKZXTEU1RAEM	Thin Die Cast, SF, Red, Battery Backup, Al face, Al body	CALL	CALL



THERMOPLASTIC LED EDGELIT EXIT SIGN

ITEM NO.	DESCRIPTION	SPECIAL PRICE	US MADE
HSLPLELRXTU1RCAEM	Plastic Edge-Lit, SF, Red, Clear, Silver Housing, Battery Backup	CALL	CALL
HSLPLELRXTU1RCWEM	Plastic Edge-Lit, SF, Red, White Housing, Battery Backup	CALL	CALL



ALUMINUM LED EDGELIT EXIT SIGN

ITEM NO.	DESCRIPTION	SPECIAL PRICE	US MADE
HSLELXTU1GCAEM	Edge-Lit LED Exit Battery Backup, Single Face Green/Clear, 120/277V	CALL	CALL
HSLELXTU1RCAEM	Edge-Lit LED Exit Battery Backup, Single Face Red/Clear, 120/277V	CALL	CALL
HSLELXTERPANEL HSLELXTEGPANEL	Edge-Lit LED Exit Single Face Green/Clear, 120/277V	CALL	CALL

For version made in USA. Add "US" to the prefix of the item number and use the US column for pricing.

RECESSED ALUMINUM LED EDGELIT EXIT SIGN



ITEM NO.	DESCRIPTION	SPECIAL PRICE	US MADE
HSLRELZXTE1GCAEM	Recessed Edge-Lit Exit Sign, Battery Backup, Single Face, BELOW ACCESS, Green/Clear, 120/277V	CALL	CALL
HSLRELZXTE1RCAEM	Recessed Edge-Lit Exit Sign, Battery Backup, Single Face, BOTTOM ACCESS, Red/Clear, 120/277V	CALL	CALL
HSLRELZXTE2GMAEM	Recessed Edge-Lit Exit Sign, Battery Backup, Double Face, BELOW ACCESS, Green/Mirror, 120/277V	CALL	CALL
HSLRELZXTE2RMAEM	Recessed Edge-Lit Exit Sign, Battery Backup, Double Face, BOTTOM ACCESS, Red/Mirror, 120/277V	CALL	CALL

COMPACT WET LOCATION LED EXIT SIGN



ITEM NO.	DESCRIPTION	SPECIAL PRICE	US MADE
HSLWLEZXTEU1GGEMCW	Wet location Exit sign, single face, green letters, gray housing, white face plate, battery back up, cold weather incl'd	CALL	CALL
HSLWLEZXTEU1RGEMCW	Wet location Exit sign, single face, red letters, gray housing, white face plate, battery back up, cold weather incl'd	CALL	CALL
HSLWLEZXTEU2GGEMCW	Wet location Exit sign, double face, green letters, gray housing, white face plate, battery back up, cold weather incl'd	CALL	CALL
HSLWLEZXTEU2RGEMCW	Wet location Exit sign, double face, red letters, gray housing, white face plate, battery back up, cold weather incl'd	CALL	CALL

ALL LED EXIT & EMERGENCY COMBO



ITEM NO.	DESCRIPTION	SPECIAL PRICE	US MADE
HSLLEDCXTEU2RW	White LED Combo, SF/DF, Red, White	CALL	CALL
HSLLEDCXTEU2RWRC	White LED Combo, SF/DF, Red, White, Remote Capable	CALL	CALL

LED EXIT & INCANDESCENT EMERGENCY COMBO



ITEM NO.	DESCRIPTION	SPECIAL PRICE	US MADE
HSLCXTEU2GW	COMBO LED Exit/Emerg. Light Sgl/Dbl Face Green Letters White Housing, 120/277V	CALL	CALL
HSLCXTEU2GWRC	COMBO LED Exit/Emerg. Light Sgl/Dbl Green Letters, white housing, w/Remote Capability, 120/277V	CALL	CALL
HSLCXTEU2RW	COMBO LED Exit/Emerg. Light Sgl/Dbl Face Red Letters White Housing, 120/277V	CALL	CALL
HSLCXTEU2RW-RC	COMBO LED Exit/Emerg. Light Sgl/Dbl Red Letters, white housing, w/Remote Capability, 120/277V	CALL	CALL

LOW PROFILE ALL LED EXIT & EMERGENCY COMBO



ITEM NO.	DESCRIPTION	SPECIAL PRICE	US MADE
HSLCEU3RW	Low Profile All LED Exit & Emergency Combo, Red, White Housing	CALL	CALL
HSLCEU3GW	Low Profile All LED Exit & Emergency Combo, Green, White Housing	CALL	CALL

LIGHTPIPE LED EXIT & EMERGENCY COMBO



ITEM NO.	DESCRIPTION	SPECIAL PRICE	US MADE
HSLCLPU2GWRC	Pipe Combo, SF/DF, Green, White, Remote Capable	CALL	CALL
HSLCLPU2RWRC	Pipe Combo, SF/DF, Red, White, Remote Capable	CALL	CALL

For version made in USA. Add "US" to the prefix of the item number and use the US column for pricing.

LED EMERGENCY UNIT



ITEM NO.	DESCRIPTION	SPECIAL PRICE	US MADE
HSLLED1	LED Emergency Light, White	CALL	CALL
HSLLED1B	LED Emergency Light, black	CALL	CALL
HSLLED1SDT	LED Emergency Light, White, SDT	CALL	CALL

REMOTE CAPABLE LED EMERGENCY UNIT



ITEM NO.	DESCRIPTION	SPECIAL PRICE	US MADE
HSLLED5HO	LED Emergency Light, White, Remote Capable	CALL	CALL
HSLLED5HOSDT	LED Emergency Light, White, Remote Capable, SDT	CALL	CALL

ADJUSTABLE OPTICS LED EMERGENCY UNIT



ITEM NO.	DESCRIPTION	SPECIAL PRICE	US MADE
HSLLED2	LED Emergency Light, White, 120/277	CALL	CALL
HSLLED2B	LED Emergency Light, Black, 120/277	CALL	CALL

SEMI-RECESSED MR-16 EMERGENCY UNIT



ITEM NO.	DESCRIPTION	SPECIAL PRICE	US MADE
HSLRMR16	2 Lamp Emergency Fixture, White Housing, 120/277V, Ultra bright MR-16 lamps	CALL	CALL
HSLRMR16LED	2 Lamp Emergency Fixture, White Housing, 120/277V, High Output 3.3w LED lamps	CALL	CALL

R-1 EMERGENCY UNIT



ITEM NO.	DESCRIPTION	SPECIAL PRICE	US MADE
HSLR1	2 Head Emergency Fixture w/Battery, White Housing, 120/277V	CALL	CALL

R-2 EMERGENCY UNIT



ITEM NO.	DESCRIPTION	SPECIAL PRICE	US MADE
HSLR2	Twin Lens Emergency Fixture w/Battery, White Housing, 120/277V	CALL	CALL

DXR EMERGENCY UNIT



ITEM NO.	DESCRIPTION	SPECIAL PRICE	US MADE
HSLDXR125	50 watt 12 Volt Heavy duty emergency lighting unit with remote capacity. (50 watts for 90 min.), 120/277V	CALL	CALL
HSLDXR610	100 watt 6 Volt Heavy duty emergency lighting unit with remote capacity. (100 watts for 90 min.), 120/277V	CALL	CALL

For version made in USA, Add "US" to the prefix of the item number and use the US column for pricing.

WET LOCATION SEMIRECESSED MR-16 EMERGENCY UNIT



ITEM NO.	DESCRIPTION	SPECIAL PRICE	US MADE
HSLRMR16WP	2 Lamp, Weatherproof Emergency Fixture, Gray Housing, 120/277V, Ultra bright MR-16 lamps	CALL	CALL
HSLRMR16WPLED	2 Lamp, Weatherproof Emergency Fixture, Gray Housing, 120/277V, High Output 3.3w LED lamps	CALL	CALL

DECORATIVE OUTDOOR LED AC/EMERGENCY UNIT



ITEM NO.	DESCRIPTION	SPECIAL PRICE	US MADE
HSLDBELACEMHLBRSDTPC	Outdoor teardrop LED Die Cast , AC and EM operation, High lumen output, SDT (standard), includes photo cell, Bronze	CALL	CALL
HSLDBELACEMHLBRSDTCWPC	Outdoor teardrop LED Die Cast , AC and EM operation, High lumen output, SDT (standard), includes photo cell, Cold Weather, Bronze	CALL	CALL



WET LOCATION REMOTE CAPABLE LED EMERGENCY UNIT

ITEM NO.	DESCRIPTION	SPECIAL PRICE	US MADE
HSLLEDTFX2	LED Wet Location 2 Head Emergency Light Unit, COLD WEATHER HEATER INCLUDED, 120/277V	CALL	CALL

REMOTE HEADS FOR EXITS & EMERGENCY

(See Spec Sheet for the Right Item for Your Application)



ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLRH26V5.W	Dual head Indoor remote 5.4 Watts	CALL
HSLRH2WP6V7.2W	Double head weather proof remote 5.4 Watts	CALL
HSLRHLED1CLPCXTE(9.6V)	LED Combo Remote Head, Single, Indoor	CALL
HSLRHLED1R1(3.6V)	LED R1 Remote Head, Single, Indoor	CALL
HSLRHLED1MV	LED Multi-Volt (3.6v/6v/9.6v/12v) Remote Head, Single, Indoor	CALL
HSLRHLED1PWPCLPXTE	LED Combo Remote Head, Plastic, Single, Wet Location	CALL
HSLRHLED1WPCLPCXTE	LED Combo Remote Head, Single, Wet Location	CALL
HSLRHLED1PWPR1	LED R1 Remote Head, Plastic, Single, Wet Location	CALL
HSLRHLED1WPR1	LED R1 Remote Head, Single, Wet Location	CALL
HSLRHLED2CLPCXTE	LED Combo Remote Head, Double	CALL
HSLRHLED2R1	LED R1 Remote Head, Double	CALL
HSLRHLED2MV	LED Multi-Volt (3.6v/6v/9.6v/12v) Remote Head, Dual, Indoor	CALL
HSLRHLED2PWPCLPXTE	LED Combo Remote Head, Plastic, Double, Wet Location	CALL
HSLRHLED2WPCLPCXTE	LED Combo Remote Head, Double, Wet Location	CALL
HSLRHLED2PWPR1	LED R1 Remote Head, Plastic, Double, Wet Location	CALL
HSLRHLED2WPR1	LED R1 Remote Head, Double, Wet Location	CALL

For other options and accessories, see specification sheets.

For version made in USA, Add "US" to the prefix of the item number and use the US column for pricing.

Note to our Valued Customers:

As the current climate of tariff policies continues to impact pricing, LITE can be a great resource to help minimize the impact on your purchases. Manufacturing domestically, we have the fixture advantage. We can also recommend or source alternative products that might be more cost effective. Please check with your sales consultant for options and current pricing.

K1

Savegreen INTRODUCING SAVEGREEN

QUIK LED Fixtures use Savegreen Lamps

T8 Bypass Type B Linear Lamps



Savegreen has a comprehensive assortment of LED T8 Bypass lamps so you can "customize" your X1LED fixture to your specifications.



X1LED fixtures come standard with the most popular 15 watt and 1740 Lumen single ended frosted glass tube with 5 year warranty.

What's Inside Your Fixture Matters



LED T8 LAMP WITH EXTERNAL BALLAST

Easiest Retrofit, But May Not Pay

LED T8 Lamps will improve the lighting from your fixture, but the ballast life of 3 to 5 years may reduce the benefit.



FLUORESCENT BALLAST & LAMP

Cost Effective without Performance and Energy Saving

Still a cost effective solution but doesn't have the performance, energy savings or maintenance of LED.



LED ARRAY & DRIVER

New Technology, But No Maintenance

On the surface the enhanced performance and life are great but not being able to adjust to your needs or "relamp" will be an unpleasant surprise.



SAVEGREEN INSIDE

Benefits of LED Plus the Maintenance and Flexibility

Great lighting, long life, easy maintenance and tons of flexibility make this the winner.

Crisp, vivid lighting

Enhanced color

Extended lamp life over 50,000 hours

Energy efficient up to 40% savings

Flexible to change output during life of fixture

Flexible to change color over life of fixture

Flexible to change What's Inside with - out professional Installer

Don't discard and replace entire fixture when breaks down

Change What's Inside by yourself in less than a minute



	✓	✓	✓	✓	✓	✓	✓	✓	✓
LED Array and Driver	✓	✓	✓	✓	✗	✗	✗	✗	✗
Fluorescent Ballast & Lamp	✗	✗	✗	✗	✗	✓	✗	✓	✗
LED T8 Lamp & External Driver Ballast	✓	✓	✓	✓	✓	✓	✗	✓	✗

Peace of Mind
with **QUIK**
LED
Change With the
Times

THE SIMPLE LED SOLUTION : LITE fixtures with Savegreen Lamps



Available in 35K, 40K and 50K

Version	Code	Item No.	(Replace 40K w/35K or 50K)	Description
Bypass Single Ended				
Popular	SGB15W35	LT8BG48L15W1740L40K		Frosted Glass Single Ended Bypass T8 Lamp 48 Inch 15W 1740 Lumens 4000K
Standard	SGS29W40	LT8BGC24L9W1050L40K		Plastic Coated Glass Single Ended Bypass T8 Lamp 24 Inch 9W 1050 Lumens 4000K
Standard	SGS312W40	LT8BGC36L12W1200L40K		Plastic Coated Glass Single Ended Bypass T8 Lamp 36 Inch 12W 1200 Lumens 4000K
Standard	SGS15W40	LT8BGC48L15W1740L40K		Plastic Coated Glass Single Ended Bypass T8 Lamp 48 Inch 15W 1740 Lumens 4000K
Premium	SGP12W40	L10T8BGC48L12W1750L40K		Premium Single Ended Bypass T8 Lamp Plastic Coated Glass 48 Inch 12W 1750 Lumens 4000K
Premium	SGP15W40	L10T8BGC48L15W1750L40K		Premium Single Ended Bypass T8 Lamp Plastic Coated Glass 48 Inch 15W 2000 Lumens 4000K
Premium	SGP18W40	L10T8BGC48L18W2500L40K		Premium Single Ended Bypass T8 Lamp Plastic Coated Glass 48 Inch 18W 2500 Lumens 4000K
High Output	SGH26W40	LT8BGC48L26W3500L40K		High Output Singed Ended Bypass T8 Lamp Plastic Coated Glass 48 Inch 26W 3500 Lumens 4000K
T5HO	SGT525W40	LT5BG46L25W3300L40K		Frosted Glass T5HO Single Ended Bypass T5 Lamp 46 Inch 25W 3300 Lumens 4000K
Bypass Double Ended or Single Ended				
Popular	SGD18W40	LT8BDGC48L18W2100L40K		Double & Single Ended Bypass T8 Lamps Plastic Coated Glass 48 Inch 18W 2100 Lumens 4000K
Premium	SGPD12W40	L10T8BDGC48L12W1750L40K		Premium Double & Single Ended Bypass T8 Lamps Plastic Coated Glass 48 Inch 12W 1750 Lumens 4000K
Premium	SGPD18W40	L10T8BDGC48L18W2500L40K		Premium Double & Single Ended Bypass T8 Lamps Plastic Coated Glass 48 Inch 18W 2500 Lumens 4000K
Magic - Type A and Type B				
Magic	SGM18W40K	LT8ABP48L18W2250L40K		Type A & B Plastic T8 Lamp Single Ended 48 Inch 18W 2250 Lumens 4000K
Magic	SGM15W40K	LT8ABP48L15W1875L40K		Type A & B Plastic T8 Lamp Single Ended 48 Inch 15W 1875 Lumens 4000K
Magic	SGM215W40K	LT8ABP24L15W1875L40K		Type A & B Plastic T8 Lamp Single Ended 24 Inch 15W 1875 Lumens 4000K
Dimming - Bypass Single Ended & - Type C (Driver & Tubes)				
Dimming	**	LD2T8BGC48L18W2200L40K		2 Wire Dimming Plastic Coated Glass Single Ended Bypass T8 Lamps 48 Inch 18W 2200 Lumens 4000K
Type C	**	JIGZYT810W600BOT40K		LED T8 DIM 2FT 10W 1200 Lumens 4000K

How To Add Emergency to QUIKLED



Separate LED Array added for Emergency.



KEYSTONE KT-EMERG-LED-12-1200-K1 LED EMERGENCY LIGHTING KIT

12W Constant Wattage - Ballast Battery Backup - Damp Location - 120- 277V
Includes driver, separately housed 1200mAh Ni-Cd battery and 0.7" x 8" 1200 Lumen LED module for complete emergency lighting installations. When AC power fails, the driver will power the LED for a minimum of 90 minutes emergency illumination. Easy installation in existing LED or fluorescent fixtures with wiring diagrams and labels on all parts. Mounting hardware included. Full 5 year warranty on all components.

Output Current 1000 mA-200mA - Output Voltage 12 ~41 Vdc

**To order, ADD: EMKT12 to end of X1LED item number
and ADD \$100 to the fixture price for the EM. EM will be installed.**

How To Add an Inverter to QUIKLED



KT-EMRG-LED-5-500-AC
CONSTANT WATTAGE LED EMERGENCY BACK-UP

DESCRIPTION

LED Emergency Back-Up Driver | Standard Side Exit Wire Leads | 5W Output

DRIVER TYPE: Constant Wattage LED Emergency

MAX. OUTPUT POWER: 5W

INPUT VOLTAGE: 120-277Vac ±10%

OUTPUT VOLTAGE: 40-300Vdc

OUTPUT CURRENT: Load Dependant

WARRANTY: 5 Years

PRODUCT FEATURES

- Optimized for Keystone Single Ended Direct Drive LED tube
- Contact Keystone for details on functioning with other Type B LED tubes
- Illuminates entire LED load at reduced output under emergency mod
- One Piece Design with Metal Housin
- 2 -in- 1 LED test switch and indicator light include
- Evaluated to UL 924 requirement

**To order, ADD: INV5 to end of X1LED item number
and ADD \$79 to the fixture price for the Inverter.**

PARABOLIC



ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLPARA8C23212X1LN18W40	1x4 4200 Lumen Parabolic 8C w/2x18W LED T8 4000K Lamps included	CALL
HSLPARA9C217X1LN15W40	2x2 3750 Lumen Parabolic 9C w/2x15W LED T8 4000K Lamps included	CALL
HSLPARA9C317X1LN15W40	2x2 5625 Lumen Parabolic 9C w/3x15W LED T8 4000K Lamps included	CALL
HSLPARA9C417X1LN15W40	2x2 7500 Lumen Parabolic 9C w/4x15W LED T8 4000K Lamps included	CALL
HSLPARA12C232X1LN18W40	2x4 4200 Lumen Parabolic 12C w/2x18W LED T8 4000K Lamps included	CALL
HSLPARA18C232X1LN18W40	2x4 4200 Lumen Parabolic 18C w/2x18W LED T8 4000K Lamps included	CALL
HSLPARA18C332X1LN18W40	2x4 6300 Lumen Parabolic 18C w/3x18W LED T8 4000K Lamps included	CALL
HSLPARA18C432X1LN18W40	2x4 8400 Lumen Parabolic 18C w/4x18W LED T8 4000K Lamps included	CALL
HSLPARA32C432X1LN18W40	2x4 8400 Lumen Parabolic 32C w/4x18W LED T8 4000K Lamps included	CALL

Change 40 to 35 or 50 for different Kelvin. Change Lamp Wattage to 15W on 2FT or 15W on 4FT

SHALLOW, HIGH EFFICIENT PARABOLIC



ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLPES9C217X1LN15W40	2x2 3750 Lumen Parabolic 9C w/2x15W LED T8 4000K Lamps Included	CALL
HSLPES9C317X1LN15W40	2x2 5625 Lumen Parabolic 9C w/3x15W LED T8 4000K Lamps Included	CALL
HSLPES9C417X1LN15W40	2x2 7500 Lumen Parabolic 9C w/4x15W LED T8 4000K Lamps Included	CALL
HSLPES12C232X1LN18W40	2x4 4200 Lumen Parabolic 12C w/2x18W LED T8 4000K Lamps Included	CALL
HSLPES18C232X1LN18W40	2x4 4200 Lumen Parabolic 18C w/2x18W LED T8 4000K Lamps Included	CALL
HSLPES18C332X1LN18W40	2x4 6300 Lumen Parabolic 18C w/3x18W LED T8 4000K Lamps Included	CALL
HSLPES18C432X1LN18W40	2x4 8400 Lumen Parabolic 18C w/4x18W LED T8 4000K Lamps Included	CALL

Change 40 to 35 or 50 for different Kelvin. Change Lamp Wattage to 15W on 2FT or 15W on 4FT
Change PES to PEW for White Louver

Frame-In-Kits Available for Recessed Fixtures to mount in hard ceilings

FIK 1x4 \$17.90
FIK 2x2 \$24.70
FIK 2x4 \$25.80

For Emergency Option, see page K17.

Consult for Fixtures Wired for LED T8 Lamps with Lamps Sold Separately

For Dimmable Version - Change X1 to JLDLV and LN18W to LN18D
Adder 1 Light Fixture - \$17.50; Adder 2 Light Fixture - \$19.00;
Adder 3 Light Fixture - \$36.50; Adder 4 Light Fixture - \$38.00 Example:
Item No. 131A432JLDLV LN18D40K 0-10V Dimming



For Large Quantities, Call For Quote

TROFFER

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSL131A23212X1LN18W40	1x4 4200 Lumen Troffer w/2x18W LED T8 4000K Lamps included	CALL
HSL131A217X1LN15W40	2x2 3750 Lumen Troffer w/2x15W LED T8 4000K Lamps included	CALL
HSL131A317X1LN15W40	2x2 5625 Lumen Troffer w/3x15W LED T8 4000K Lamps included	CALL
HSL131A417X1LN15W40	2x2 7500 Lumen Troffer w/4x15W LED T8 4000K Lamps included	CALL
HSL131A232X1LN18W40	2x4 4200 Lumen Troffer w/2x18W LED T8 4000K Lamps included	CALL
HSL131A332X1LN18W40	2x4 6300 Lumen Troffer w/3x18W LED T8 4000K Lamps included	CALL
HSL131A432X1LN18W40	2x4 8400 Lumen Troffer w/4x18W LED T8 4000K Lamps included	CALL

Change 40 to 35 or 50 for different Kelvin. Change Lamp Wattage to 15W on 2FT or 15W on 4FT

CENTER BASKET

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLUCPF23212X1LN18W40	1x4 4200 Lumen Center Basket w/2x18W LED T8 4000K Lamps Included	CALL
HSLUCPF217X1LN15W40	2x2 3750 Lumen Center Basket w/2x15W LED T8 4000K Lamps Included	CALL
HSLUCPF317X1LN15W40	2x2 5625 Lumen Center Basket w/3x15W LED T8 4000K Lamps Included	CALL
HSLUCPF232X1LN18W40	2x4 4200 Lumen Center Basket w/2x18W LED T8 4000K Lamps Included	CALL
HSLUCPF332X1LN18W40	2x4 6300 Lumen Center Basket w/3x18W LED T8 4000K Lamps Included	CALL

Change 40 to 35 or 50 for different Kelvin. Change Lamp Wattage to 15W on 2FT or 15W on 4FT

Change PF to LL for Linear Ribbed Lens

DUAL BASKET

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLUDPF217X1LN15W40	2x2 3750 Lumen Troffer w/2x15W LED T8 4000K Lamps Included	CALL
HSLUDPF232X1LN18W40	2x4 4200 Lumen Dual Basket w/2x18W LED T8 4000K Lamps Included	CALL

Change 40 to 35 or 50 for different Kelvin. Change Lamp Wattage to 15W on 2FT or 15W on 4FT

Change PF to LL for Linear Ribbed Lens

DEEP CENTER BASKET

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLRDI217X1LN15W40	2x2 3750 Lumen Center Basket w/2x15W LED T8 4000K Lamps Included	CALL
HSLRDI317X1LN15W40	2x2 5625 Lumen Center Basket w/3x15W LED T8 4000K Lamps Included	CALL
HSLRDI232X1LN18W40	2x4 4200 Lumen Center Basket w/2x18W LED T8 4000K Lamps Included	CALL
HSLRDI332X1LN18W40	2x4 6300 Lumen Center Basket w/3x18W LED T8 4000K Lamps Included	CALL

Change 40 to 35 or 50 for different Kelvin. Change Lamp Wattage to 13W on 2FT or 15W on 4FT

For Dimmable Version - Change X1 to JLDMMV and LN18W to LN18D
 Adder 1 Light Fixture - \$17.50; Adder 2 Light Fixture - \$19.00;
 Adder 3 Light Fixture - \$36.50; Adder 4 Light Fixture - \$38.00 Example:
 Item No. 131A432JLDMMVLN18D40K 0-10V Dimming



For Emergency Option, see page K17.

For Large Quantities, Call For Quote

4X4 RECESSED LINEAR (FOR T-BAR CEILING)

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSL44RSF117X1WHLN15W40K	4" x 24" 1875 Lumen Recessed TBAR 1x 15W LED T8 4000K Lamps Included	CALL
HSL44RSF217X1WHLN15W40K	4" x 24" 3750 Lumen Recessed TBAR 2x 15W LED T8 4000K Lamps Included	CALL
HSL44RSF132X1WHLN18W40K	4" x 48" 2100 Lumen Recessed TBAR 1x 18W LED T8 4000K Lamps Included	CALL
HSL44RSF232X1WHLN18W40K	4" x 48" 4200 Lumen Recessed TBAR 2x 18W LED T8 4000K Lamps Included	CALL
HSL44RSF1328X1WHLN18W40K	4" x 96" 4200 Lumen Recessed TBAR 2x 18W LED T8 4000K Lamps Included	CALL
HSL44RSF2328X1WHLN18W40K	4" x 96" 8400 Lumen Recessed TBAR 4x 18W LED T8 4000K Lamps Included	CALL

Change 40 to 35 or 50 for different Kelvin. Change Lamp Wattage to 15W on 2FT or 15W on 4FT
 Change SF (Snap Fit Frosted Lens) to MW for Matte White Regressed Lens
 Change 44R to 44RF for Recessed Flanged or 44RRXX for Recessed Flangeless for XX" sheetrock depth.
 For Baffled Louve , change MW to BL and add \$10 per 4FT.

6X6 RECESSED LINEAR (FOR T-BAR CEILING)

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSL66RMW117X1WHLN15W40K	6" x 26" 1875 Lumen Recessed TBAR 1x 15W LED T8 4000K Lamps Included	CALL
HSL66RMW217X1WHLN15W40K	6" x 26" 3750 Lumen Recessed TBAR 2x 15W LED T8 4000K Lamps Included	CALL
HSL66RMW132X1WHLN18W40K	6" x 48" 2100 Lumen Recessed TBAR 1x 18W LED T8 4000K Lamps Included	CALL
HSL66RMW232X1WHLN18W40K	6" x 48" 4200 Lumen Recessed TBAR 2x 18W LED T8 4000K Lamps Included	CALL
HSL66RMW1328X1WHLN18W40K	6" x 96" 4200 Lumen Recessed TBAR 2x 18W LED T8 4000K Lamps Included	CALL
HSL66RMW2328X1WHLN18W40K	6" x 96" 8400 Lumen Recessed TBAR 4x 18W LED T8 4000K Lamps Included	CALL

Change 40 to 35 or 50 for different Kelvin. Change Lamp Wattage to 15W on 2FT or 15W on 4FT
 Change 66R to 66RF for Recessed Flanged or 66RRXX for Recessed Flangeless for XX" sheetrock depth.
 For Baffled Louve , change MW to BL and add \$10 per 4FT.

2.5 RECESSED LINEAR (FLANGED FOR HARD CEILINGS)

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HLSSES25RFSF117X1WHLN15W40K	4"x24" 1875 Lumen Recessed 2.5" Flanged 1x15W LED T8 4000K Lamps Included	CALL
HLSSES25RFSF132X1WHLN18W40K	4"x48" 2100 Lumen Recessed 2.5" Flanged 1x18W LED T8 4000K Lamps Included	CALL
HLSSES25RFSF1328X1WHLN18W40K	4"x96" 4200 Lumen Recessed 2.5" Flanged 2x18W LED T8 4000K Lamps Included	CALL

Change 40 to 35 or 50 for different Kelvin. Change Lamp Wattage to 15W on 2FT or 15W on 4FT
 Change SES25RFSF to 44R for Recessed TBAR or SES25RRXX for Recessed Flangeless for XX" sheetrock depth.

For Dimmable Version - Change X1 to JLDMMV and LN18W to LN18D
 Adder 1 Light Fixture - \$17.50; Adder 2 Light Fixture - \$19.00;
 Adder 3 Light Fixture - \$36.50; Adder 4 Light Fixture - \$38.00
 Example: Item No. 131A432JLDMMVLN18D40K 0-10V Dimming



For Large Quantities, Call For Quote

PLIN LOUVER BLADE LINEAR PENDANT

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLPLIN232X1WHLN18W40-HC401WH	48" PLIN 90% DOWN 4200 Lumen 2x18W LED T8 4000K Lamps included w/5 ft cable kit	CALL
HSLPLIN2328X1WHLN18W40-HC401WH	96" PLIN 90% DOWN 8400 Lumen 4x18W LED T8 4000K Lamps included w/5 ft cable kit	CALL

Change 40 to 35 or 50 for different Kelvin. Change Lamp Wattage to 15W on 4FT.

Change WH TO BK (Black), RD (Red), IR (Iron), SL (Silver) or BR (Bronze) add \$30 for 48" and \$50 for 96"

4X4 LINEAR PENDANT

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSL44PSF117X1WHLN15W40-HC301WH	4" x 24" 1875 Lumen Pendant w/Cable Kit 1x15W LED T8 4000K Lamps Included	CALL
HSL44PSF217X1WHLN15W40-HC301WH	4" x 24" 3750 Lumen Pendant w/Cable Kit 2x15W LED T8 4000K Lamps Included	CALL
HSL44PSF132X1WHLN18W40-HC301WH	4" x 48" 2100 Lumen Pendant w/Cable Kit 1x18W LED T8 4000K Lamps Included	CALL
HSL44PSF232X1WHLN18W40-HC301WH	4" x 48" 4200 Lumen Pendant w/Cable Kit 2x18W LED T8 4000K Lamps Included	CALL
HSL44PSF1328X1WHLN18W40-HC301WH	4" x 96" 4200 Lumen Pendant w/Cable Kit 2x18W LED T8 4000K Lamps Included	CALL
HSL44PSF2328X1WHLN18W40-HC301WH	4" x 96" 8400 Lumen Pendant w/Cable Kit 4x18W LED T8 4000K Lamps Included	CALL

Change 40 to 35 or 50 for different Kelvin. Change Lamp Wattage to 15W on 2FT or 15W on 4FT

Change SF (Snap Fit Frosted Lens) to MW for Matte White Regressed Lens

Change HC301WH to HC302WH for 10" Cable Kit plus \$5.00

Change WH to BK (Black), IR (Iron), SL (Silver) or BR (Bronze) add \$30 for 48" and \$50 for 96"

For surface mount, remove HC301WH and deduct \$19.00

6X6 LINEAR PENDANT

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSL66PMW117X1WHLN15W40-HC301WH	6" x 26" 1875 Lumen Pendant w/Cable Kit 1x15W LED T8 4000K Lamps Included	CALL
HSL66PMW217X1WHLN15W40-HC301WH	6" x 26" 3750 Lumen Pendant w/Cable Kit 2x15W LED T8 4000K Lamps Included	CALL
HSL66PMW132X1WHLN15W40-HC301WH	6" x 48" 2100 Lumen Pendant w/Cable Kit 1x18W LED T8 4000K Lamps Included	CALL
HSL66PMW232X1WHLN15W40-HC301WH	6" x 48" 4200 Lumen Pendant w/Cable Kit 2x18W LED T8 4000K Lamps Included	CALL
HSL66PMW1328X1WHLN15W40-HC301WH	6" x 96" 4200 Lumen Pendant w/Cable Kit 2x18W LED T8 4000K Lamps Included	CALL
HSL66PMW2328X1WHLN15W40-HC301WH	6" x 96" 8400 Lumen Pendant w/Cable Kit 4x18W LED T8 4000K Lamps Included	CALL

Change 40 to 35 or 50 for different Kelvin. Change Lamp Wattage to 15W on 2FT or 15W on 4FT

Change HC301WH to HC302WH for 10" Cable Kit plus \$5.00

Change WH to BK (Black), IR (Iron), SL (Silver) or BR (Bronze) add \$30 for 48" and \$50 for 96"

For surface mount, remove HC301WH and deduct \$19.00

For Baffled Louve, change MW to BL and add \$10 per 4FT.

For Dimmable Version - Change X1 to JLDMMV and LN18W to LN18D
 Adder 1 Light Fixture - \$17.50; Adder 2 Light Fixture - \$19.00;
 Adder 3 Light Fixture - \$36.50; Adder 4 Light Fixture - \$38.00
 Example: Item No. 131A432JLDMMVLN18D40K 0-10V Dimming



For Large Quantities, Call For Quote

LINEAR PENDANT



LED T8 PENDANT (SUSPENDED ONLY - COMES W/ PENDANT)

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLLT132X1CHLN18W40K	48" Linear Pendant 2100 Lumens 1x18W LED T8 Chrome	CALL
HSLLT132X1WHLN18W40K	48" Linear Pendant 2100 Lumens 1x18W LED T8 White	CALL

Comes with 5ft Cable Kit. Available in 3500K and 5000K.



Shown in Black (BK).

LOUVERED 8" DECORATIVE LINEAR

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLLV5232X1WHLN18W40-HC301WH	48" LVS WHITE 4200 Lumen 2x18W LED T8 4000K Lamps included w/5 ft cable kit	CALL
HSLLV52328X1WHLN18W40-HC401WH	96" LVS WHITE 8400 Lumen 4x18W LED T8 4000K Lamps included w/5 ft cable kit	CALL

Change 40 to 35 or 50 for different Kelvin. Change Lamp Wattage to 15W on 2FT or 15W on 4FT
Change WH TO BK (Black), IR (Iron), SL (Silver) or BR (Bronze) add \$30 for 48" and \$50 for 96"



LOUVERED 6" DECORATIVE LINEAR

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLLV56232X1WHLN18W40-HC301WH	48" LVS WHITE 4200 Lumen 2x18W LED T8 4000K Lamps included w/5 ft cable kit	CALL
HSLLV562328X1WHLN18W40-HC401WH	96" LVS WHITE 8400 Lumen 4x18W LED T8 4000K Lamps included w/5 ft cable kit	CALL

Change 40 to 35 or 50 for different Kelvin. Change Lamp Wattage to 15W on 2FT or 15W on 4FT
Change WH TO BK (Black), IR (Iron), SL (Silver) or BR (Bronze) add \$30 for 48" and \$50 for 96"



Detail View

1 LIGHT 2.5 IN. ENCLOSED STRIP

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLSES25FR132X1LN18W40-HC301WH	2.5"x48" PENDANT or SURFACE LINEAR 2100 Lumen 1x18W LED T8 4000K Lamps included	CALL
HSLSES25FR1328X1LN18W40-HC301WH	2.5"x96" PENDANT or SURFACE LINEAR 4200 Lumen 2x18W LED T8 4000K Lamps included	CALL

Change 40 to 35 or 50 for different Kelvin. Change Lamp Wattage to 15W on 2FT or 15W on 4FT
Change WH TO BK (Black), IR (Iron), SL (Silver) or BR (Bronze) add \$30 for 48" and \$50 for 96"

For Dimmable Version - Change X1 to JLDLV and LN18W to LN18D
Adder 1 Light Fixture - \$17.50; Adder 2 Light Fixture - \$19.00;
Adder 3 Light Fixture - \$36.50; Adder 4 Light Fixture - \$38.00
Example: Item No. 131A432JLDLV18D40K 0-10V Dimming



For Large Quantities, Call For Quote

SURFACE TROFFER



ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSL153A23212X1LN18W40	1x4 4200 Lumen Troffer w/2x18W LED T8 4000K Lamps Included	CALL
HSL153A217X1LN15W40	2x2 3750 Lumen Troffer w/2x15W LED T8 4000K Lamps Included	CALL
HSL153A317X1LN15W40	2x2 5625 Lumen Troffer w/3x15W LED T8 4000K Lamps Included	CALL
HSL153A417X1LN15W40	2x2 7500 Lumen Troffer w/4x15W LED T8 4000K Lamps Included	CALL
HSL153A232X1LN18W40	2x4 4200 Lumen Troffer w/2x18W LED T8 4000K Lamps Included	CALL
HSL153A332X1LN18W40	2x4 6300 Lumen Troffer w/3x18W LED T8 4000K Lamps Included	CALL
HSL153A432X1LN18W40	2x4 8400 Lumen Troffer w/4x18W LED T8 4000K Lamps Included	CALL

Change 40 to 35 or 50 for different Kelvin. Change Lamp Wattage to 9W on 2FT (1050L) or 15W on 4FT (1740). For Frosted Lens change A to FR and add \$9.00

SURFACE PARABOLIC



Special red sockets to identify fixtures made for LED T8 lamps.

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLSHPARA8C23212X1LN18W40	1x4 4200 Lumen Parabolic 8C w/2x18W LED T8 4000K Lamps Included	CALL
HSLSHPARA9C217X1LN15W40	2x2 3750 Lumen Parabolic 9C w/2x15W LED T8 4000K Lamps Included	CALL
HSLSHPARA9C317X1LN15W40	2x2 5625 Lumen Parabolic 9C w/3x15W LED T8 4000K Lamps Included	CALL
HSLSHPARA9C417X1LN15W40	2x2 7500 Lumen Parabolic 9C w/4x15W LED T8 4000K Lamps Included	CALL
HSLSHPARA12C232X1LN18W40	2x4 4200 Lumen Parabolic 12C w/2x18W LED T8 4000K Lamps Included	CALL
HSLSHPARA18C232X1LN18W40	2x4 4200 Lumen Parabolic 18C w/2x18W LED T8 4000K Lamps Included	CALL
HSLSHPARA18C332X1LN18W40	2x4 6300 Lumen Parabolic 18C w/3x18W LED T8 4000K Lamps Included	CALL
HSLSHPARA18C432X1LN18W40	2x4 8400 Lumen Parabolic 18C w/4x18W LED T8 4000K Lamps Included	CALL
HSLSHPARA32C432X1LN18W40	2x4 8400 Lumen Parabolic 32C w/4x18W LED T8 4000K Lamps Included	CALL

Change 40 to 35 or 50 for different Kelvin. Change Lamp Wattage to 9W on 2FT (1050L) or 15W on 4FT (1740).

For Emergency Option, see page K17.

For Dimmable Version - Change X1 to JLDMMV and LN18W to LN18D
 Adder 1 Light Fixture - \$17.50; Adder 2 Light Fixture - \$19.00;
 Adder 3 Light Fixture - \$36.50; Adder 4 Light Fixture - \$38.00
 Example: Item No. 131A432JLDMMVLN18D40K 0-10V Dimming



For Large Quantities, Call For Quote

SURFACE HIGH EFFICIENT PARABOLIC



(Surface Mount has shroud)

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HLSHPES9C217X1LN15W40	2x2 3750 Lumen Parabolic 9C w/2x15W LED T8 4000K Lamps Included	CALL
HLSHPES9C317X1LN15W40	2x2 5625 Lumen Parabolic 9C w/3x15W LED T8 4000K Lamps Included	CALL
HLSHPES9C417X1LN15W40	2x2 7500 Lumen Parabolic 9C w/4x15W LED T8 4000K Lamps Included	CALL
HLSHPES12C232X1LN18W40	2x4 4200 Lumen Parabolic 12C w/2x18W LED T8 4000K Lamps Included	CALL
HLSHPES18C232X1LN18W40	2x4 4200 Lumen Parabolic 18C w/2x18W LED T8 4000K Lamps Included	CALL
HLSHPES18C332X1LN18W40	2x4 6300 Lumen Parabolic 18C w/3x18W LED T8 4000K Lamps Included	CALL
HLSHPES18C432X1LN18W40	2x4 8400 Lumen Parabolic 18C w/4x18W LED T8 4000K Lamps Included	CALL

Change 40 to 35 or 50 for different Kelvin. Change Lamp Wattage to 9W on 2FT (1050L) or 15W on 4FT (1740). Change PES to PEW for White Louver

SURFACE CENTER BASKET



ITEM NO.	DESCRIPTION	SPECIAL PRICE
HLSHUCPF23212X1LN18W40	1x4 4200 Lumen Center Basket w/2x18W LED T8 4000K Lamps Included	CALL
HLSHUCPF217X1LN15W40	2x2 3750 Lumen Center Basket w/2x15W LED T8 4000K Lamps Included	CALL
HLSHUCPF317X1LN15W40	2x2 5625 Lumen Center Basket w/3x15W LED T8 4000K Lamps Included	CALL
HLSHUCPF232X1LN18W40	2x4 4200 Lumen Center Basket w/2x18W LED T8 4000K Lamps Included	CALL
HLSHUCPF332X1LN18W40	2x4 6300 Lumen Center Basket w/3x18W LED T8 4000K Lamps Included	CALL

Change 40 to 35 or 50 for different Kelvin. Change Lamp Wattage to 9W on 2FT (1050L) or 15W on 4FT (1740). Change PF to LL for Linear Ribbed Lens

Consult for Wired for LED T8 Lamps with Lamps Sold Separately

SURFACE DUAL BASKET



ITEM NO.	DESCRIPTION	SPECIAL PRICE
HLSHUDDPF217X1LN15W40	2x2 3750 Lumen Dual Basket w/2x15W LED T8 4000K Lamps Included	CALL
HLSHUDDPF232X1LN18W40	2x4 4200 Lumen Dual Basket w/2x18W LED T8 4000K Lamps Included	CALL

Change 40 to 35 or 50 for different Kelvin. Change Lamp Wattage to 15W on 2FT or 15W on 4FT Change PF to LL for Linear Ribbed Lens

For Dimmable Version - Change X1 to JLDLV and LN18W to LN18D
 Adder 1 Light Fixture - \$17.50; Adder 2 Light Fixture - \$19.00;
 Adder 3 Light Fixture - \$36.50; Adder 4 Light Fixture - \$38.00
 Example: Item No. 131A432JLDLV18D40K 0-10V Dimming



For Emergency Option, see page K17.

For Large Quantities, Call For Quote

ECLIPSE



ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLECLMW217X1WHLN15W40K (TO, BM, IM, SI, WM)	9"x24" 3750 Lumen w/2x15W LED T8 4000K Lamps Included	CALL
HSLECLMW232X1WHLN18W40K (TO, BM, IM, SI, WM)	9"x48" 4200 Lumen w/2x18W LED T8 4000K Lamps Included	CALL
HSLECLMW417X1WHLN15W40K (TO, BM, IM, SI, WM)	17"x24" 7500 Lumen w/4x15W LED T8 4000K Lamps Included	CALL
HSLECLMW432X1WHLN18W40K (TO, BM, IM, SI, WM)	17"x48" 8400 Lumen w/4x18W LED T8 4000K Lamps Included	CALL

Change 40 to 35 or 50 for different Kelvin. Change Lamp Wattage to 15W on 2FT or 15W on 4FT.

PUF SURFACE LINEAR



ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLPUF23211X1LN18W40K	11x48 inches 4200 Lumen w/2x18W LED T8 4000K Lamps Included	CALL
HSLPUF41717X1LN15W40K	17x24 inches 7500 Lumen w/4x15W LED T8 4000K Lamps Included	CALL
HSLPUF43217X1LN18W40K	17x48 inches 8400 Lumen w/4x18W LED T8 4000K Lamps Included	CALL

Change 40 to 35 or 50 for different Kelvin. Change Lamp Wattage to 15W on 4FT.

CROWN



ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLCRWNMW217X1WHLN15W40K	9x24 inches 3750 Lumen w/2x15W LED T8 4000K Lamps Included	CALL
HSLCRWNMW417X1WHLN15W40K	17x24 inches 7500 Lumen w/4x15W LED T8 4000K Lamps Included	CALL
HSLCRWNMW232X1WHLN18W40K	9x48 inches 4200 Lumen w/2x18W LED T8 4000K Lamps Included	CALL
HSLCRWNMW432X1WHLN18W40K	17x48 inches 8400 Lumen w/4x18W LED T8 4000K Lamps Included	CALL

Change 40 to 35 or 50 for different Kelvin. Change Lamp Wattage to 9W on 2FT (1050L) or 15W on 4FT (1740). Consult for Alternate Wood Finishes.

For Emergency Option, see page K17.

For Dimmable Version - Change X1 to JLDLV and LN18W to LN18D
 Adder 1 Light Fixture - \$17.50; Adder 2 Light Fixture - \$19.00;
 Adder 3 Light Fixture - \$36.50; Adder 4 Light Fixture - \$38.00
 Example: Item No. 131A432JLDLVN18D40K 0-10V Dimming



For Large Quantities, Call For Quote



Ideal for Residential Use

Change 40 to 35 or 50 for different Kelvin. Change Lamp Wattage to 9W on 2FT (1050L) or 15W on 4FT (1740).



Change 40 to 35 or 50 for different Kelvin. Change Lamp Wattage to 9W on 2FT (1050L) or 15W on 4FT (1740).



Change 40 to 35 or 50 for different Kelvin. Change Lamp Wattage to 9W on 2FT (1050L) or 15W on 4FT (1740).



Change 40 to 35 or 50 for different Kelvin. Change Lamp Wattage to 9W on 2FT (1050L) or 15W on 4FT (1740).

WRAPAROUND 7"

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSL207A217X1LN15W40	7" x 24" 3750 Lumen 2 Light Wraparound w/2x15W LED T8 4000K Lamps Included	CALL
HSL207A232X1LN18W40	7" x 48" 4200 Lumen 2 Light Wraparound w/2x18W LED T8 4000K Lamps Included	CALL
HSL207A332X1LN18W40	13" x 48" 6300 Lumen 3 Light Wraparound w/3x18W LED T8 4000K Lamps Included	CALL
HSL207A432X1LN18W40	13" x 48" 8400 Lumen 4 Light Wraparound w/4x18W LED T8 4000K Lamps Included	CALL

WRAPAROUND 9"

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSL209A232AX1LN18W40	9" x 48" 4200 Lumen 2 Light Wraparound w/2x18W LED T8 4000K Lamps Included	CALL

Change 40 to 35 or 50 for different Kelvin. Change Lamp Wattage to 15W on 2FT or 15W on 4FT

WRAPAROUND SPECIFICATION GRADE

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSL200A217X1LN15W40	11" x 24" 3750 Lumen 2 Light Wraparound w/2x15W LED T8 4000K Lamps Included	CALL
HSL200A232X1LN18W40	11" x 48" 4200 Lumen 2 Light Wraparound w/2x18W LED T8 4000K Lamps Included	CALL
HSL200A2328X1LN18W40	11" x 96" 8400 Lumen 4 Light Wraparound w/4x18W LED T8 4000K Lamps Included	CALL
HSL200A432X1LN18W40	16" x 48" 8400 Lumen 4 Light Wraparound w/4x18W LED T8 4000K Lamps Included	CALL
HSL200A4328X1LN18W40	16" x 96" 16800 Lumen 8 Light Wraparound w/8x18W LED T8 4000K Lamps Included	CALL

NARROW WRAPAROUND

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSL201A117X1LN15W40	5" x 24" 1875 Lumen 1 Light Wraparound w/1x15W LED T8 4000K Lamps Included	CALL
HSL201A132X1LN18W40	5" x 48" 2100 Lumen 1 Light Wraparound w/1x18W LED T8 4000K Lamps Included	CALL

CORRIDOR LINEAR

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSL159A117X1LN15W40	5" x 24" 1875 Lumen 1 Light Wraparound w/1x15W LED T8 4000K Lamps Included	CALL
HSL159A132X1LN18W40	5" x 48" 2100 Lumen 1 Light Wraparound w/1x18W LED T8 4000K Lamps Included	CALL
HSL159A1328X1LN18W40	5" x 96" 4200 Lumen 1 Light Wraparound w/2x18W LED T8 4000K Lamps Included	CALL

For Dimmable Version - Change X1 to JLDMMV and LN18W to LN18D
 Adder 1 Light Fixture - \$17.50; Adder 2 Light Fixture - \$19.00;
 Adder 3 Light Fixture - \$36.50; Adder 4 Light Fixture - \$38.00
 Example: Item No. 131A432JLDMMVLN18D40K 0-10V Dimming



Consult for Fixtures Wired for LED T8 Lamps with Lamps Sold Separately

For Emergency Option, see page K17.

For Large Quantities, Call For Quote

BEST SELLER



2 OR 3 LIGHT STRIP 4.25"

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLC217X1LI15W40	2ft. Strip 3750 Lumen 2x15W LED T8 4000K Lamps Included	CALL
HSLC317X1LI15W40	2ft. Strip 5625 Lumen 3x15W LED T8 4000K Lamps Included	CALL
HSLC232X1LI18W40	4ft. Strip 4200 Lumen 2x18W LED T8 4000K Lamps Included	CALL
HSLC332X1LI18W40	4ft. Strip 6300 Lumen 3x18W LED T8 4000K Lamps Included	CALL
HSLC2328X1LI18W40	8ft. Tandem Strip 8400 Lumen 4x18W LED T8 4000K Lamps Included	CALL

Change 40 to 35 or 50 for different Kelvin. Change Lamp Wattage to 9W on 2FT (1050L) or 15W on 4FT (1740).

1 LIGHT STRIP 2.75



ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLS117X1LI15W40	2ft. Strip 1875 Lumen 1x15W LED T84000K Lamps Included	CALL
HSLS132X1LI18W40	4ft. Strip 2100 Lumen 1x18W LED T84000K Lamps Included	CALL
HSLS1328X1LI18W40	8ft. Tandem Strip 4200 Lumen 2x18W LED T8 4000K Lamps Included	CALL

Change 40 to 35 or 50 for different Kelvin. Change Lamp Wattage to 9W on 2FT (1050L) or 15W on 4FT (1740).

MINI STRIP (1.6 IN.) 1 LIGHT



ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLKDST8117X1LI15W40	1.6 " 2 ft. Strip 1875 Lumen 1x15W LED T84000K Lamps Included	CALL
HSLKDST8132X1LI18W40	1.6 " 4 ft. Strip 2100 Lumen 1x18W LED T84000K Lamps Included	CALL

Change 40 to 35 or 50 for different Kelvin. Change Lamp Wattage to 9W on 2FT (1050L) or 15W on 4FT (1740).

1 LIGHT LOW PROFILE STRIP



ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLLLS132X1LI18W40	49.5"L x 1.38"W . 1.69" 1 Light Strip w/LED T8 18W Lamp Included	CALL

Change 40 to 35 or 50 for different Kelvin. Change Lamp Wattage to 15W on 2FT or 15W on 4FT

For Emergency Option, see page K17

For Dimmable Version - Change X1 to JLDLV and LN18W to LN18D
 Adder 1 Light Fixture - \$17.50; Adder 2 Light Fixture - \$19.00;
 Adder 3 Light Fixture - \$36.50; Adder 4 Light Fixture - \$38.00
 Example: Item No. 131A432JLDLVN18D40K 0-10V Dimming



For Large Quantities, Call For Quote



SIDE MOUNT STRIP

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HLSM117X1LI15W40	2ft. Strip 1875 Lumen 1x15W LED T8 4000K Lamps Included	CALL
HLSM217X1LI15W40	2ft. Strip 5625 Lumen 2x15W LED T8 4000K Lamps Included	CALL
HLSM132X1LI18W40	4ft. Strip 2100 Lumen 1x18W LED T8 4000K Lamps Included	CALL
HLSM232X1LI18W40	4ft. Strip 4200 Lumen 2x18W LED T8 4000K Lamps Included	CALL

Change 40 to 35 or 50 for different Kelvin. Change Lamp Wattage to 9W on 2FT (1050L) or 15W on 4FT (1740).



Order IND48WG \$9.20 for Wire guard.

INDUSTRIAL

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLIND232W30X1LI18W40	4ft. Industrial 4200 Lumen 2x18W LED T8 4000K Lamps Included	CALL
HSLIND332W30X1LI18W40	4ft. Industrial 6300 Lumen 3x18W LED T8 4000K Lamps Included	CALL
HSLIND2328W30X1LI18W40	8ft. Tandem Industrial 8400 Lumen 4x18W LED T8 4000K Lamps Included	CALL
HSLIND3328W30X1LI18W40	8ft. Tandem Industrial 12600 Lumen 6x18W LED T8 4000K Lamps Included	CALL

Change 40 to 35 or 50 for different Kelvin. Change Lamp Wattage to 15W on 2FT or 15W on 4FT

RECESSED STRIP ITB



ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLITB132X1LI18W40	4ft. Industrial 2100 Lumen 1x18W LED T8 4000K Lamps Included	CALL
HSLITB232X1LI18W40	4ft. Recessed Linear 4200 Lumen 2x18W LED T8 4000K Lamps Included	CALL
HSLITB1328X1LI18W40	8ft. Tandem Recessed Linear 4200 Lumen 2x18W LED T8 4000K Lamps Included	CALL
HSLITB2328X1LI18W40	8ft. Tandem Recessed Linear 8400 Lumen 4x18W LED T8 4000K Lamps Included	CALL

Change 40 to 35 or 50 for different Kelvin. Change Lamp Wattage to 15W on 2FT or 15W on 4FT

For Emergency Option, see page K17

For Dimmable Version - Change X1 to JLDMMV and LN18W to LN18D
 Adder 1 Light Fixture - \$17.50; Adder 2 Light Fixture - \$19.00;
 Adder 3 Light Fixture - \$36.50; Adder 4 Light Fixture - \$38.00
 Example: Item No. 131A432JLDMMVLN18D40K 0-10V Dimming



For Large Quantities, Call For Quote

PREMIERE HIGH BAY



ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLHBC432M23X1LN18W50	High Bay 48 inch 8400 Lumens w/4x18W LED T8 5000K Lamps Included	CALL
HSLHBC632M23X1LN18W50	High Bay 48 inch 12600 Lumens w/6x18W LED T8 5000K Lamps Included	CALL
HSLHBC832M23X1LN18W50	High Bay 48 Inches 16800 Lumens w/8x18W LED T8 5000K Lamps Included	CALL
HSLHBC1032M23X1LN18W50	High Bay 48 Inches 21000 Lumens w/10x18W LED T8 5000K Lamps Included	CALL
HSLHBC1232M23X1LN18W50	High Bay 48 Inches 25200 Lumens w/12x18W LED T8 5000K Lamps Included	CALL

Change 50 to 35 or 40 for different Kelvin. Change Lamp Wattage to 15W on 4FT.

INDUSTRIALIZED GALVANIZED HIGH BAY



ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLHBG432M23X1LN18W50	High Bay 48 Inches 8400 Lumens w/4x18W LED T8 5000K Lamps Included	CALL
HSLHBG632M23X1LN18W50	High Bay 48 Inches 12600 Lumens w/6x18W LED T8 5000K Lamps Included	CALL
HSLHBG832M23X1LN18W50	High Bay 48 Inches 16800 Lumens w/8x18W LED T8 5000K Lamps Included	CALL
HSLHBG1032M23X1LN18W50	High Bay 48 Inches 21000 Lumens w/10x18W LED T8 5000K Lamps Included	CALL
HSLHBG1232M23X1LN18W50	High Bay 48 Inches 25200 Lumens w/12x18W LED T8 5000K Lamps Included	CALL

Change 50 to 35 or 40 for different Kelvin. Change Lamp Wattage to 15W on 4FT

H6L SERIES



ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLH6L4328M23X1LN18W50	High Bay 96 Inches Tandem 16800 Lumens w/8x18W LED T8 5000K Lamps Included	CALL
HSLH6L432M23X1LN18W50	High Bay 48 Inches Tandem 8400 Lumens w/4x18W LED T8 5000K Lamps Included	CALL
HSLH6L6328M23X1LN18W50	High Bay 96 Inches Tandem 21000 Lumens w/10x18W LED T8 5000K Lamps Included	CALL
HSLH6L632M23X1LN18W50	High Bay 48 Inches Tandem 12600 Lumens w/6x18W LED T8 5000K Lamps Included	CALL

Change 50 to 35 or 40 for different Kelvin. Change Lamp Wattage to 15W on 4FT

For Emergency Option, see page K17

For Dimmable Version - Change X1 to JLDMMV and LN18W to LN18D
 Adder 1 Light Fixture - \$17.50; Adder 2 Light Fixture - \$19.00;
 Adder 3 Light Fixture - \$36.50; Adder 4 Light Fixture - \$38.00
 Example: Item No. 131A432JLDMMV LN18D40K 0-10V Dimming



For Large Quantities, Call For Quote



H2L SERIES

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLH2L132M23X1LN18W50	High Bay 48 Inches 2100 Lumens w/1x18W LED T8 5000K Lamps Included	CALL
HSLH2L232M23X1LN18W50	High Bay 48 Inches 4200 Lumens w/2x18W LED T8 5000K Lamps Included	CALL

Change 50 to 35 or 40 for different Kelvin. Change Lamp Wattage to 15W on 4FT.



Special red sockets to identify fixtures made for LED T8 lamps.

BAFFLED HIGH BAY

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLFHBL232X1LN18W50	Linear Louvered 48 Inches 4200 Lumens w/2x18W LED T8 5000K Lamps Included	CALL
HSLFHBL332X1LN18W50	Linear Louvered 48 Inches 6300 Lumens w/3x18W LED T8 5000K Lamps Included	CALL
HSLFHBL432X1LN18W50	Linear Louvered 48 Inches 8400 Lumens w/4x18W LED T8 5000K Lamps Included	CALL
HSLFHBL2328X1LN18W50	Linear Baffled Louver 96 Inches Tandem 8400 Lumens w/4x18W LED T8 5000K Lamps Included	CALL
HSLFHBL3328X1LN18W50	Linear Baffled Louver 96 Inches Tandem 12600 Lumens w/6x18W LED T8 5000K Lamps Included	CALL
HSLFHBL4328X1LN18W50	Linear Baffled Louver 96 Inches Tandem 16800 Lumens w/8x18W LED T8 5000K Lamps Included	CALL

Change 50 to 35 or 40 for different Kelvin. Change Lamp Wattage to 15W on 4FT.

VAPOR TIGHT HIGH BAY WET LOCATION

(IDEAL FOR COLD STORAGE AND WASH DOWN) IP65, IP66 IP67, NEMA 4X



ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLCITA432X1LN18W40	14.61" x 51.91" Enclosure w/Clear Lens 8400 Lumen 4x18W LED T8 4000K Lamps Included	CALL
HSLCITA632X1LN18W40	14.61" x 51.91" Enclosure w/Clear Lens 12600 Lumen 6x18W LED T8 4000K Lamps Included	CALL

For Emergency add EM and \$100. See specification sheet for mounting options and accessories. C is Clear Acrylic Lens, change to FR for Frosted Acrylic Lens. For Polycarbonate Versions add PC after CL or FR. Available in 3000K, 3500K and 4000K.

For Emergency Option, see page K17.

For Dimmable Version - Change X1 to JLDMMV and LN18W to LN18D
 Adder 1 Light Fixture - \$17.50; Adder 2 Light Fixture - \$19.00;
 Adder 3 Light Fixture - \$36.50; Adder 4 Light Fixture - \$38.00
 Example: Item No. 131A432JLDMMVLN18D40K 0-10V Dimming



For Large Quantities, Call For Quote

Retrofit LED T8 Lamp Kit (Convert Existing Fluorescent Fixtures to LED)

UL Listed kit to bypass Fluorescent Ballast w/LED tubes.

Add "8" after RLK for tandem version and add \$2.00


To wire for Troffer Retrofit add "TR" after "RLK".

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLRLK1X1WR	Retrofit Lamp Kit Prewired Unshunted Sockets For 1 LED T8 Lamp Includes Companion Sockets	CALL
HSLRLK2X1WR	Retrofit Lamp Kit Prewired Unshunted Sockets For 2 LED T8 Lamp Includes Companion Sockets	CALL
HSLRLK3X1WR	Retrofit Lamp Kit Prewired Unshunted Sockets For 3 LED T8 Lamp Includes Companion Sockets	CALL
HSLRLK4X1WR	Retrofit Lamp Kit Prewired Unshunted Sockets For 4 LED T8 Lamp Includes Companion Sockets	CALL
HSLRLK1X1WRLI18W40	Retrofit Lamp Kit Prewired Unshunted Sockets For 1 LED T8 Lamp Included Plus Companion Sockets	CALL
HSLRLK2X1WRLI18W40	Retrofit Lamp Kit Prewired Unshunted Sockets For 2 LED T8 Lamp Included Plus Companion Sockets	CALL
HSLRLK3X1WRLI18W40	Retrofit Lamp Kit Prewired Unshunted Sockets For 3 LED T8 Lamp Included Plus Companion Sockets	CALL
HSLRLK4X1WRLI18W40	Retrofit Lamp Kit Prewired Unshunted Sockets For 4 LED T8 Lamp Included Plus Companion Sockets	CALL

Consult for Dimmable LED Lamps Retrofi Kit

4 Ft. Wiring Harness

(This kit will change a two lamp fluorescen to a dimmable two lamp with LED T8 lamps)



LED Dimming Kit for 8 FT. Tandem 1 Light Strip
(Shown w/Optional Wiring Harness for Continuous Run)

RETROFIT REFLECTOR KIT FOR PARABOLICS/TROFFERS

To wire for
Troffer Retrofit

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSL22C2M20BL11X1LI15W40	2x2 Retrofit Kit 4200 Lumen Mirrored Reflection Includes 2x15W 4000K Lamps	CALL
HSL22C2W10BL11X1LI15W40	2x2 Retrofit Kit 4200 Lumen Enhanced White Reflection Includes 2x15W 4000K Lamps	CALL
HSL22C3M20BL11X1LI15W40	2x2 Retrofit Kit 6300 Lumen Mirrored Reflection Includes 3x15W 4000K Lamps	CALL
HSL22C3W10BL11X1LI15W40	2x2 Retrofit Kit 6300 Lumen Enhanced White Reflection Includes 3x15W 4000K Lamps	CALL
HSL24C2M20BL11X1LI18W40	2x4 Retrofit Kit 4200 Lumen Mirrored Reflection Includes 2x18W 4000K Lamps	CALL
HSL24C2W10BL11X1LI18W40	2x4 Retrofit Kit 4200 Lumen Enhanced White Reflection Includes 2x18W 4000K Lamps	CALL
HSL24C3M20BL11X1LI18W40	2x4 Retrofit Kit 6300 Lumen Mirrored Reflection Includes 3x18W 4000K Lamps	CALL
HSL24C3W10BL11X1LI18W40	2x4 Retrofit Kit 6300 Lumen Enhanced White Reflection Includes 3x18W 4000K Lamps	CALL

Change 40 to 35 or 50 for different Kelvin. Change Lamp Wattage to 15W on 2FT or 15W on 4FT.

For Dimmable Version - Change X1 to JLDMMV and LN18W to LN18D
Adder 1 Light Fixture - \$17.50; Adder 2 Light Fixture - \$19.00;
Adder 3 Light Fixture - \$36.50; Adder 4 Light Fixture - \$38.00
Example: Item No. 131A432JLDMMVLN18D40K 0-10V Dimming



For Large Quantities, Call For Quote

BALLAST COVER RETROFIT KIT (Ideal to change 8ft Lamps to 4ft Tandem)




ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSL4RB421T8L11X1LI18W40	4.25" Strip Retrofit Kit 48 In. 2100 Lumen Include 1x18W 4000K Lamp	CALL
HSL4RB422T8L11X1LI18W40	4.25" Strip Retrofit Kit 48 In. 4200 Lumen Include 2x18W 4000K Lamp	CALL
HSL4RB501T8L11X1LI18W40	5" Strip Retrofit Kit 48 In. 2100 Lumen Include 1x18W 4000K Lamp	CALL
HSL4RB502T8L11X1LI18W40	5" Strip Retrofit Kit 48 In. 4200 Lumen Include 2x18W 4000K Lamp	CALL
HSL8RB421X2T8L11X1LI18W40	4.25" Strip Retrofit Kit 96 In. 4200 Lumen Include 2x18W 4000K Lamp	CALL
HSL8RB422X2T8L11X1LI18W40	4.25" Strip Retrofit Kit 96 In. 8400 Lumen Include 4x18W 4000K Lamp	CALL
HSL8RB501X2T8L11X1LI18W40	5" Strip Retrofit Kit 96 In. 4200 Lumen Include 2x18W 4000K Lamp	CALL
HSL8RB502X2T8L11X1LI18W40	5" Strip Retrofit Kit 96 In. 8400 Lumen Include 4x18W 4000K Lamp	CALL

Change 40 to 35 or 50 for different Kelvin. Change Lamp Wattage to 15W on 2FT or 15W on 4FT

Consult for Fixtures Wired for LED T8 Lamps with Lamps Sold Separately

How To Add Emergency to QUIK LED



Separate LED Array added for Emergency.



KEYSTONE KT-EMERG-LED-12-1200-K1 LED EMERGENCY LIGHTING KIT

12W Constant Wattage - Ballast Battery Backup - Damp Location - 120-277V
Includes driver, separately housed 1200mAh Ni-Cd battery and 0.7" x 8" 1200 Lumen LED module for complete emergency lighting installations. When AC power fails, the driver will power the LED for a minimum of 90 minutes emergency illumination. Easy installation in existing LED or fluorescent fixtures with wiring diagrams and labels on all parts. Mounting hardware included. Full 5 year warranty on all components.
Output Current 1000 mA-200mA - Output Voltage 12 ~41 Vdc

To order, ADD: EMKT12 to end of X1LED item number and ADD \$100 to the fixture price for the EM. EM will be installed.

How To Add an Inverter to QUIK LED



KT-EMRG-LED-5-500-AC
CONSTANT WATTAGE LED EMERGENCY BACK-UP

DESCRIPTION

LED Emergency Back-Up Driver | Standard Side Exit Wire Leads | 15W Output

DRIVER TYPE: Constant Wattage LED Emergency

MAX. OUTPUT POWER: 5W

INPUT VOLTAGE: 120-277Vac ±10%

OUTPUT VOLTAGE: 40-300Vdc

OUTPUT CURRENT: Load Dependant

WARRANTY: 5 Years

PRODUCT FEATURES

- Optimized for Keystone Single Ended Direct Drive LED tube
- Contact Keystone for details on functioning with other Type B LED tubes
- Illuminates entire LED load at reduced output under emergency mod
- One Piece Design with Metal Housin
- 2 -in- 1 LED test switch and indicator light include
- Evaluated to UL 924 requirement

To order, ADD: INV5 to end of X1LED item number and ADD \$79 to the fixture price for the Inverter.

UNIVERSAL STRIP RETROFIT KIT

Choice of Reflectors
or Ballast Cover

For ballast cover,
choose strip width 4.25" or 5"



For enhanced light output add a mirrored
specular reflector (M20) or white reflector (W10)

Universal socket bar SKRUSB is
ideal to retrofit 4.25" to 5" strips with
either reflector or ballast cover .



ITEM NO.	DESCRIPTION	SPECIAL PRICE
HLSKB132B4L11X1LI18W40	4.25" Strip Retrofit Kit 48". 2100 Lumen Included 1x18W 4000K Lamps	CALL
HLSKB232B4L11X1LI18W40	4.25" Strip Retrofit Kit 48". 4200 Lumen Included 2x18W 4000K Lamps	CALL
HLSKB132B4L11X1LI18W40	4.25" Strip Retrofit Kit 96". 4200 Lumen Included 2x18W 4000K Lamps	CALL
HLSKB232B4L11X1LI18W40	4.25" Strip Retrofit Kit 96". 8400 Lumen Included 4x18W 4000K Lamps	CALL
HLSKB132B5L11X1LI18W40	5" Strip Retrofit Kit 48". 2100 Lumen Included 1x18W 4000K Lamps	CALL
HLSKB232B5L11X1LI18W40	5" Strip Retrofit Kit 48". 4200 Lumen Included 2x18W 4000K Lamps	CALL
HLSKB132B5L11X1LI18W40	5" Strip Retrofit Kit 96". 8400 Lumen Included 2x18W 4000K Lamps	CALL
HLSKB232B5L11X1LI18W40	5" Strip Retrofit Kit 96". 4200 Lumen Included 4x18W 4000K Lamps	CALL
HLSKR132W10L11X1LI18W40	Strip Reflector Enhanced White Kit 48" 2100 Lumen Included 1x18W 4000K Lamp	CALL
HLSKR232W10L11X1LI18W40	Strip Reflector Enhanced White Kit 48" 4100 Lumen Included 2x18W 4000K Lamp	CALL
HLSKR1328W10L11X1LI18W40	Strip Reflector Enhanced White Kit 96" 4200 Lumen Included 2x18W 4000K Lamp	CALL
HLSKR2328W10L11X1LI18W40	Strip Reflector Enhanced White Kit 96" 8400 Lumen Included 4x18W 4000K Lamp	CALL
HLSKR132M20L11X1LI18W40	Strip Reflector Mirror Kit 48" 2100 Lumen Included 1x18W 4000K Lamp	CALL
HLSKR232M20L11X1LI18W40	Strip Reflector Mirror Kit 48" 4100 Lumen Included 2x18W 4000K Lamp	CALL
HLSKR1328M20L11X1LI18W40	Strip Reflector Mirror Kit 96" 4200 Lumen Included 2x18W 4000K Lamp	CALL
HLSKR2328M20L11X1LI18W40	Strip Reflector Mirror Kit 96" 8400 Lumen Included 4x18W 4000K Lamp	CALL
HLSKRUSB	UNIVERSAL BRACKET FOR SKR KIT	CALL

Change 40 to 35 or 50 for different Kelvin. Change Lamp Wattage to 15W on 2FT or 15W on 4FT

UL Listed with all Options and Accessories.


Optional Dimming Options

The 4 FT. lamps are available with a dimming option. Specially designed dimming lamps require an external driver that runs up to 4 lamps. Dimming driver is installed in the fixture with dimming lamps to dim with 0-10V to 10%

For Dimmable Version - Change X1 to JLDMMV and LN18W to LN18D
 Adder 1 Light Fixture - \$17.50; Adder 2 Light Fixture - \$19.00;
 Adder 3 Light Fixture - \$36.50; Adder 4 Light Fixture - \$38.00
 Example: Item No. 131A432JLDMMVLN18D40K 0-10V Dimming



For Large Quantities, Call For Quote

**WALL FIXTURE 4 FT.**

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSL555MW232X1LN18W40	4ft. Wall 4200 Lumen 2x18W LED T8 4000K Lamps Included	CALL

STAIRWELL 4FT. WITH ULTRASONIC SENSOR

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLSS213A232X1LN18W40	4ft. Wall 4200 Lumen 2x18W LED T8 4000K Lamps Included	CALL

1 Light on Always, 1 Light on Sensor

4X4 LINEAR WALL

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSL44WSF117X1WHLN15W40	4" x 24" 1875 Lumen Pendant w/Cable Kit 1x15W LED T8 4000 Lamps Included	CALL
HSL44WSF217X1WHLN15W40	4" x 24" 3750 Lumen Pendant w/Cable Kit 2x15W LED T8 4000 Lamps Included	CALL
HSL44WSF132X1WHLN18W40	4" x 48" 2100 Lumen Pendant w/Cable Kit 1x18W LED T8 4000 Lamps Included	CALL
HSL44WSF232X1WHLN18W40	4" x 48" 4200 Lumen Pendant w/Cable Kit 2x18W LED T8 4000 Lamps Included	CALL
HSL44WSF1328X1WHLN18W40	4" x 96" 4200 Lumen Pendant w/Cable Kit 2x18W LED T8 4000 Lamps Included	CALL
HSL44WSF2328X1WHLN18W40	4" x 96" 8400 Lumen Pendant w/Cable Kit 4x18W LED T8 4000 Lamps Included	CALL

Change 40 to 35 or 50 for different Kelvin. Change Lamp Wattage to 15W on 2FT or 15W on 4FT
 Change SF (Snap Fit Frosted Lens) to MW for Matte White Regressed Lens
 Change WH to BK (Black), IR (Iron), SL (Silver) or BR (Bronze) add \$30 for 48" and \$50 for 96"
 For Baffled Louve, Change MW to BL and add \$10.00

6X6 LINEAR WALL

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSL66WMW117X1WHLN15W40	6" x 26" 1875 Lumen Pendant w/Cable Kit 1x15W LED T8 4000 Lamps Included	CALL
HSL66WMW217X1WHLN15W40	6" x 26" 3750 Lumen Pendant w/Cable Kit 2x15W LED T8 4000 Lamps Included	CALL
HSL66WMW132X1WHLN18W40	6" x 48" 2100 Lumen Pendant w/Cable Kit 1x18W LED T8 4000 Lamps Included	CALL
HSL66WMW232X1WHLN18W40	6" x 48" 4200 Lumen Pendant w/Cable Kit 2x18W LED T8 4000 Lamps Included	CALL
HSL66WMW1328X1WHLN18W40	6" x 96" 4200 Lumen Pendant w/Cable Kit 4x18W LED T8 4000 Lamps Included	CALL
HSL66WMW2328X1WHLN18W40	6" x 96" 8400 Lumen Pendant w/Cable Kit 4x18W LED T8 4000 Lamps Included	CALL

Change 40 to 35 or 50 for different Kelvin. Change Lamp Wattage to 15W on 2FT or 15W on 4FT
 Change WH to BK (Black), IR (Iron), SL (Silver) or BR (Bronze) add \$30 for 48" and \$50 for 96"
 For Baffled Louve, Change MW to BL and add \$10.00

For Emergency Option, see page K17.


For Dimmable Version - Change X1 to JLDMMV and LN18W to LN18D
 Adder 1 Light Fixture - \$17.50; Adder 2 Light Fixture - \$19.00;
 Adder 3 Light Fixture - \$36.50; Adder 4 Light Fixture - \$38.00
 Example: Item No. 131A432JLDMMVLN18D40K 0-10V Dimming



For Large Quantities, Call For Quote

BED LIGHT (Direct and Indirect Light)

Special red sockets to identify fixtures made for LED T8 lamps.



Add PC4 \$5.00 to switch up and down separately.

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSL215A1U1D17DFX1LN15W40	24" Direct/Indirect 3400 Lumens 2x15W LED T8 4000K Lamps Included	CALL
HSL215A1U1D32DFX1LN18W40	48" Direct/Indirect 3400 Lumens 2x18W LED T8 4000K Lamps Included	CALL
HSL215A1U2D17DFX1LN15W40	24" Direct/Indirect 5100 Lumens 3x15W LED T8 4000K Lamps Included	CALL
HSL215A1U2D32DFX1LN18W40	48" Direct/Indirect 6300 Lumens 3x18W LED T8 4000K Lamps Included	CALL
HSL215A2U1D17DFX1LN15W40	24" Direct/Indirect 5100 Lumens 3x15W LED T8 4000K Lamps Included	CALL
HSL215A2U1D32DFX1LN18W40	48" Direct/Indirect 6300 Lumens 3x18W LED T8 4000K Lamps Included	CALL
HSL215A2U2D17DFX1LN15W40	24" Direct/Indirect 6800 Lumens 4x15W LED T8 4000K Lamps Included	CALL
HSL215A2U2D32DFX1LN18W40	48" Direct/Indirect 8400 Lumens 4x18W LED T8 4000K Lamps Included	CALL

Change 40 to 35 or 50 for different Kelvin. Change Lamp Wattage to 15W on 2FT or 15W on 4FT
Add SW4 and \$5.00 for 4 Way Switch

CITADEL ENCLOSURES

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLCITCL232X1LN18W40	4ft. Enclosure w/Clear Lens 4200 Lumen 2x18W LED T8 4000K Lamps Included	CALL
HSLCITCL332X1LN18W40	4ft. Enclosure w/Clear Lens 6300 Lumen 2x18W LED T8 4000K Lamps Included	CALL
HSLCITLB2328X1LN18W40	8ft. Enclosure w/Linear Ribbed Lens 8200 Lumen 4x18W LED T8 4000K Lamps Included	CALL

Change 40 to 35 or 50 for different Kelvin. Change Lamp Wattage to 15W on 2FT or 15W on 4FT
Consult for different lens options and sensors.
Change CL lens on 4ft to LB (linear ribbed) to match 8 ft. lens and add \$5.00

WIDE BODY GARAGE LIGHT

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLCITOL332 SBA3X1LN18W40	4 FT Deep Clear Enclosure 6300 Lumens with 4200 lumens for wide distribution and 2100 lumens for downlight. 3x18W LED T8 4000K lamps included. Surface Mounting brackets.	CALL
HSLCITOL332 SBA3X1LN18W40MDT4(21) (Pictured)	4 Ft Deep Clear Enclosure 6300 Lumens with 4200 lumens for wide distribution and 2100 lumens for downlight. 3x18W LED T8 4000K lamps included. Surface Mounting brackets and Occupancy Sensor included. Occupancy sensor wired to two wide area lamps.	CALL

MDT4 is for Standard Indoor Occupancy Sensor. For Wet Location change to MDT4W or for Cold Weather Sensor change to MDT4C and add \$13. Change 40 to 35 or 50 for different Kelvin. Change Lamp to 15W on 4FT Consult for different lens and mounting options.

For Dimmable Version - Change X1 to JLDMMV and LN18W to LN18D
Adder 1 Light Fixture - \$17.50; Adder 2 Light Fixture - \$19.00;
Adder 3 Light Fixture - \$36.50; Adder 4 Light Fixture - \$38.00
Example: Item No. 131A432JLDMMV LN18D40K 0-10V Dimming



For Emergency Option, see page K17.

For Large Quantities, Call For Quote

SPILL RING BATH



ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLHOTBD217X1SNLN15W40	2ft. Wall 3400 Lumen 2x15W LED T8 4000K Lamps Included	CALL
HSLHOTBD232X1SNLN18W40	4ft. Wall 4200 Lumen 2x18W LED T8 4000K Lamps Included	CALL

Change 40 to 35 or 50 for different Kelvin. Change Lamp Wattage to 15W on 2FT or 15W on 4FT

PURPLE CAP BATH



ITEM NO.	DESCRIPTION	SPECIAL PRICE
VAN217X1LN15W40 (AL, SW, IV, BM, TO, WM)	2ft. Wall 3750 Lumen 2x15W LED T8 4000K Lamps Included	CALL
VAN232X1LN18W40 (AL, SW, IV, BM, TO, WM)	4ft. Wall 4200 Lumen 2x18W LED T8 4000K Lamps Included	CALL

Change 40 to 35 or 50 for different Kelvin. Change Lamp Wattage to 15W on 2FT or 15W on 4FT

WALL PUFF



ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLWPU217X1LN15W40	2ft. Wall 3750 Lumen 2x15W LED T8 4000K Lamps Included	CALL
HSLWPU232X1LN18W40	4ft. Wall 4200 Lumen 2x18W LED T8 4000K Lamps Included	CALL

Change 40 to 35 or 50 for different Kelvin. Change Lamp Wattage to 15 W on 2FT or 15W on 4FT

LED T8 LAMPS



LED T8 LAMP CHOICES

REDUCED PRICE

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLLED24T815W1700LRK35K	LED T8 Lamp, Instafit or Bypass, 24In., 15W 1700 Lumen 3500	CALL
HSLLED24T815W1700LRK40K	LED T8 Lamp, Instafit or Bypass, 24In., 15W 1700 Lumen 4000	CALL
HSLLED24T815W1700LRK50K	LED T8 Lamp, Instafit or Bypass, 24In., 15W 1700 Lumen 5000	CALL



Consult for U-Bend, Dimmable and other T8 LED Lamp Options

ITEM NO.	DESCRIPTION	SPECIAL PRICE
HSLLED48T815W1800LRK35K*	LED T8 Lamp, Instafit or Bypass, 48In., 15W 1800 Lumen 3500	CALL
HSLLED48T815W1800LRK40K*	LED T8 Lamp, Instafit or Bypass, 48In., 15W 1800 Lumen 4000	CALL
HSLLED48T815W1800LRK50K*	LED T8 Lamp, Instafit or Bypass, 48In., 15W 1800 Lumen 5000	CALL
HSLLED48T818W2100LRK35K	LED T8 Lamp, Instafit or Bypass, 48In., 18W 2100 Lumen 3500	CALL
HSLLED48T818W2100LRK40K	LED T8 Lamp, Instafit or Bypass, 48In., 18W 2100 Lumen 4000	CALL
HSLLED48T818W2100LRK50K	LED T8 Lamp, Instafit or Bypass, 48In., 18W 2100 Lumen 5000	CALL

Consult for Fixtures Wired for LED T8 Lamps with Lamps Sold Separately

About T8 LED Lamps

Our T8 LED lamps are available in 2 or 4 ft. sizes in different wattages, lumens and color temperature options.

- 50,000 Hour Life with 5 Year Warranty
- Beam Angle 140 Degree
- Aluminum Base and Aluminum Housing with Glass Cover
- Operating Temperature: -20°C to 50°C
- Color Temperature: 3500K, 4000K, 5000K
- G13 Pins (Same as Fluorescent Linear T8 Bipins)
- AC100 - 277V without Ballast
- Single Ended Power

SG
Ask for Savegreen
Lamps inside

Savegreen now available in new Wattage and Lumen Options including a Bypass High Lumen Lamp. Call for more information.

INDEX

Fixtures	Page #	Fixtures	Page #	Fixtures	Page #	Fixtures	Page #	Fixtures	Page #
131.....	A3, K4	CLM.....	H12	HIL.....	C3	NOB.....	I7	SLW.....	E20
153.....	D2, K8	CLPU.....	J4	HO.....	I9	NOP.....	I7	SM.....	G3, K13
159.....	D4, K11	CO.....	I8	HOTBD.....	H4, K21	NOW.....	I7	SM131.....	A3
200.....	D3, K11	CPY.....	I3	HOTCD.....	H4	OCL.....	I4	SM302.....	I11
201.....	D4, K11	CRSF.....	B5	HOTCE.....	H6	OSL.....	I2	SMC.....	H6, H7
207.....	D3, K11	CRSR.....	B5	HT.....	I9	OUT.....	I3	SMFSF.....	B8
209.....	D3, K11	CRVR.....	A7	HTCA.....	H5	PARA.....	A7, K3	SS213.....	F3, J2, K19
215.....	F2, K20	CRWN.....	H3, K10	HTCB.....	H5	PES.....	K3	SS44P.....	E8
555.....	F2, K19	CU45.....	E20	IDFP.....	A4	PEW.....	A7	SSHBG.....	C3
22C.....	G3, K16	CV300.....	I3	IND.....	B3, K13	PLELRXTEU.....	J3	SSSER.....	B4, E3
23P.....	E7	CV800.....	I3	ITB.....	A8, K13	PLF.....	I12	SSSES.....	B8, E4
23R.....	E5	CXTEU.....	J4	JSR.....	B3	PLIN.....	K6	SSSKDWB.....	B8, E4
23W.....	E19	D2D.....	I11	KDS.....	B7, K12	PR.....	I8	SSSTR.....	F3, J2
24C.....	G3, K16	DAC.....	G5, H7	KR.....	I9	PUF.....	K10, H3	SSSTS.....	F3, J2
44P.....	E8, E9, E10, K6	DBEL.....	J6	KZXTE.....	J3	R1.....	J5	SSSTW.....	F3, J2
44PSF4X4.....	E9	DC056.....	I11	LAG.....	I3	R2.....	J5	SSUCLL.....	A5
44PSF8X8.....	E9	DC150.....	I11	LCR.....	D5	RB.....	K17, G5	SSUCRLL.....	A5
44R.....	E6, K5	DC200.....	I11	LDED.....	D5	RCR.....	H6	SSVLT.....	A6
44RW.....	E6	DCC.....	I11	LEDCXTEU.....	J4	RCS.....	H6	SWP.....	I6
44W.....	E19, K19	DFCK.....	G2	LEDDUCL.....	F4	RDI.....	K4	T.....	F4
45P.....	E8	DFUCLL.....	G2	LEDR.....	J5	RELZXTE.....	J4	TDL.....	H7
45W.....	E19	DH.....	I8	LEDTFX.....	J6	RFSF.....	K5, G4	TFC.....	H5
4RB.....	G5, K17	DID.....	E18	LFS.....	I12	RKCB.....	G3	TO.....	I10
66P.....	K6, E8	DKS.....	B5	LIN.....	E17	RKD.....	B3	UCLL.....	A5
66R.....	K5, E6	DXR.....	J5	LLLFR.....	E2	RLK.....	K16	UCPF.....	K4, K9
66RW.....	E6	ECL.....	K10, H2	LLLRA.....	E15	RLWD.....	G5	UCRLL.....	A5
66W.....	E19, K19	ELXTE.....	J3	LLLRB.....	E15	RMR.....	J5, J6	UDLL.....	A7
8RB.....	G5, K17	EO.....	I6	LLLSA.....	E15	RRS.....	B2	UDPF.....	K4, K9
AO.....	I9	EOS.....	G5, H7	LLLSB.....	E15	RSF.....	G4	VAN.....	F2, H4, K21
APW.....	I8	ER.....	I6	LLLSC.....	E15	RSR.....	G4	VLT.....	A6
BBP.....	I5	EWPLR.....	D2	LLLSF.....	E11, E12, E13	S.....	B7, D5, K12	VP.....	I4
BCC.....	I5	EWV.....	A8	LLLSG.....	E11, E12, E13	SBX.....	A2, A4	W4.....	D4
BOL.....	I13	EZRXTU.....	J3	LLLSH.....	E14	SCB.....	A6	WCW.....	I4
BPC.....	I5	EZXTEU.....	J3	LLLSR.....	E2	SCW.....	I8	WLEZXTEU.....	J4
BPW.....	I10	F1010.....	I5	LLS.....	K12	SDSES.....	B8, E4	WLIN.....	E20
BR.....	I7	F1302.....	I4	LPC.....	H2	SER.....	B4,E3	WPC.....	I5
C.....	B6, K12	F1303.....	I4	LPLIN.....	E16, K6	SES.....	B6, B8, E4	WPU.....	H4, K21
CBF.....	A5	FHBL.....	E17, K15	LRS.....	D4	SES25.....	E5, E7, K5, K7	WPW.....	I10
CBP.....	I5	FL.....	H3	LTO.....	I10	SES25P.....	E7	X44.....	E10
CEO.....	I6	FPPLP.....	A4, D2	LTX.....	K7	SHFPPLP.....	A4		
CER.....	I6	FSF.....	B3, B8, G4	LUC.....	F4	SHPARA.....	K8		
CEU.....	J4	GO.....	I7	LVS.....	E18, K7	SHPES.....	K9		
CIRDC.....	H5	GP.....	I7	LVS6.....	E18, K7	SHPFPLP.....	D2		
CIT.....	K20	H2L.....	K15	LW.....	K21	SHUC.....	K9		
CITA.....	C5, K15	H6L.....	K14	LWD.....	F2	SHUD.....	K9		
CITE.....	I2	HBC.....	C4, K14	LWP.....	I6	SKB.....	K18		
CITN.....	I2	HBCA.....	C4	LXT.....	A6	SKD.....	B5		
CITOL.....	K20	HBG.....	C3, K14	MTIM.....	E2, E14, E15, F4	SKDWB.....	B5		
CLLLSF.....	E11, E12	HBIHO.....	C2	MUS.....	H5	SKR.....	K18		
CLLLSG.....	E12	HBIP.....	C2	MWP.....	I6	SLP.....	E16		



EcoLite LED Corporate

7910 Wrenwood Blvd Suite B

Baton Rouge LA 70809

EcoLite LED Factory

2055 Luna Rd.

Carrollton, TX 75006

844-LED-SWAP (533-7927)

Info@EcoLiteLed.com

www.EcoLiteLed.com

Manufacturer of Lighting Solutions For All Applications